

050-80-CASECURID01^{Q&As}

RSA SecurID Certified Administrator 8.0 Exam

**Pass RSA 050-80-CASECURID01 Exam with 100%
Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/050-80-casecurid01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RSA Official
Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which RSA SecurID authentication method can use alphabetic characters as part of the user's PASSCODE?

- A. Key Fob
- B. PINPad
- C. On-demand authentication
- D. Software Token in PINPad mode

Correct Answer: A

QUESTION 2

A user is trying to authenticate to establish a VPN connection but receives an "Access Denied" message. The most recent authentication log entry for the user shows the message: "PIN Rejected".

What should the next action be?

- A. Clear the user's PIN.
- B. Resynchronize the user's token.
- C. Clear the VPN Agent's Node Secret.
- D. Instruct the user to log in using only a tokencode.

Correct Answer: D

QUESTION 3

Token expiration dates:

- A. Appear on the token display thirty days prior to expiration.
- B. Are programmed into a token record at the time of manufacture.
- C. Vary according to the date set by the administrator when assigning the token.
- D. Depend on the clock in the Authentication Agent to determine if the token is active.

Correct Answer: B

QUESTION 4

A user password policy can be used to define

- A. Which character strings can not be used for passwords.
- B. The number of password attempts before a user is locked out.
- C. Which RSA SecurID token types can be used with or without PINs.
- D. If Windows Password Integration is used with Authentication Manager.

Correct Answer: A

QUESTION 5

When assigning a user a Temporary Fixed Tokencode to replace a lost token, what is the default value for the expiration period of that Tokencode?

- A. 24 hours
- B. 5 days
- C. 14 days
- D. 30 days

Correct Answer: C

QUESTION 6

If the option "Automatically delete replaced tokens" is selected, the token records will be deleted when

- A. new tokens are imported.
- B. the token expiration date is reached.
- C. the Administrator unassigns the token from a user.
- D. a user logs in successfully with a new assigned token.

Correct Answer: D

QUESTION 7

If a user is NOT a member of an Authentication Manager user group, which of the following statements is true?

- A. The user can not be restricted to certain login times.
- B. The user can not be forced to adhere to password polices.
- C. The user can not take advantage of Risk-Based authentication.
- D. The user can not log on to an unrestricted Authentication Agent.

Correct Answer: A

QUESTION 8

Within which RSA Authentication Manager menu would you configure the number of incorrect PASSCODES that will invoke Next Tokencode Mode?

- A. Policies
- B. System Setup
- C. Identity Settings
- D. RADIUS Lockout

Correct Answer: A

QUESTION 9

If Windows Password Integration is enabled and a Fixed Passcode is assigned to a user, it is important that the Fixed Passcode have the same number of characters as the user's Windows password.

- A. False
- B. True

Correct Answer: B

QUESTION 10

An Authentication Manager user can exist in only one Security Domain at any one time.

- A. True
- B. False

Correct Answer: A

QUESTION 11

If the RSA Authentication Manager places a token into Next Tokencode Mode, and the user waits for three minutes (three tokencode increments) to enter his/her next tokencode, what will be the expected result?

- A. Authentication Manager will not accept the value because it is not sequential.
- B. The authentication will be successful even though the input was delayed.
- C. Authentication Manager will ask for a third tokencode, so that it has two sequential codes.
- D. Authentication Manager will assume that the token has been stolen, and disable the token.

Correct Answer: A

QUESTION 12

An RSA SecurID tokencode is unique for each successful authentication because

- A. a token periodically calculates a new code.
- B. the user continuously changes their secret PIN.
- C. the Node Secret is updated after each authentication.
- D. the Authenticaiton Manager instance clock is set to Universal Coordinated Time.

Correct Answer: A

QUESTION 13

What action will allow an Authentication Agent to register automatically with RSA Authentication Manager?

- A. Edit the Authentication Agent Access Policy to allow auto-registration
- B. Enable "Allow authentication agent auto-registration" in the Agent record
- C. Select the option to "Allow Auto Registration" during installation of the Agent
- D. Add "Auto-Registration=ALLOW" as a parameter value in the sdconf.rec file

Correct Answer: B

QUESTION 14

Which of the following services is NOT an option to users through the Self-Service Console?

- A. Changing a password or PIN
- B. Creating an individual PIN policy
- C. Requesting a replacement token

D. Resynchronizing an RSA SecurID token

Correct Answer: B

QUESTION 15

The term "Silent Collection" refers to gathering information about a user's access and authentication patterns.

A. True

B. False

Correct Answer: A

[050-80-CASECURID01
PDF Dumps](#)

[050-80-CASECURID01
VCE Dumps](#)

[050-80-CASECURID01
Braindumps](#)