

1D0-437^{Q&As}

CIW PERL FUNDAMENTALS

Pass CIW 1D0-437 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/1d0-437.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which statement will open the /etc/passwd file for reading only?

- A. `open(PASSFILE "+>/etc/passwd");`
- B. `open(PASSFILE, "/etc/passwd");`
- C. `open(PASSFILE "+/etc/passwd");`

Correct Answer: B

QUESTION 2

Which Perl debugger commands can be used to step through a script?

- A. b and d
- B. t and c
- C. s and n
- D. X and V

Correct Answer: C

QUESTION 3

Assume \$sth is a valid statement handle. Which of the following correctly outputs the data from the first three columns of a result set?

- A. `while(@rcrds = $sth->fetch_array) { print($rcrds[0]\n); print($rcrds[1]\n); print($rcrds[2]\n); }`
- B. `while(@rcrds = $sth->fetch_array) { print($rcrds[1]\n); print($rcrds[2]\n); print($rcrds[3]\n); }`
- C. `while(@rcrds = $sth->fetchrow_array) { print($rcrds[1]\n); print($rcrds[2]\n); print($rcrds[3]\n); }`
- D. `while(@rcrds = $sth->fetchrow_array) { print($rcrds[0]\n); print($rcrds[1]\n); print($rcrds[2]\n); }`

Correct Answer: D

QUESTION 4

Consider the following code:

```
%chars = ("a", "100", "b", "90", "c", "80");
```

Which one of the following choices will reverse the key/value pairing of the code?

- A. reverse(%chars);
- B. %chars = reverse(%chars);
- C. reverse(%chars) = %chars;
- D. invert(%chars);

Correct Answer: B

QUESTION 5

Assuming \$a = 2, which of the following evaluates as false?

- A. "False"
- B. \$a
- C. \$a
- D. 1

Correct Answer: C

QUESTION 6

Consider the following assignments: \$x = 9 \$y = 7 \$z = 5 Given these assignments, which one of the following expressions evaluates as true?

- A. (\$x - \$y) != (\$y - \$z);
- B. (\$z * 2) \$y;

Correct Answer: C

QUESTION 7

Consider the following program code:

```
%color = (sun => yellow, apple => red);  
reverse(%color);  
  
@colorKeys = sort(keys(%color));  
  
foreach (@colorKeys)  
{  
    print($color{$_} . );  
}
```

```
}
```

What is the result of executing this program code?

- A. The code will output the following: apple sun
- B. The code will output the following: sun apple
- C. The code will output the following: red yellow
- D. The code will output the following: apple red sun yellow

Correct Answer: C

QUESTION 8

Consider the program code in the attached exhibit.

```
$string =  
"OpEd #32x389B Mac #A8d8922c PrdKey #328cs832Q";  
  
if ($string =~ m/./)  
{  
    print "1 "  
}  
if ($string =~ m/\w+\s{0,5}#\S*/)  
{  
    print "2 ";  
}  
if ($string =~ m/\w*\s{2,}#32x389B/)  
{  
    print "3 ";  
}  
if ($string =~ m/\s+#A8d8922C/)  
{  
    print "4 ";  
}  
if ($string =~  
    m/....\s*(#)\d{2,}x\w*\s*MAC\s+$1/i)  
{  
    print "5 ";  
}
```

What is the result of executing this program code?

- A. The code will output the following: 3 4
- B. The code will output the following: 1 2 3 4
- C. The code will output the following: 1 2 4 5
- D. The code will output the following: 1 2 5

Correct Answer: D

QUESTION 9

Consider the following program code:

```
@array = ("ALPHA", "beta", "GaMmA");
```

```
sort(@array);
```

```
print("@array");
```

What is the output of this code?

- A. beta GaMmA ALPHA
- B. ALPHA GaMmA beta
- C. ALPHA beta GaMmA
- D. beta ALPHA GaMmA

Correct Answer: C

QUESTION 10

Consider the following program code:

```
$x = 150;
```

```
$y = "250";
```

```
if (($x + 100) == $y) { print("1 "); }
```

```
if ("250" == $y) { print("2 "); }
```

```
if ("250" eq $y) { print("3 "); }
```

```
if ($x lt $y) { print("4 "); }
```

```
if ($x ge $y) { print("5 "); }
```

What is the result of executing this program code?

- A. The code will output the following: 1 2 3 4
- B. The code will output the following: 1 3 4
- C. The code will output the following: 1 3 5
- D. The code will output the following: 1 2 3 4 5

Correct Answer: A

QUESTION 11

Consider the following code:

```
%hashA = ("alpha", "beta", "gamma", "alpha");
```

```
%hashA = reverse(%hashA);
```

```
print $hashA{"alpha"};
```

What is the result of executing this code?

- A. The code outputs the following: alpha
- B. The code outputs the following: beta
- C. The code outputs the following: gamma
- D. The code fails at line 3.

Correct Answer: C

QUESTION 12

Consider the following program code:

```
@stack = (10, 10..25);
```

```
push(@stack, yellow);
```

```
shift(@stack);
```

```
push(@stack, white);
```

```
print shift(@stack);
```

What is the result of executing this program code?

- A. The code will fail at line 3 because shift requires two arguments.
- B. The code will output the following: 11
- C. The code will output the following: 10
- D. The code will output the following: white

Correct Answer: C

QUESTION 13

Consider the following program code:

```
$x = 0;
```

```
$y = 5;
```

```
do
```

```
{
```

```
print ($x $y );
```

```
}
```

```
while (++$x
```

```
print ($x $y );
```

What is the result of executing this program code?

A. The code will output the following: 1 6 2 7 3 8 4 8 5 10 6 11

B. The code will output the following: 0 5 1 6 2 7 3 8 4 9 4 9

C. The code will output the following: 0 5 1 6 2 7 3 8 4 9 5 10

D. The code will output the following: 0 5 1 6 2 7 3 8 4 9 5 9

Correct Answer: D

QUESTION 14

The values function performs which task?

A. Generates a list of hash keys

B. Generates a list of hash values

C. Returns the number of key/value pairs

D. Reads the hash values into an array

Correct Answer: B

QUESTION 15

Consider the following program code:

```
$i = 15;
```

```
LOOP: for(;; $i
```

```
{
```

```
if ($i % 2)
```

```
{
```

```
next LOOP;
```

```
}
```

```
print($i );
```



```
}
```

What is the result of executing this program code?

- A. The code will output the following: 15 2 4 6 8 10 12 14 16 18 20 22 24
- B. The code will output the following: 15 17 19 21 23 25
- C. The code will fail at line 2 because \$i is not initialized.
- D. The code will output the following: 16 18 20 22 24

Correct Answer: D

[1D0-437 PDF Dumps](#)

[1D0-437 Practice Test](#)

[1D0-437 Exam Questions](#)