

1D0-635^{Q&As}

CIW JavaScript Specialist

Pass CIW 1D0-635 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.certbus.com/1d0-635.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

You want to display a series of elements. Which choice demonstrates the correct syntax for an array in JavaScript?

A. var myArray = Array(1,2,3,4,5) for (var i = 0; i ");

B. var myArray = new Array(1,2,3,4,5)for (var i = 0; i ");

C. var myArray = new Array(1,2,3,4,5)for (var i = 1; i ");

D. var myArray = Array(1,2,3,4,5) for (var i = 1; i ");

Correct Answer: B

QUESTION 2

Assuming the function is called, which script block will display Hello Joe in the document window after you enter the name Joe?

A. function DisplayName(void){var YourName = window.prompt("What is your name?","Please enter your name");document.write("Hello " + YourName);}

B. function DisplayName(){var YourName = window.prompt("What is your name?","Please enter your name");document.write("Hello " + YourName);}

C. function DisplayName(void){var YourName = document.prompt("What is your name?",Please enter your name);document.write("Hello " + YourName);}

D. function DisplayName(){var YourName = document.prompt("What is your name?","Please enter your name");document.write("Hello " + yourname);}

Correct Answer: B

QUESTION 3

Consider the following code:

```
<script type="text/javascript">
var TheCounter = 15:
while (TheCounter > 0){
document.write("The count at this time is " + TheCounter + "<br/>);
TheCounter--;
}
</script>
```

What is the expected result when you run this script in the browser?

A. There will be no visible output, but the script will count down to 0.

B. The script will output a countdown from 15 to 0 in the client window.



- C. The script will output a countdown from 15 to 1 in the client window.
- D. The script will output 15, then 1, because it will only write the first and last values of a while? statement.

Correct Answer: C

QUESTION 4

Consider the following code:

```
<script type="text/javascript">
function myFunction(arg1, arg2)
{
    return(arg1 + arg2);
    var a = 5, b = 10, sum;
}
sum = myFunction(a,b);
    alert(sum);
</script>
```

Will this function generate an error?

- A. No, because the code is well-formed
- B. Yes, because the alert syntax is incorrect
- C. Yes, because there are no valid variables returned
- D. Yes, because the passed arguments have not been defined before the function call

Correct Answer: D

QUESTION 5

When used in conjunction with SQL, a server-side language (such as PHP) and a database (such as mySQL), AJAX can perform which of the following database operations?

- A. Update the database schema and table relationships
- B. Create custom database views and stored procedures
- C. Modify database security permissions, including changing the database owner
- D. Retrieve information from a database and display it back to the page originating the request

Correct Answer: D

QUESTION 6



What is the purpose of the prototype property in JavaScript?

A. It is used to add properties or methods to a JavaScript object.

B. It returns a list of properties and methods of a JavaScript object.

C. It enables developers to create JavaScript code from a specially formatted prototype flowchart document.

D. It is used to create usage examples of custom objects because its output is not evaluated by the JavaScript interpreter.

Correct Answer: A

QUESTION 7

Consider the following code:

```
<form action="#" name="CIWForm' method="get">
<input type="text' value="Old Value" name="firstvalue" />
<button onclick="document.CIWForm.elements[0].value='New Value'; return false;">Click Me
</form>
```

What is the expected output when you run this script in a browser?

A. A button labeled Click Me will appear, with an input box that displays the following default text: Old Value. Upon clicking the button, the text in the text box will change to New Value. Upon clicking the button again, the text in the text box will change back to Old Value.

B. A button labeled Click Me will appear, with an input box that displays the following default text: Old Value. Upon clicking the button, the text in the text box will change to New Value. Upon clicking the button again, the text in the text box will change to Old Value, New Value.

C. A button labeled Click Me will appear, with an input box that displays the following default text: Old Value. Upon clicking the button, the text inthe text box will change to New Value. Upon clicking the button again, you will see nothing change.

D. This script will not run. You will get an error because the value="Old Value" statement in the tag contains the reserved wordValue within the quotes.

Correct Answer: C

QUESTION 8

You want to add a personalized interaction with your users when they enter your Web site. To do this, you can display a JavaScript prompt on the home page that asks the user to enter her name. When the user enters text and clicks the OK button, an alert dialog box will appear and display the text "Welcome, name" (where name is the text entered by the user). Which choice shows the correct JavaScript code for this action?

A. alert("Welcome, " + prompt("What is your name?", ""));

- B. alert("Welcome, ") + prompt("What is your name?", "");
- C. prompt("What is your name?", "") + alert("Welcome, ");



D. prompt("What is your name?", "" + alert("Welcome, "));

Correct Answer: A

QUESTION 9

Jane has created a file with commonly used JavaScript functions and saved it as "allFunctions.js" in the application\\'s root directory. She wants to load this file into a Web page to access its functions. Which statement shows the correct syntax to do this?

Α.	
В.	
С.	
D.	
Correct Answer: C	

QUESTION 10

What basic code is needed to define a function in JavaScript?

- A. function myFunction { }
- B. define myFunction() { }
- C. function myFunction() { }
- D. define myFunction { return value; }

Correct Answer: C

1D0-635 PDF Dumps

1D0-635 Practice Test

1D0-635 Study Guide