www.CertBus.com

CERTBUS

1Z0-1042-20$^{Q\&As}$

Oracle Cloud Platform Application Integration 2020 Specialist

Pass Oracle 1Z0-1042-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.certbus.com/1z0-1042-20.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which two are NOT default start and end events in Process Cloud Service?

A. Folder start and None end event

B. SOAP start and SOAP end event

C. None start and end event

D. Task start and end event

Correct Answer: BD

https://docs.oracle.com/en/cloud/paas/process-cloud/user/defining-process-start-and- end.html#GUIDE3E20D7C-
D135-419C-8750-F8D9147590D8

QUESTION 2

Which APIs does Oracle Internet of Things (IoT) Cloud Service use to perform an analysis?

A. Native Spark Java APIs

B. SQL Queries

C. JavaScript APIs

D. Big Data APIs

Correct Answer: A

Oracle IoT Cloud Service uses native Spark Java APIs to perform the analysis. Developers can use the Batch and
Streaming spark APIs to write the analytics processing logic. Developers can also import external APIs and use them in
their application.

https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/analytics-oracle-iot-cloud-service.html

QUESTION 3

Which two statements are true regarding mapper activity?

A. You can drag and drop a source on to multiple targets.

B. You cannot drag and drop a source on to a target that is already mapped.

C. You can drag and drop function activity in the target.

D. You can drag and drop switcher activity in the target.

Correct Answer: CD

QUESTION 4

You receive a status code: 502 Proxy Error. Which is a possible event cause for this error?

A. when the proxy setup is incorrect

B. while registering a large number of devices using the Batch Registration feature under the Devices menu

C. while adding proxy for an enterprise application device

D. while the proxy server is not responding to the request

Correct Answer: B

https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/troubleshooting-management-console- issues.html

QUESTION 5

Which two are types of Authentication that are supported for Services in Integration API Platform Cloud Service?

A. Kerberos

B. WSS Username Token

C. OAuth2

D. BasicAuth

Correct Answer: CD

https://cloud.oracle.com/opc/paas/datasheets/APIPCSDataSheet_Jan2018.pdf Reference:
https://docs.oracle.com/en/cloud/paas/process-cloud/user/defining-data.html#GUID-9890F9F5-
5A7847B8-BE22-4FBEAC7DB53D

QUESTION 6

Oracle SOA Cloud Service (SOA CS) includes a number of built-in adapters to include all of the

technology adapters delivered with SOA Suite.

When using one of these technology adapters in a composite application deployed in SOA CS, which two

are valid approaches for facilitating connectivity to on-premises applications and systems?

A. WLST script

B. VPN service

C. PL/SQL procedure

D. SSH tunnel

E. SOA on-premises connectivity agent

Correct Answer: BD

Oracle SOA Cloud Service includes a number of adapters. All of the technology adapters delivered with SOA Suite are available for Oracle SOA Cloud Service, Service Bus, and SOA Suite domain types. Connectivity to on-premises applications should be verified, and either SSH tunnels or VPN service should be used for connectivity to on-premises applications. https://docs.oracle.com/en/cloud/paas/soa-cloud/csbcs/adapters-oracle-soa-cloud-service.html

---

QUESTION 7

What policy is required to be in an API if that API is to be used under a Plan?

A. Application Rate Limiting

B. Basic Auth

C. Key Validation

D. Interface Filtering

Correct Answer: C

QUESTION 8

Which two are device activities that can be monitored from Oracle Internet of Things (IoT) Cloud Service?

A. Device Login Activities

B. Alert Messages

C. Application Data

D. Warning Messages

E. Device Data Messages

Correct Answer: BD

https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/developing-applications-oracle-internet- things-cloudservice.pdf

---

QUESTION 9

What are the two types of analytics processors in Oracle Internet of Things (IoT) Cloud Service?

A. Batch Analytics Processors

B. Natural Analytics Processors

C. Static Analytics Processors

D. streaming Analytics Processors

Correct Answer: AD

https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/understanding-analytics-processors.html he type of analytics processor to use depends on the nature of your data: Streaming Analytics Processors Use streaming analytics processors to analyze high volumes of rapidly changing data streamed from your sensors and devices. Streaming analytics processors are continuously running from the moment you deploy them, waiting for your devices to stream data. See Creating Streaming Analytics Processors. Batch Analytics Processors Use batch analytics processors to analyze large volumes of batch data. Typically, batch analytics processors process data stored in the Oracle NoSQL or other data sources. Unlike streaming analytics processors they are not continuously running, they only run when you call them using the REST API they expose.

QUESTION 10

Which setting is used for a system that is hosting a web application to be allowed to access Oracle Internet of Things (IoT) Cloud Service resources?

A. Cross-Origin Resource Sharing (CORS)

B. Management Console Timeout Interval

C. Message Storage and Command Notification

D. OAuth Access Token Lifetime

Correct Answer: A

The cross origin resource sharing setting specifies if the system that is hosting a web application is allowed to access Oracle IoT Cloud Service resources. The assumption is that the web application is running in a browser that is also implementing the CORS specification. Any browser based JavaScript client running on the specified host can access Oracle IoT REST APIs. However they will need to follow the Oracle IoT REST API authorization process to run any operations. https://docs.oracle.com/en/cloud/ paas/iot-cloud/iotsu/setting-cross-origin-resource-sharing- value.html

QUESTION 11

You are designing an OIC integration that will be processing files in a shared file system located within your on-premises data center. You have decided to leverage various Stage File action operations within the integration flow in conjunction with an on-premises OIC connectivity agent. When using the Configure Stage File Action Wizard, which is a valid consideration regarding file operation capabilities?

A. The Write File operation is not available for on-premises file systems.

B. The List Files operation is still available for files uploaded through the connectivity agent.

C. With regard to both the Read Entire File and Read File in Segments operations, files uploaded through the connectivity agent can only be read with a file reference.

D. Files uploaded through the connectivity agent cannot be unzipped with the Unzip File operation using the file reference.

Correct Answer: B

https://docs.oracle.com/en/cloud/paas/integration-cloud/integrations-user/create-orchestratedintegrations.html#GUID-4357B1C8-0FBB-482F-9ED4-041ADE1B857F

QUESTION 12

Which three background colors are displayed for autocomplete in web forms editor?

A. Orange for unmatched binding names

B. Blue for complex binding names (their children may contain valid binding names)

C. Yellow for matched binding names

D. Green for valid binding names

E. Red for invalid binding names

Correct Answer: BDE

The background colors displayed for the autocomplete options are: ?Green for valid binding names ?Red for invalid binding names ?Blue for complex binding names (their children may contain valid binding names) https://docs.oracle.com/ en/cloud/paas/integration-cloud/user-processes/bind-form-data- controls.html#GUID-CECD2F13-1E1A457D-8BC8-8D605EEB213B

QUESTION 13

Which three are scenarios where Managed File Transfer (MFT) is a valid approach?

A. Oracle MFT can be used in conjunction with Oracle Integration Cloud (OIC) to push files for processing by OIC.

B. Many SaaS applications still use files as a means for sharing data, so MFT capabilities are still very important.

C. File adapters remove the need to ever have to use MFT.

D. In integration scenarios where it is important to use either compression and/or encryption in the transfer process.

E. File Transfer is an old, outdated method of sharing information and should not be used.

Correct Answer: ABD

QUESTION 14

When a connection is in edit mode and the browser crashes, the connection becomes locked, which then prevents it from being edited. Which two users can unlock the connection?

A. a user with the Designer Role

B. the same user who has edited the connection

C. any user

D. a user with the Administrator Role

Correct Answer: BD

https://docs.oracle.com/en/cloud/paas/integration-cloud-service/icsug/creating-connections.html#GUID085410CC-9BBE-4F4C-BEB7-8EDD1A9C7A1A Unlocking a Connection When a connection is in edit mode and the browser crashes, the connection becomes locked, which prevents it from being edited. To unlock the connection:

1. Log in again as the same user who was editing the connection when the browser crashed, then log out.

For example, if you were logged in as icsdeveloper when the browser crashed, log in again as

icsdeveloper, and log out. This action unlocks the connection.

or

1.

 Log in as a user with the Administrators role.

2.

 On the Oracle Integration Cloud Service home page, click the Connections diagram.

3.

 For the connection that is locked, click the menu at the far right, then select Unlock.

QUESTION 15

Which is NOT a key advantage of using Oracle Integration Cloud (OIC)?

A. Public/Private Cloud Portability

B. choice of IDE for development

C. Auto Association of Oracle SaaS Applications

D. prebuilt integrations

E. recommendations

Correct Answer: B

Reference: http://www.oracle.com/us/solutions/cloud/cloud-integration-wp-1873149.pdf

[1Z0-1042-20 VCE Dumps](#)   [1Z0-1042-20 Exam Questions](#)   [1Z0-1042-20 Braindumps](#)