

# 1Z0-1093-22<sup>Q&As</sup>

Oracle Cloud Database Services 2022 Professional

**Pass Oracle 1Z0-1093-22 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/1z0-1093-22.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



#### QUESTION 1

What information is required to connect to the NoSQL Database Cloud Service?

- A. API signing key, adminID, user ID
- B. signing key fingerprint, API signing key, tenancy OCID
- C. user ID, tenancy ID, component ID
- D. tenancy ID, passphrase, handshake key

Correct Answer: B

---

#### QUESTION 2

Which characteristic is NOT a factor that impacts the capacity units for provisioning a NoSQL Database Cloud Service table?

- A. record size
- B. data model
- C. query pattern
- D. durability level

Correct Answer: D

---

#### QUESTION 3

The /u02 directory containing Oracle Homes (OH) is 80% utilized and you need to free up space in it. you own two Oracle Homes (OH193\_A and OH193\_B), each with a test database (193A and 193B respectively). You decide to consolidate both databases into a single Oracle Home (OH193\_ \_A) to free up space. Which TWO actions must you perform? (Choose all correct answers)

- A. use the Move Database option from the console.
- B. Schedule a downtime window with the Test teams whouse the 193B database.
- C. Copy the sqinet.ora file from OH193\_B to OH193\_A.
- D. Create a new container under OH193B and migrate the pluggable databases (PDBs) from 193B to 193A.

Correct Answer: AB

---

#### QUESTION 4

What THREE steps must you perform to connect to a MySQL database in the database system by usingSSH and

MySQL Shell?

- A. Add an ingress rule for port 20.
- B. Instantiate MySQL Shell on the MySQL database system instance.
- C. Connect to the MySQL Database Service instance.
- D. SSH into the compute instance from your local machine.
- E. Start MySQL Shell on the compute instance.

Correct Answer: BCD

---

#### QUESTION 5

Your MySQL Database Service system is automatically backed up between midnight and 1 AM. What must you do to change the starting time to 4 AM?

- A. Use the mysqlbackup command to establish a 4 AM backup start time.
- B. Edit the OCI MySQL DB System Details to set the Enable Automatic Backups time to 4 AM.
- C. Update the Oracle Cloud Infrastructure (OCI) MySQL DB System Details page to specify the 4 AM backup window start time.
- D. From the Edit MySQL DB System Details page, select Backup Window and set the start time to 4 AM.

Correct Answer: D

---

#### QUESTION 6

Which TWO statements are true about Interface for Exadata I/O Resource Management (IORM)? (Choose all correct answers)

- A. IORM allows workloads and databases to share I/O resources automatically according to admin-defined policies.
- B. IORM can be enabled across multiple databases using the Cloud interface of Exadata Cloud Service.
- C. IORM allows workloads and databases to share I/O resources automatically according to user requests.
- D. IORM can be enabled across multiple Exadata Racks using the Cloud interface of Exadata Cloud Service.

Correct Answer: AB

---

#### QUESTION 7

What permissions do you need to perform actions on a NoSQL table?

- A. NOSQL\_TABLE\_INSPECT, NOSQL\_TABLE\_UPDATE

- B. NOSQL\_TABLE\_WRITE, NOSQL\_ROWS\_INSERT
- C. NOSQL\_TABLE\_DESTROY, NOSQL\_TABLE\_ALTER
- D. NOSQL\_ROWS\_READ, NOSQL\_ROWS\_DELETE

Correct Answer: D

---

#### QUESTION 8

You want to permanently delete the DB System and its attached HeatWave cluster. Which action should you perform?

- A. Terminate the DB system and drop the associated HeatWave Cluster.
- B. Delete the Heatwave Cluster and it will also delete the DB system.
- C. Delete the DBsystem and it will also delete the attached HeatWave Cluster.
- D. Drop the DB system and terminate the associated HeatWave Cluster.

Correct Answer: C

---

#### QUESTION 9

Which THREE Oracle Cloud Infrastructure (OCI) services can be used to connect to on- premises networks? (Choose all correct answers)

- A. Internet Gateway
- B. Fastconnect
- C. Dynamic Routing Gateway (DRG)
- D. Service Gateway
- E. IPSec VPN

Correct Answer: BCE

---

#### QUESTION 10

When you created your development database on Exadata Cloud@Customer, you selected "None" for backup location during provisioning. You now need to enable automatic backups on the development database with a retention period of 45 days. Which action should you perform?

- A. No action can be taken, because a new backup location cannot be set after creation.
- B. Change the database backup location to local storage backups and set retention to 45 days.
- C. Change the database backup location to an NFS backup location with a 45-day retention period set.

D. Change the database backup location to Object Storage with the default retention period set.

Correct Answer: A

[Latest 1Z0-1093-22 Dumps](#)

[1Z0-1093-22 VCE Dumps](#)

[1Z0-1093-22 Exam  
Questions](#)