

1Z0-816^{Q&As}

Java SE 11 Programmer II

Pass Oracle 1Z0-816 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/1z0-816.html>


100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1



The screenshot shows an IDE with two tabs: Employee.java and Main.java. The Main.java tab is active and contains the following code:

```
1 import java.util.List;
2 import java.util.function.BinaryOperator;
3
4 public class Main {
5     public static void main (String... args) {
6         List<Employee> list = List.of(new Employee("John", 80000.0), new Employee("Scott", 90000.0));
7         double starts = 0.0;
8         double ratio = 1.0;
9         BinaryOperator<Double> bo = (a, b) -> a + b;
10        double totalSalary = list.stream().map(e -> e.getSalary() * ratio).reduce(starts, bo);
11        //line 1
12        System.out.println("Total salary = " + totalSalary);
13    }
14 }
15
16
```

The console output shows:

```
Console 1
Total salary = 170000.0
Completed with exit code: 0
```

Which interface in the java.util.function package will return a void return type?

- A. Supplier
- B. Predicate
- C. Function
- D. Consumer

Correct Answer: D

Reference: <https://www.geeksforgeeks.org/java-8-consumer-interface-in-java-with-examples/>

QUESTION 2

Which two are successful examples of autoboxing? (Choose two.)

- A. String a = "A";
- B. Integer e = 5;
- C. Float g = Float.valueOf(null);
- D. Double d = 4;
- E. Long c = 23L;
- F. Float f = 6.0;

Correct Answer: AB

QUESTION 3

Given an application with a main module that has this module-info.java file:

```
module main {  
    exports country;  
    uses country.CountryDetails;  
}
```

Which two are true? (Choose two.)

- A. A module providing an implementation of country.CountryDetails can be compiled and added without recompiling the main module.
- B. A module providing an implementation of country.CountryDetails must have a requires main; directive in its module-info.java file.
- C. An implementation of country.countryDetails can be added to the main module.
- D. To compile without an error, the application must have at least one module in the module source path that provides an implementation of country.CountryDetails.
- E. To run without an error, the application must have at least one module in the module path that provides an implementation of country.CountryDetails.

Correct Answer: BD

Reference: <https://stackoverflow.com/questions/49476559/java-9-error-not-in-a-module-on-the-modulesource-path>

QUESTION 4

Which two statements independently compile? (Choose two.)

- A. List