

201-450^{Q&As}

LPIC-2 Exam 201 Part 1 of 2 version 4.5

Pass Lpi 201-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/201-450.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A correctly formatted entry has been added to `/etc/hosts.deny` to prevent certain clients from connecting to a service but this is having no effect. What could be the cause of this? (Choose TWO correct answers.)

- A. `tcpd` needs to be sent the HUP signal.
- B. The service needs to be restarted.
- C. The machine needs to be restarted.
- D. There is a conflicting entry in `/etc/hosts.allow`.
- E. The service does not support `tcpwrapper`.

Correct Answer: DE

QUESTION 2

What are the main network services used by the PXE protocol? (Choose TWO correct answers.)

- A. DNS
- B. DHCP
- C. HTTP
- D. TFTP
- E. NFS

Correct Answer: BD

QUESTION 3

According to the Filesystem Hierarchy Standard (FHS), what is the path to the Linux kernel source and may be a symbolic link to the real Linux source code? (Please specify the full path with no version information.)

Correct Answer: `/usr/src/linux`

`/usr/src/linux`

QUESTION 4

Due to extreme system use, a Linux system requires some additional swap space. To initialize 5GB of additional swap space, which combination of commands should be used?

- A. `dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; mkswap /tmp/swapfile; mount /tmp/swapfile`

- B. `dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; swapon /tmp/swapfile`
- C. `dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; mkswap /tmp/swapfile; swapon /tmp/ swapfile`
- D. `touch -5G /tmp/swapfile; swapon /tmp/swapfile`
- E. `mkswap /tmp/swapfile 512000; swapon /tmp/swapfile`

Correct Answer: C

QUESTION 5

Which of the following commands will securely copy the directory `./fyf/` to `/var/tmp/` on the remote host `deltaur` using the remote user account `kevin`?

- A. `rsync -a -e ssh kevin@deltaur:/var/tmp/ fyf/`
- B. `rsync -a -u kevin -e ssh fyf/ deltaur:/var/tmp/`
- C. `rsync -a -u kevin -e ssh deltaur:/var/tmp/ fyf/`
- D. `rsync -a -e ssh fyf/ kevin@deltaur:/var/tmp/`

Correct Answer: D

QUESTION 6

Due to extreme system use, a Linux system requires some additional swap space. To initialize 5GB of additional swap space, which combination of commands should be used?

- A. `dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; mkswap /tmp/swapfile; mount /tmp/swapfile`
- B. `dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; swapon /tmp/swapfile`
- C. `dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; mkswap /tmp/swapfile; swapon /tmp/ swapfile`
- D. `touch -5G /tmp/swapfile; swapon /tmp/swapfile`
- E. `mkswap /tmp/swapfile 512000; swapon /tmp/swapfile`

Correct Answer: C

QUESTION 7

What is the minimum number of disks required in a fully redundant RAID5 array?

- A. 1
- B. 2
- C. 3

D. 4

E. 5

Correct Answer: C

QUESTION 8

What is incorrect about these entries in /etc/hosts which could be causing host name lookup problems with host2?

```
host1 192.168.1.12
```

```
host2 192.168.1.12
```

- A. Two host names are using the same IP address.
- B. The server doing the query is on a different subnet.
- C. The fields are out of order.
- D. host2 is not a fully qualified domain name.

Correct Answer: C

QUESTION 9

Which of the following commands shows capabilities and usable frequencies for the wireless interface wlan0?

- A. iw phy phy0 info
- B. iw dev wlan0 info
- C. iw dev wlan0 show
- D. iw phy wlan0 show
- E. iw phy0 show

Correct Answer: A

QUESTION 10

What command is used to send messages to all users currently logged in? (Specify ONLY the command without any path or parameters.)

Correct Answer: wall

QUESTION 11

Which of the following best describes the format of the /etc/fstab file?

- A. device name; filesystem type; mount point; mount options; dump filesystem; fsck order
- B. device name; mount point; filesystem type; mount options; dump filesystem; fsck order
- C. device name; mount point; mount options; filesystem type; dump filesystem; fsck order
- D. mount point; filesystem type; device name; mount options; dump filesystem; fsck order
- E. mount point; device name; filesystem type; mount options; dump filesystem; fsck order

Correct Answer: B

QUESTION 12

Which of the following are common backup systems used in Linux? (Choose TWO correct answers.)

- A. Amanda
- B. Bacula
- C. DrBackup
- D. BREWBackup
- E. SARcheck

Correct Answer: AB

QUESTION 13

Which two LVM commands are missing from the following sequence which is used to create a logical volume and make use of it on a Linux system?

pvcreate, _____, _____, mkfs, mount

- A. lvcreate, mdadm
- B. lvcreate, vgcreate
- C. lvmcreate, vgcreate
- D. vgcreate, lvcreate
- E. vgcreate, mdadm

Correct Answer: D

QUESTION 14

The following command has just been run successfully: `cd /opt; tar xvf /dev/nst0;`

What will happen if the command sequence is run again?

- A. An error saying that there is no tape present is generated because the tape has been ejected after being used.
- B. The contents of /opt will be restored again.
- C. The entire contents of /opt will be replaced with the contents of the next file on the tape.
- D. The contents of /opt will have additional content added from the next file on the tape.

Correct Answer: D

QUESTION 15

Which of the following commands lists IPv4 addresses and MAC addresses of network nodes that the local system has seen on its directly connected IP networks?

- A. arp
- B. ifconfig
- C. ipadm
- D. iwlist

Correct Answer: A

[201-450 PDF Dumps](#)

[201-450 Exam Questions](#)

[201-450 Braindumps](#)