

# 300-835<sup>Q&As</sup>

Automating Cisco Collaboration Solutions (CLAUTO)

## Pass Cisco 300-835 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/300-835.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

Which statement describe the function of the perfmonCollectCounterData operation used in the Cisco Unified Communications Manager Serviceability Perfmon API?

- A. It returns the Perfmon data for all counters that belong to an object on a particular host.
- B. It collects files from RTMT.
- C. It collects the Perfmon data for all counters that have been added with perfmonAddCounter to the session handle returned from perfmonOpenSession.
- D. It returns the list of available Perfmon objects and counters on a particular host.

Correct Answer: A

---

### QUESTION 2

How is a message created using Webex Teams REST APIs?

- A. POST <https://api.ciscospark.com/v1/messages/{messageID}>
- B. POST <https://api.ciscospark.com/v1/messages/>
- C. GET <https://api.ciscospark.com/v1/messages/>
- D. PUT <https://api.ciscospark.com/v1/messages/>

Correct Answer: B

---

### QUESTION 3

DRAG DROP

This Python script automates the creation of a Webex Teams space and adds participants to the space. Drag and drop code on the snippet to complete the script. Not all options are used.

Select and Place:

Answer Area

```
import requests

head = { 'Content-Type': ' [ ] ',
        'Authorization': 'Bearer NWU4NjQ0YWUtNjYitMWMY_-417f-ae0e10f' }

res = requests.post(url = 'https://api.ciscospark.com/v1/rooms/',
                    headers = head, json = { ' [ ] ': 'Populate members' })

spaceId = res.json()['id']

members = ['ToEnglish@webex.bot', 'ToSpanish@webex.bot']
for members in members:
    requests.post(url='https://api.ciscospark.com/v1/[ ]/',
                  headers = head,
                  json = { 'roomId': spaceId, ' [ ] ': member})
```

- |                  |             |                 |        |
|------------------|-------------|-----------------|--------|
| /memberships     | person      | title           | /rooms |
| /spaces          | personEmail | application/xml |        |
| application/json | name        | /members        |        |

Correct Answer:

**Answer Area**

```
import requests

head = { 'Content-Type': ' application/json ',
        'Authorization': 'Bearer NWU4NjQ0YWUtNjYitMWMY_-417f-ae0e10f' }

res = requests.post(url = 'https://api.ciscospark.com/v1/rooms/',
                    headers = head, json = { ' name ': 'Populate members' })

spaceId = res.json()['id']

members = ['ToEnglish@webex.bot', 'ToSpanish@webex.bot']
for members in members:
    requests.post(url='https://api.ciscospark.com/v1/ personEmail /',
                  headers = head,
                  json = { 'roomId': spaceId, ' /memberships ': member})
```

	person	title	/rooms
/spaces		application/xml	
		/members	

**QUESTION 4**

Which two characteristics of REST APIs? (Choose two.)

- A. Resources are accessed using Uniform Resource Identifiers.
- B. API operations for Create/Read/Update/Delete are mapped to standard HTTP methods.
- C. Cookies are used for the duration of the session.
- D. REST API extends Remote Procedure Call.
- E. The server manages the session state.

Correct Answer: AB

**QUESTION 5**

Which URI for XML APIs is used in Cisco Webex Meetings to manage users, meetings, events, and trainings?

- A. <https://api.webex.com/v1/>
- B. <https://api.webex.com/WBXService/XMLService>
- C. <https://api.webex.com/v1/meetings>
- D. <https://api.webex.com/MeetingsService/XMLService>

Correct Answer: B

### QUESTION 6

DRAG DROP

Drag and drop the elements from the left onto the correct descriptions on the right. Not all options are used.

Select and Place:

#### Answer Area

reverse proxy	sits in front of web servers and retrieves resources from the web servers on behalf of clients; used to increase security
network switch	controls incoming traffic based on defined rules
load balancer	device that distributes application traffic across a number of servers; used to increase capacity
firewall	translates domain names to IP addresses so browsers can load Internet resources
DNS	

Correct Answer:

### Answer Area

network switch

reverse proxy

firewall

load balancer

DNS

### QUESTION 7

DRAG DROP

Drag and drop the code to add a Webex Teams Space Widget in an existing HTML page. Not all items are used.

Select and Place:

**Answer Area**

```
<body>
  <div id="my-webexteams-widget" style="width: 500px; height: 500px;"/>
  <script>
    <var widgetEl = document.getElementById(' [ ] ');
    // Init a new widget
    ciscopark.widget(widgetEl). [ ] ({
      accessToken: 'ACCESS_TOKEN',
      destinationId: 'SPACE_ID',
      destinationType: ' [ ] '
    });
  </script>
</body>
```

my-webexteams-widget	spaceId	mySpaceWidget
webexteams-widget	space_ID	spaceWidget
RoomId	PersonEmail	

Correct Answer:

**Answer Area**

```
<body>
  <div id="my-webexteams-widget" style="width: 500px; height: 500px;"/>
  <script>
    <var widgetEl = document.getElementById(' my-webexteams-widget ');
    // Init a new widget
    ciscopark.widget(widgetEl). spaceWidget ({
      accessToken: 'ACCESS_TOKEN',
      destinationId: 'SPACE_ID',
      destinationType: ' spaceId '
    });
  </script>
</body>
```

		mySpaceWidget
webexteams-widget	space_ID	
RoomId	PersonEmail	

### QUESTION 8

```
import requests

requests.post(' [REDACTED ]',
              verify = False,
              auth = ( 'integrator', 'integrator' ),
              headers = { 'Content-Type': 'text/xml' },
              data = '''<Configuration>
                        <UserInterface>
                          <CustomMessage>New Welcome Message</CustomMessage>
                        </UserInterface>
                      </Configuration>'''
)
```

Refer to the exhibit. This exhibit is based on the simple Python script to update a Webex registered room device (local IP = 10.10.20.153) with a new custom half-wake message. What is the URL to complete the requests.post() method?

- A. <http://10.10.20.153:22/>
- B. <http://10.10.20.153/jsxapi>
- C. <http://api.webex.com/v1/ui>
- D. <http://10.10.20.153/putxml>

Correct Answer: D

### QUESTION 9

DRAG DROP

Drag and drop the code to create a Webex Teams Recents Widget in an existing HTML page. Not all items are used.

Select and Place:



### Answer Area

```
<div style="width:300px; height: 500px;"  
  id="recents"  
  />  
<script>  
  // Initialize a new widget  
  
  const widgetElement = document.getElementById( ' [ ] ' );  
  
  ciscospark.widget(widgetElement). [ ] ({  
    accessToken: "YOUR_WEBEX_TEAMS_ACCESS_TOKEN",  
    onEvent: callback  
  });  
  
  function callback(type,event) {  
  
    if (type == ' [ ] '){  
      console.log("room " + event.data.id + " was selected");  
    }  
  }  
</script>
```

recentsId

selected

my-recents-widget

rooms:selected

recentsWidget

recents

Correct Answer:

### Answer Area

```
<div style="width:300px; height: 500px;"
  id="recents"
/>
<script>
  // Initialize a new widget

  const widgetElement = document.getElementById( 'my-recents-widget' );

  ciscospark.widget(widgetElement).recentsWidget ({
    accessToken: "YOUR_WEBEX_TEAMS_ACCESS_TOKEN",
    onEvent: callback
  });

  function callback(type,event) {

    if (type == 'recents' ){
      console.log("room " + event.data.id + " was selected");
    }
  }
</script>
```

recentsId

selected

rooms:selected

### QUESTION 10

What are two key features of Cisco Unified Communications Manager Serviceability APIs? (Choose two.)

- A. save alarms and events for troubleshooting
- B. connect to serial console on phone hardware
- C. configure firewall rules on phone hardware
- D. scan servers and devices for malware
- E. real-time monitoring of components

Correct Answer: AE

[300-835 PDF Dumps](#)

[300-835 VCE Dumps](#)

[300-835 Practice Test](#)