

300-920^{Q&As}

Developing Applications for Cisco Webex and Webex Devices (DEVWBX)

Pass Cisco 300-920 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.certbus.com/300-920.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



QUESTION 1

Refer to the exhibit. What is the Webex Teams REST API HTTP response status code, based on this code snippet?

A. 401

B. 403

C. 429

D. 501

Correct Answer: C

Reference: https://developer.webex.com/docs/api/v1/messages/get-message-details

QUESTION 2

DRAG DROP

Drag and drop the expressions from the right onto the Webex JavaScript SDK code on the left to create a Webex Teams space, add a person to the space, and send a welcome message. Not all expressions are used.



```
const Webex = require('webex');
const webex = Webex.init({
    credentials: {
       access token: 'process.env.webextoken'
                                                             memberships
});
                                                                teams
                    .create({title: 'Q3 Budget Planning'})
webex.
.then(function(x)
                                                                rooms
    return webex.
                                .create({
                                                                messages
       personEmail: 'jle@devnet.i0',
       roomId:
      });
 })
.then(function(y) {
  webex.
                      .create({
     text: 'You've been assigned a new task!',
      roomId: y.roomId
    });
 })
```

Correct Answer:

```
const Webex = require('webex');
const webex = Webex.init({
    credentials: {
       access token: 'process.env.webextoken'
});
         teams
webex.
                    .create({title: 'Q3 Budget Planning'})
.then(function(x)
    return webex. memberships .create({
       personEmail: 'jle@devnet.i0',
                                                                  X
       roomId:
                  rooms
      });
 })
.then(function(y) {
  webex.
           messages .create({
     text: 'You' ve been assigned a new task!',
      roomId: y.roomId
    });
 1)
```



https://www.certbus.com/300-920.html

2024 Latest certbus 300-920 PDF and VCE dumps Download

QUESTION 3

Which XML snippet does an admin use with a Webex Meetings XML API request to retrieve info on multiple users?
A*
B*
C.
D.
Correct Answer: A

QUESTION 4

A Webex Teams bot is deployed but soon it stops responding. Which two explanations are the cause of the issue? (Choose two.)

A. A new webhook was created, which marks the old webhook as inactive.

Reference: https://developer.cisco.com/docs/webex-xml-api-reference-guide/#!getuser

- B. The web server that is set to receive webhooks is not configured to return a 200 message. And the webhook is disabled.
- C. The webhook secret is expired and must be refreshed.
- D. The refresh token is not being used.
- E. The bot owner regenerated the access token on developer.webex.com.

Correct Answer: AB

Reference: https://developer.authorize.net/api/reference/features/webhooks.html

QUESTION 5

DRAG DROP

Drag and drop the methods from the left into the correct order of execution on the right to use webex-js-sdk in a browser to call and share the screen with another Webex user. Not all methods are used.



meeting.addMedia()

meeting.updateShare()

step 2

webex.call()

step 3

call.getMediaStreams()

webex.meetings.create()

meeting.getMediaStreams()

Correct Answer:

webex.meetings.create()

meeting.getMediaStreams()

webex.call()

meeting.addMedia()

call.getMediaStreams()

meeting.updateShare()

Reference: https://github.com/webex/webex-js-sdk/blob/master/packages/node_modules/%40webex/plugin-meetings/README.md (see start wireless share)

QUESTION 6

DRAG DROP

Drag and drop the code to complete the JavaScript code snippet to create a meeting using the Webex Meetings XML API. Options may be used more than once.

<script></td><td></td><td></td></tr><tr><td>const init = {</td><td></td><td></td></tr><tr><td>method: 'POST'</td><td></td><td></td></tr><tr><td>body: <message xmln</td><td>s:xsi= "http://www.w3.c</td><td>rg/2001/XMLSchema-instance"></td></tr><tr><td><header><securityCo</td><td>ontext></td><td></td></tr><tr><td><siteName>apideme</td><td>oeu</siteName></td><td></td></tr><tr><td><webExID>alice</we</td><td>ebExID></td><td></td></tr><tr><td><</td><td>>AAABb6FFuSBR19BRE</td><td>RJTkdfU0hBMjU2X0FMR09SSVRITV8=</td></tr><tr><td></</td><td>></td><td></td></tr><tr><td></securityContext><</td><td>(/header></td><td></td></tr><tr><td><body></td><td></td><td></td></tr><tr><td> bodyContent x</td><td>si:type="*ava:com.webe</td><td>service.binding.meeting.CreateMeeting"></td></tr><tr><td><accessCo</td><td>ntrol><</td><td>>Cisco1234</ ></td></tr><tr><td></accessControl></td><td></td><td></td></tr><tr><td><metaData><confNa</td><td>me>Sample Meeting</conf</td><td>Name></td></tr><tr><td><pre><meetingType>105<</pre></td><td>/meetingType></metaData</td><td>></td></tr><tr><td><schedule><startD</td><td>ate></td><td></startDate></schedule></td></tr><tr><td></bodyContent></td><td>-</td><td>-</td></tr><tr><td></body></message>'</td><td>}</td><td></td></tr><tr><td></td><td>ebex.com/WBXService/XMI</td><td>Service', init)</td></tr><tr><td>.then(response -></td><td></td><td></td></tr><tr><td>마리 사용 사용 전에 가장 사용하다 가장 하는 사람들이 가장 하는 것으로 하는 것이다. 그 사람들이 다른 사용 기계를 받는 것이다. 그런데 다른 기계를 받는 것이다. 그런데 다른 기계를 받는 것이다.</td><td>window.DOMParser()).pan</td><td>seFromString(str, '</td></tr><tr><td>Seite Whee As</td><td>the contract of the contract o</td><td></td></tr><tr><td>.then(data => docum</td><td>ent.write(data.getElem</td><td>entsByTagNameNS('*', '</td></tr><tr><td>[0].textContent))</td><td></td><td>\$6 m</td></tr><tr><td></script>		
· · · · · · · · · · · · · · · · · · ·	92	
result	application/json	
text/xml	1/13/2020 16:00:00	
	2,23,2020 20.00.00	
meetingPassword	sessionTicket	
Jan 24, 2019 4:00 PM	status	

Correct Answer:

https://www.certbus.com/300-920.html

2024 Latest certbus 300-920 PDF and VCE dumps Download

<script></th><th></th><th></th><th></th></tr><tr><th>const init = {</th><th></th><th></th><th></th></tr><tr><td>method: 'POST'</td><td></td><td></td><td></td></tr><tr><th>body: <message xmln</th><th>s:xsi= "http://www.w3.</th><th>crg/2001/XMLSchema-ir</th><th>stance"></th></tr><tr><th><header><securityC</th><th>ontext></th><th></th><th></th></tr><tr><th><siteName>apidem</th><th>oeu</siteName></th><th></th><th></th></tr><tr><th><webExID>alice</w</th><th>ebExID></th><th></th><th></th></tr><tr><th>< sessionTicket</th><th>>AAABb6FFuSBR19BR</th><th>ERJTkdfU0hBMjU2X0FMR0</th><th>9SSVRITV8=</th></tr><tr><th></th><th></th><th></th><th></th></tr><tr><td></td><td>></td><td></td><td></td></tr><tr><td></securityContext></td><td></header></td><td></td><td></td></tr><tr><td><body></td><td></td><td></td><td></td></tr><tr><td></td><td>si:type="*ava:com.webe</td><td>ex.service.binding.meg</td><td>eting.CreateMeeting"></td></tr><tr><td><accessCo</td><td>ntrol>< meetingPas</td><td>sword >Cisco1234</</td><td>meetingPassword ></td></tr><tr><th></accessControl></th><th>(3</th><th></th><th></th></tr><tr><td>10</td><td>me>Sample Meeting</con</td><td>fName></td><td></td></tr><tr><td>and the comment of the control of th</td><td>/meetingType></metaDat</td><td></td><td></td></tr><tr><th>3 11</th><th>,</th><th></th><th></th></tr><tr><th><schedule><startD</th><th>pate> Jan 24, 2019 4:00</th><th>PM </startDate></scl</th><th>hedule></th></tr><tr><th></bodyContent></th><th></th><th></th><th></th></tr><tr><td></body></message>'</td><td>1</td><td></td><td></td></tr><tr><td></td><td>ebex.com/WBXService/XM</td><td>IService', init)</td><td></td></tr><tr><td>.then(response =></td><td></td><td></td><td></td></tr><tr><td>이 가는 사람들이 없어서 하는 사람들이 살아보면 프라이 아버지들은 사람들이 있다. 그 사람들은 다른</td><td>window.DOMParser()).pa</td><td>rseFromString(str, \</td><td>text/xml '))</td></tr><tr><td>Solice When Min</td><td>ter estero</td><td>M1945391-9</td><td></td></tr><tr><td>.then(data => docum</td><td>ment.write(data.getElen</td><td>mentsByTagNameNS('*',</td><td>' rosult ')</td></tr><tr><td>[0].textContent))</td><td></td><td></td><td>\$ ## ## ## ## ## ## ## ## ## ## ## ## ##</td></tr><tr><td></script> <td></td> <td></td> <td></td>			
	2/	<u>-</u> -:	
result	application/json	1	
		1	
text/xml	1/13/2020 16:00:00		
meetingPassword	sessionFicket		
7 04 0045 4 05]]	
Jan 24, 2019 4:00 PM	status		

QUESTION 7

A company wants to adopt Webex Teams as a messaging platform and use REST APIs to automate the creation of teams and rooms. Which sequence of REST API requests is needed to create and populate a new Webex team and create a populated Webex room for the team?

A. POST /teams, POST /memberships, POST /rooms

B. POST /teams, POST /people, POST /rooms

C. POST /teams, POST /team/memberships, POST /rooms

D. POST /teams, POST /team/memberships, POST /rooms, POST /memberships

Correct Answer: B

Reference: https://developer.webex.com/docs/api/basics



QUESTION 8

Which two tasks should use a Webex bot instead of aWebex integration? (Choose two.)

- A. Ask a question in natural language to obtain the current price of a stock.
- B. Translate a word or phrase from Italian to English.
- C. Notify all users who send a 1:1 message that the user is currently out of the office.
- D. Automatically delete a message that was sent with spelling or grammatical errors.
- E. Archive all the messages in a group space.

Correct Answer: AB

Reference: https://developer.webex.com/docs/bots

QUESTION 9

DRAG DROP

Drag and drop the code snippets onto the exhibit to create a valid Webex Meetings API request allowing Jane (an admin) to reset John\\'s PMR pin. Not all options are used.

xml ve</th <th>rsion="1.0" encoding="UTF-8"?></th> <th>_</th>	rsion="1.0" encoding="UTF-8"?>	_
the same of the sa	ssage xmlns:serv= "http://www.webex.com/schemas/20	
xml	ns:xsi= "http://www.w3.org/2001/XMLSchema-instance	·">
<he< th=""><th>ader></th><th></th></he<>	ader>	
	<securitycontext></securitycontext>	
	<sitename>apidemoeu</sitename>	
03/70/	1502.04.07.3	
<we< td=""><td>bExID></td><td></td></we<>	bExID>	
	1	.,
177	ecurityContext>	
<td>ier></td> <td></td>	ier>	
 body>	Content xsi :type= "java:com.webex.xmlapi.service.	hinding year
Chody	content xsi :type= "java:com.webex.xmiapi.service.	binding.user.
	">	
<web< td=""><td>ExID></td><td></td></web<>	ExID>	
125		1/ WEDENIDA
<pe:< td=""><td>rsonalMeetingRoom></td><td></td></pe:<>	rsonalMeetingRoom>	
1774	<hostpin>1337</hostpin>	
	ersomalMeetingRoom>	
2.62.7	yContent>	
<td></td> <td></td>		
<td>essage></td> <td></td>	essage>	
[janedoe	
ĵ	johndoe	
ĺ	SetUser	
	UpdateUser	
	opuaceoser	
,	<token>AAABb5HuHWUAABUY</token>	
9	<pre><sessionticket>AAABb5HuHWUAABUY</sessionticket></pre>	
14		

Correct Answer:

https://www.certbus.com/300-920.html

xml version="1.0" e</th <th>encoding="UTF-8"?></th> <th></th> <th></th>	encoding="UTF-8"?>		
	serv= "http://www.webex.com	/schomas/200	02/06/service »
and the second of the second o	://www.w3.org/2001/XMLScher		
<header></header>	.,//www.ws.org/2001/AMLSCHe	na-Instance	
<securityco< th=""><th></th><th></th><th></th></securityco<>			
<pre><sitename< pre=""></sitename<></pre>	>apidemoeu		
<webexid></webexid>	johndoe		
	SetUser		
<th>rt></th> <th>=</th> <th></th>	rt>	=	
 dockers 			
<pre><bodycontent :<="" pre="" xs1=""></bodycontent></pre>	type= "java:com.webex.xmlap	1.service.b.	inding.user.
<token>AA</token>	ABb5HuHWUAABUY	">	
<webexid></webexid>	UpdateUser		
<pre><personalmeeting< pre=""></personalmeeting<></pre>	Room>		
	37		
<th>gRoom></th> <th></th> <th></th>	gRoom>		
20 € 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1			
	janedoe		

<sessionTicket>AAABb5HuHWUAABUY</sessionTicket>

QUESTION 10

Which two statements about incoming WebEx call notifications on iOS and Android applications are true? (Choose two.)

- A. When running in the background on Android, Firebase Cloud Messaging must use a notification message.
- B. When running in the background on Android, Firebase Cloud Messaging must use a data message.
- C. Webhooks are required with the iOS SDK only when the application is in the background.
- D. When running in the background on iOS, Application Push Notifications must be configured to be silent.
- E. Webhooks are required in the foreground and background for iOS and Android applications.



Correct Answer: BC

Reference: https://github.com/webex/webex-android-sdk-example-push-notification-server/blob/master/README.md https://developer.webex.com/docs/sdks/ios

Latest 300-920 Dumps

300-920 VCE Dumps

300-920 Exam Questions