

350-018^{Q&As}

CCIE Security written

Pass Cisco 350-018 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/350-018.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

As defined by Cisco TrustSec, which EAP method is used for Network Device Admission Control authentication?

- A. EAP-FAST
- B. EAP-TLS
- C. PEAP
- D. LEAP

Correct Answer: A

QUESTION 2

What is the ICMPv6 type and destination IPv6 address for a Neighbor Solicitation packet that is sent by a router that wants to learn about a newly introduced network device?

- A. ICMP type 136 and the Solicited-Node multicast address
- B. ICMP type 135 and the Broadcast address
- C. ICMP type 136 and the All-Routers multicast address
- D. ICMP type 135 and the All-Routers multicast address
- E. ICMP type 135 and the Solicited-Node multicast address
- F. ICMP type 136 and the Broadcast address

Correct Answer: E

QUESTION 3

Event Action Rule is a component of which IPS application?

- A. InterfaceApp
- B. MainApp
- C. SensorApp
- D. NotificationApp
- E. AuthenticationApp
- F. SensorDefinition

Correct Answer: C

QUESTION 4

Which option is representative of automatic IP addressing in IPv4?

- A. 10.1.x.x
- B. 172.10.1.x
- C. 169.254.x.x
- D. 196.245.x.x
- E. 128.1.1.x
- F. 127.1.x.x

Correct Answer: C

QUESTION 5

Which statement about the distributed SYN flood attack is true?

- A. A distributed SYN flood attack is carried out only by the valid address.
- B. A distributed SYN flood attack is carried out only by spoofed addresses.
- C. Botnet could be used to launch a distributed SYN flood attack.
- D. A distributed SYN flood attack does not completely deplete TCBS SYN-Received state backlog.
- E. A distributed SYN flood attack is the most effective SYN flood attack because it targets server memory.

Correct Answer: C

QUESTION 6

Refer to the exhibit.

```
object network obj-10.10.0.0
subnet 10.10.0.0 255.255.0.0
object network obj-30.30.30.0
subnet 30.30.30.0 255.255.255.0
nat (inside,any) source static obj-10.10.0.0 obj-10.10.0.0 destination
static obj-30.30.30.0 obj-30.30.30.0
```

Which option describes the behavior of this configuration?

- A. Traffic from the 30.30.0.0/16 network to the 10.10.0.0/32 network will be translated.

- B. Traffic from the 30.30.0.0/32 network to the 10.10.0.0/16 network will not be translated.
- C. Traffic from the 10.10.0.0/16 network to the 30.30.30.0/24 network will not be translated.
- D. Traffic from the 10.10.0.0/32 network to the 30.30.30.0/16 network will be translated.

Correct Answer: C

QUESTION 7

Refer to the exhibit.

```
!other commands omitted
switch(config-if)# switchport access vlan 10
switch(config-if)# switchport mode access
switch(config-if)# switchport voice vlan 20
switch(config-if)# dot1x pae authenticator
switch(config-if)#authentication port-control auto
switch(config-if)#authentication host-mode multi-domain
switch(config-if)#authentication order mab dot1x
switch(config-if)#authentication priority dot1x mab
switch(config-if)#mab
!other commands omitted
```

Which statement about this Cisco Catalyst switch 802.1X configuration is true?

- A. If an IP phone behind the switch port has an 802.1X supplicant, MAC address bypass will still be used to authenticate the IP Phone.
- B. If an IP phone behind the switch port has an 802.1X supplicant, 802.1X authentication will be used to authenticate the IP phone.
- C. The authentication host-mode multi-domain command enables the PC connected behind the IP phone to bypass 802.1X authentication.
- D. Using the authentication host-mode multi-domain command will allow up to eight PCs connected behind the IP phone via a hub to be individually authentication using 802.1X.

Correct Answer: B

QUESTION 8

Which ISMS provides the basis for an optional business certification logo program?


- A. HIPAA

- B. NIST 800-53
- C. ISO 27001
- D. TOGAF
- E. ISO 27002
- F. COBIT 5

Correct Answer: C

QUESTION 9

Refer to the exhibit.



According to this DHCP packet header, which field is populated by a DHCP relay agent with its own IP address before

the DHCPDISCOVER message is forwarded to the DHCP server?

- A. ciaddr
- B. yiaddr
- C. siaddr
- D. giaddr

Correct Answer: D

QUESTION 10

```

Host_1#show ipv6 routers
Router FE80::3 on FathEthernet0/0, last update 0 min
  Hops 64, Lifetime 3 sec, AddrFlag=0, OtherFlag=0, MTU=1500
  HomeAgentFlag=0, Preference=Medium
  Reachable time 0 msec, Retransmit time 0 msec
  Prefix 2000:828A:0:1::/64 onlink autoconfig
  Valid lifetime 1200, preferred lifetime 1000
Router FE80::1 on FathEthernet0/0, last update 0 min
  Hops 64, Lifetime 3 sec, AddrFlag=0, OtherFlag=0, MTU=1500
  HomeAgentFlag=0, Preference=Low
  Reachable time 0 msec, Retransmit time 0 msec
  Prefix 2000:828A:0:1::/64 onlink autoconfig
  Valid lifetime 1000, preferred lifetime 900
Router FE80::2 on FathEthernet0/0, last update 0 min
  Hops 64, Lifetime 3 sec, AddrFlag=0, OtherFlag=0, MTU=1500
  HomeAgentFlag=0, Preference=High
  Reachable time 0 msec, Retransmit time 0 msec
  Prefix 2000:828A:0:1::/64 onlink autoconfig
  Valid lifetime 1100, preferred lifetime 1000
  
```

Refer to the exhibit. Which effect of this configuration is true?

- A. Host_1 learns about R1,R2 and R3 and prefers R2 as its default router.
- B. Host_1 learns about R2,R3 only and R3 and prefers R3 as its default router.
- C. Host_1 selects R2 as its default router and load balances between R2 and R3.

D. Host_1 learns about R1,R2 and R3 and load balances between them.

E. Host_1 learns about R2,R3 only and R3 and prefers R2 as its default router.

Correct Answer: A

QUESTION 11

Which domain is used for a reverse lookup of IPv4 addresses?

A. in-addr.arpa

B. ip4.arpa

C. in-addr.net

D. ip4.net

Correct Answer: A

QUESTION 12

What is the range of valid stratum numbers for NTP when configuring a Cisco IOS device as an authoritative NTP server?

A. 0 to 16

B. 1 to 15

C. 0 to 4

D. 1 to 16

Correct Answer: B

When configuring a Cisco device as NTP master its clock becomes a reference clock for time synchronization to other devices. The stratum of the NTP master can be configured in the range 1-15, but will usually be configured as stratum-1

Reference: <https://seriousnetworks.wordpress.com/2013/08/08/configuring-ntp-on-cisco-ios-devices/>

[350-018 VCE Dumps](#)

[350-018 Study Guide](#)

[350-018 Exam Questions](#)

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.certbus.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © certbus, All Rights Reserved.