

350-080^{Q&As}

CCIE Data Center Written

Pass Cisco 350-080 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/350-080.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

NPV and NPIV are features that are used to overcome resource limitations in which Fibre Channel field?

- A. FCID
- B. Domain ID
- C. WWPN
- D. LUN ID
- E. VSAN

Correct Answer: B

QUESTION 2

Which statement about basic Zoning are true? Choose two)

- A. Administrator can make simultaneous configuration changes upon activation, one administrator can overwrite other admin changes.
- B. If a zone is part of multiple zone sets, you create one instance of this zone for both zone sets.
- C. To distribute the zoning database to must reactivate the same zone set. The reactivation may affect hardware chances for hard zoning only on the local switch , remote switches are not affected.
- D. To retrieve the results of the activation on a per switch basis, the managing switch provides combined status about the activation and identifies the failure switch.
- E. The default zone policy is defined per switch, To ensure smooth fabric operation all switches in the fabric must have the same default zone settings.

Correct Answer: D

QUESTION 3

Select and Place:

There are two types of resources that can be allocated to a virtual context: memory resources and rate resources. Drag three correct rate resources from left into the chart on the right.

connections per second	Rate Resources _____ _____ _____
stickiness table entries	
address translations	
HTTP compression performance	
concurrent connections through the context	
bandwidth through the context	

Correct Answer:

There are two types of resources that can be allocated to a virtual context: memory resources and rate resources. Drag three correct rate resources from left into the chart on the right.

	Rate Resources bandwidth through the context HTTP compression performance connections per second
stickiness table entries	
address translations	
concurrent connections through the context	

QUESTION 4

Cisco UCS provides integration interfaces and protocols to support heterogeneous data center environments and supports standard monitoring and event notification systems, providing data to standard enterprise-management tools.

Which two of these lists the primary Cisco UCS interfaces and industry standard-based read-only interfaces? (Choose two.)

- A. UCS Manager XML API and UCS CLI
- B. SNMP, SMASH CLP, and CIM-XML
- C. UCS Manager, DCOS, and Local-mgmt
- D. SoL and NX-OS
- E. debug-plugin and UCS Manager GUI

Correct Answer: AB

QUESTION 5

Select and Place:

Drag the commands on the left and drop them on the right in the correct order which they should be applied in a FEX configuration.

interface ethernet 1/32	First
fex associate 102	Second
feature fex	Third
switchport mode fex fabric	Fourth
no shut	Fifth

Correct Answer:

Drag the commands on the left and drop them on the right in the correct order which they should be applied in a FEX configuration.

	feature fex
	interface ethernet 1/32
	switchport mode fex-fabric
	fex associate 102
	no shut

QUESTION 6

Which statement about NPIV is true?

- A. NPIV provides a means to assign multiple Fibre Channel IDs to a single N-port.
- B. NPIV can be enabled on a per-VSAN basis.
- C. NPIV requires a "write erase" and then reload the switch in order to come up into NPIV mode.
- D. NPIV is a Cisco proprietary feature and as such works only between two Cisco switches.
- E. NPIV must not be enabled on a switch that is also running N-port virtualization.

Correct Answer: A

QUESTION 7

You can install Cisco DCNM-LAN on a supported version of which two operating systems? (Choose two.)

- A. Microsoft Windows Server
- B. Novell SUSE Linux Enterprise Server
- C. Oracle Enterprise Linux

- D. Red Hat Enterprise Linux
- E. Vmware ESX

Correct Answer: AD

QUESTION 8

vPath is a critical component in the VNS architecture. Which two are functions of vPath? (Choose two.)

- A. intelligent traffic steering to the VSG
- B. offloading the processing from the VSG to the VEM
- C. intelligent traffic steering to the VNMC
- D. offloading the processing from the VSG to the flow manager
- E. deep packet inspection

Correct Answer: AB

QUESTION 9

Which three CLI configuration commands are for port profile as a private VLAN on Cisco Nexus 1000V Series switch? (Choose three.)

- A. Switch (config-port-prof)# switchport private-vlan trunk allowed vlan vlan-range
- B. Switch (Config)# port-profiletypevethernetname
- C. Switch (config-port-prof)# switchport mode private-vlan host promiscuous
- D. Switch (config-port-prof)# switchport Private-vlan mapping primary_Vlan add secondary_vlan
- E. Switch (config-port-prof)# switchport Private-vlan host-association primary-vlan secondary-vlan


Correct Answer: ADE

Ref:

http://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus1000/sw/4_2_1_s_v_1_4/port_profile/configuration/guide/n1000v_port_profile/n1000v_portprof_6pvlan.html

QUESTION 10

Refer to the exhibit.



Company ABC has implemented a Cisco TrustSec domain with an initial Cisco ACS server and Cisco Nexus 7000 CTS-DC. The company plans to extend the domain by adding an additional Cisco Nexus 7000 CTS-CORE. Which three minimum configurations are required on CTS-CORE to join the domain? (Choose three.)

- A. Configure TrustSec domain.
- B. Configure interface "cts dot1x".
- C. Configure local device ID and password.
- D. Configure as a "non-seed" device.
- E. Configure feature dot1x and cts.
- F. Configure RADIUS authentication, authorization, and accounting.

Correct Answer: BCE

Explanation: Ref: http://www.cisco.com/c/en/us/td/docs/switches/datacenter/sw/4_1/nx-os/security/configuration/guide/sec_nx-os-cfg/sec_trustsec.html#wp1200631

QUESTION 11

Nexus# conf t

Enter configuration commands, one per line. End with CNTL/Z.

Nexus(config)# interface Loopback10

% Permission denied

Nexus(config)# ?

no Negate a command or set its defaults

username Configure user information.

End Go to exec mode

exit Exit from command interpreter

What is the reason why this user is not able to enter configuration commands?

- A. The user did not enter enable prior to going into configuration mode.
- B. The software license installed on Nexus is Layer 2 only, which does not allow the creation of Layer 3 interfaces.
- C. The user RBAC role is set to network-operator.
- D. The user failed authentication and user access defaulted to read-only mode.
- E. The AAA server is currently not responding.

Correct Answer: C

QUESTION 12

Drag and drop the sequence of the steps on left for ISSU software upgrade of dual supervisor switches to achieve a nondisruptive upgrade on the right.

The standby supervisor (previously Active) is then upgraded to the new version	Step 1
The CMP on both supervisors are upgraded	Step 2
When the standby supervisor is online, a stateful switchover is initiated	Step 3
BIOS software is upgraded on the active and standby supervisor and all line cards	Step 4
Line cards are upgraded one at a time and reloaded	Step 5
The standby supervisor is upgraded and rebooted	Step 6

Select and Place:

The standby supervisor (previously Active) is then upgraded to the new version	Step 1
The CMP on both supervisors are upgraded	Step 2
When the standby supervisor is online, a stateful switchover is initiated	Step 3
BIOS software is upgraded on the active and standby supervisor and all line cards	Step 4
Line cards are upgraded one at a time and reloaded	Step 5
The standby supervisor is upgraded and rebooted	Step 6

Correct Answer:

	BIOS software is upgraded on the active and standby supervisor and all line cards
	The standby supervisor is upgraded and rebooted
	When the standby supervisor is online, a stateful switchover is initiated
	The standby supervisor (previously Active) is then upgraded to the new version
	Line cards are upgraded one at a time and reloaded
	The CMP on both supervisors are upgraded

[350-080 PDF Dumps](#)

[350-080 Exam Questions](#)

[350-080 Braindumps](#)

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !


100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

<https://www.certbus.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © certbus, All Rights Reserved.