

5V0-31.20^{Q&As}

VMware Cloud Foundation Specialist

Pass VMware 5V0-31.20 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.certbus.com/5v0-31-20.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by VMware Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





https://www.certbus.com/5v0-31-20.html 2024 Latest certbus 5V0-31.20 PDF and VCE dumps Download

QUESTION 1

For which VLAN r	must a DHCP	server be	configured prid	or to performing t	he VMware C	Cloud Foundation	າ bring up
process?							

- A. NSX-TEdge Overlay
- B. Management
- C. NSX-T host Overlay
- D. NSX-T Host

Correct Answer: C

QUESTION 2

Which twoPasswordManagement options are available forpasswordsthat are locallymanage medwithin VMware SDDC Manager? (Choose two.)

- A. Reset
- B. Update
- C. Rotate
- D. Change
- E. Replace

Correct Answer: BC

QUESTION 3

A customer would like to add capacity to run virtual machines with archiving software. Which workload domain can he used if NFS is the principal storage?

- A. Horizon Workload Domain
- B. Management Domain
- C. VI Workload Domain
- D. Kubernetes Workload Domain

Correct Answer: C

QUESTION 4



https://www.certbus.com/5v0-31-20.html

2024 Latest certbus 5V0-31.20 PDF and VCE dumps Download

An administrator is tasked with preparing the hosts for a new VMware Cloud Foundation environment. The new environment will be installed in a facility far away from the administrator, and the hosts must be reachable remotely as soon as they are cable and powered-on in the rack. To reduce cost the new hosts do not have out of band management.

Which two steps should the administrator take to prepare for this deployment? (Choose two.)

- A. Configure UEFI support in the host BIOS
- B. Download the ESXi ISO and VIBs
- C. Create a Cluster Image profile
- D. Configure the VMware Imaging Appliance service.
- E. Validate MTU of 1600 is set on Management VLAN.

Correct Answer: CD

QUESTION 5

Which role is required to edit backup configuration in SDDC Manager?

- A. SUPER ADMIN
- **B. POWER USER**
- C. ADMIN
- D. OPERATOR

Correct Answer: A

QUESTION 6

A system administrator noticed that a third-party certificate has expired in one of the VMware Cloud Foundation component resources. The administrator must replace the expired certificate.

Which pre-requisite step is required for this process?

- A. Verify that the certificate is configured for basic authentication.
- B. The Certificate Authority configuration files must be configured and packaged in .tar.gz file.
- C. The valid Certificate Authority server must have the correct roles installed.
- D. Ensure that the bring-up process is complete and successful.

Correct Answer: B

QUESTION 7



https://www.certbus.com/5v0-31-20.html 2024 Latest certbus 5V0-31.20 PDF and VCE dumps Download

The VMware Cloud Foundation management domain has been deployed, and post- deployment tasks can now be completed. The administrator needs to configure Single Sign-On for VMware Cloud Foundation

user authentication.

Which two authentication sources can be used to accomplish this task? (Choose two)

- A. Novell Directory Services
- **B. RADIUS**
- C. OpenLDAP
- D. Active Directory
- E. Apache DS

Correct Answer: CD

QUESTION 8

What is the benefit of placing vRealize Suite I ifecycle Manager on the cross-region Application Virtual Network?

A. vRealize Suite Lifecycle Manager cannot be placed on the cross-region network as it is reserved for Workload VMs only.

- B. SDDC Manager uses the cross-region network to deploy vRealize Log Insight and vRealize Automation Proxy Servers, and this is not configurable.
- C. vRealize Suite Lifecycle Manager can be deployed in cluster mode
- D. After a recovery, an administrator can continue using the same IP address, DNS record, and routing configuration

Correct Answer: A

QUESTION 9

An Architect is commission hosts with a Multi-NIC configuration where Management and vMotion traffic are assignto a vSphere Distributed Switch with 2 uplinks.

What is one advantage to using VLAN-banked traffic to the physical switches from the vSPhere Distributed Switch?

- A. Layer 2 hashed-based Equal Cost Muto-Pathing (ECMP) out of hypervisor
- B. Bandwidth in the rack is optimized (no inter-switch-link)
- C. Two physical NICs of the hypervisor are actively used
- D. More complex to implement

Correct Answer: A



https://www.certbus.com/5v0-31-20.html

2024 Latest certbus 5V0-31.20 PDF and VCE dumps Download

QUESTION 10

Which two components are required to support the initial bring-up of an automated VMware Cloud Foundation 4 x deployment? (Choose two)

- A. VMware vRealize Suite Lifecycle Manager
- B. VMware vSphere Security Configuration Guide
- C. Deployment Parameter Workbook
- D. VMware Cloud Builder
- E. VMware SDDC Manager

Correct Answer: CD

QUESTION 11

Which prerequisite is correct for vRealize Automation when deploying vRealize Suite components using vRealize Suite Lifecycle Manager?

- A. Configure the vRealize Suite Lifecycle Manager appliance to use the ESXi host as a NTP source.
- B. Run an external vRealize Orchestrator workflow.
- C. Deploy vRealize Operations Manager before vRealize Automation.
- D. Deploy Workspace ONE Access before vRealize Automation

Correct Answer: C

QUESTION 12

An administrator creates a vSphere with Tanzu namespace.

Which two limits can be defined in namespace? (Choose two)

- A. Limits on CPU
- B. Limits on memory
- C. Limits on NIOC
- D. Limits on load balancer
- E. Limits on storage IOPS

Correct Answer: AB

QUESTION 13



https://www.certbus.com/5v0-31-20.html 2024 Latest certbus 5V0-31.20 PDF and VCE dumps Download

What is the maximum recommended MTU value for all non-management VLANs within VMware Cloud Foundation?

- A. MTU 15000
- B. MTU 15000
- C. MTU 9000
- D. MTU 16000

Correct Answer: C

QUESTION 14

A system administrator is creating an NSX-T Edge cluster with two-tier routing to the workload domain. The administrator select Workload Management as a use case which requires Large Edge Form Factor.

What are the hardware specifications of an NSX Edge Large appliance?

- A. 64 GB memory. 8 vCPU. and 700 GB disk space
- B. 64 GB memory, 16 vCPU. and 250 GB disk space
- C. 32 GB memory, 8 vCPU, and 200 GB disk space
- D. 32 GB memory. 16 vCPU, and 250 GB disk space

Correct Answer: C

QUESTION 15

Which architectural deployment type/model is supported?

- A. In a standard VMware Cloud Foundation 4.x architecture, a VMware Lifecycle Manager appliance is deployed in each Workload Domain
- B. In a standard VMware Cloud Foundation 4 x architecture, each Workload Domain hosts its own vCenter server.
- C. In a consolidated VMware Cloud foundation 4 x architecture, workload VMs and Management VMs must share the same resource pool.
- D. In a consolidated VMware Cloud Foundation 4.x architecture, VMware vRealize Automation is deployed in the Management Workload Domain.

Correct Answer: B

Latest 5V0-31.20 Dumps

5V0-31.20 PDF Dumps

5V0-31.20 Study Guide