

71800X^{Q&As}

71800X - Avaya IX Messaging Implementation and Maintenance

Pass Avaya 71800X Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.certbus.com/71800x.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





https://www.certbus.com/71800x.html

2024 Latest certbus 71800X PDF and VCE dumps Download

QUESTION 1

Which three requirements must be met for an Avaya IXTM Messaging High Availability installation? (Choose three.)

- A. Maximum round-trip latency between the voice servers and the PBX must not exceed 200 milliseconds. Optimal round-trip latency is less than 150 milliseconds.
- B. All servers must be part of the same Windows domain.
- C. All servers must have a minimum 1 Gb/s connection to the network.
- D. Maximum round-trip latency between the voice servers and the consolidated servers must not be more than 50 milliseconds.
- E. The path of connectivity must have 2 Mb/s guaranteed bandwidth with no steady-state congestion.

Correct Answer: BCE

QUESTION 2

In Avaya IXTM Messaging, which service provides unified messaging synchronization to Google through Gmail API, Office365 using EWS link, any IMAP4 compliant email application?

- A. Message Networking
- B. IIS Web Service
- C. Content sync engine
- D. Transcription

Correct Answer: C

QUESTION 3

Which tool can be used to configure the parameters for Avaya IXTM Messaging to integrate with PBX?

- A. SIP Configuration tool
- B. PBX Configurator tool
- C. Admin tool
- D. UC configuration tool

Correct Answer: A

CERTBUS CERTBUS

https://www.certbus.com/71800x.html

2024 Latest certbus 71800X PDF and VCE dumps Download

QUESTION 4

| While doing a backur | o of the Avava IXMessa | aina solution, which three | e folders must be chosen? | (Choose three.) |
|----------------------|------------------------|----------------------------|---------------------------|-----------------|
| | | | | |

- A. UC\DB
- B. UC\DBCom
- C. UC\Licenses
- D. UC\Messages
- E. UC\Prompts

Correct Answer: ABD

QUESTION 5

Which Avaya IXTTMMessaging admin feature supports not forwarding callers to their destination, even if the PIN is correct, when they are calling outside of scheduled times?

- A. Out of office hours
- B. PIN schedule
- C. PIN
- D. Caller ID / DNIS

Correct Answer: D

QUESTION 6

In Avaya IX"TMMessaging High Availability installations, on which servers are TLS configurations to be applied to secure the communication with the PBX(s)?

- A. Primary server only
- B. Primary server and all Secondary servers
- C. Primary server and Consolidated server
- D. Consolidated server only

Correct Answer: B

QUESTION 7

If the service is stopped manually, what will restart the SQL DB service automatically?

A. DBWatcher



https://www.certbus.com/71800x.html

2024 Latest certbus 71800X PDF and VCE dumps Download

- B. SQLANYs_ASADBJJC
- C. DBWatchdog
- D. SALANYm Consolidated

Correct Answer: B

QUESTION 8

In Avaya IXTM Messaging Mailbox configurations, which parameter can be set using the Synchronization Options tab of Mailbox?

- A. The ability to connect the current Mailbox with the IMAP TSE feature
- B. The ability to automatically allow the append availability and/or location settings depending on your telephone settings
- C. The ability to change the location status of the Mailbox
- D. The ability to configure the enrollment of the current mailbox in the voice verification features, and configure the related security levels

Correct Answer: A

QUESTION 9

Which feature allows you to increase the security level of voicemail and faxes that are transferred via email by storing all the files on the local server?

- A. Email Action Schema
- B. Weblinks
- C. Automatic Speech Recognition (ASR)
- D. Speech Contacts

Correct Answer: B

https://downloads.avaya.com/css/P8/documents/101052209

QUESTION 10

What is the Avaya IXTM message bandwidth required for inbound and for outbound traffic?

- A. 64 kbps bandwidth for inbound, and another 64 kbps for outbound traffic
- B. 15 kbps bandwidth for inbound, and another 15 kbps for outbound traffic
- C. 10 kbps bandwidth for inbound, and another 10 kbps for outbound traffic



https://www.certbus.com/71800x.html 2024 Latest certbus 71800X PDF and VCE dumps Download

D. 30 kbps bandwidth for inbound, and another 30 kbps for outbound traffic

Correct Answer: B

https://downloads.avaya.com/css/P8/documents/101047702

Latest 71800X Dumps

71800X Practice Test

71800X Study Guide