

830-01^{Q&As}

RCPE Certified Professional WAN Optimization

Pass Riverbed 830-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/830-01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

If data store synchronization is to be successful, which of these must be true?

- A. There must be a resilient path between the SteelHeads to prevent a split brain situation.
- B. The in-path IP addresses must be reachable from each other and connected physically in-path.
- C. The SteelHeads must be the same model and run the same RiOS version.
- D. The master must be the same or larger data store than the backup.
- E. The SteelHeads must be in a serial cluster arrangement.

Correct Answer: B

QUESTION 2

Your Steelhead appliance deployment includes users accessing the Internet from branch offices with the traffic being back-hauled to the data center before going out to the Internet. However, HTTP latency optimization does not appear to be very effective, and in certain cases, is slower than without optimization. What settings might help with this Internet-bound traffic?

- A. Riverbed recommends you turn off URL Learning and Parse-and-Prefetch and only enable OPT
- B. Riverbed recommends you enable URL Learning and Parse-and-Prefetch and turn off OPT
- C. Riverbed recommends you turn off URL Learning and only enable Parse-and-Prefetch and OPT
- D. Riverbed recommends you turn off URL Learning, Parse-and-Prefetch, and OPT
- E. Riverbed recommends you enable URL Learning, Parse-and-Prefetch, and OPT

Correct Answer: A

QUESTION 3

While looking at the Current Connections page on a client-side Steelhead, you noticed that there is more CIFS traffic on the WAN than on the LAN for some connections. What may be the problem? 1) The source data is compressed or encrypted 2) File server not located on the same subnet as the server-side Steelhead 3) The Steelhead is counting both CIFS optimized and unoptimized traffic 4) CIFS read-ahead 5) CIFS write-behind

- A. 1, 4
- B. 4, 5
- C. 1, 2, 3
- D. 1, 2, 5
- E. 3, 5

Correct Answer: A

QUESTION 4

You are using Steelhead appliances in an Oracle Forms environment and are not seeing adequate acceleration. What could be the cause of this?

- A. You need to install a separate Oracle Forms license
- B. Oracle Forms optimization is enabled by default. However, you must set an in-path rule to enable this feature.
- C. Oracle Forms optimization can only be configured from the command line (CLI)
- D. Oracle Forms optimization only works with Oracle Applications 9i
- E. Oracle Forms optimization only works with Oracle Applications 8i

Correct Answer: B

QUESTION 5

What configuration policies can be used on the SteelCentral Controller for SteelHead (SCC) for Interceptor deployments?


- A. The SCC can be used to create all configuration for the Interceptors and its associated SteelHeads, as long as all the devices are in the same SCC group.
- B. The SCC can create in-path rules policies the same as a SteelHead, as long as that is the only page enabled for the Interceptor.
- C. The SCC can be used to configure the cluster of registered Interceptors and SteelHeads. Then, in-path rules and load balancing rules can be pushed to the interceptors.
- D. The SCC can be used to create cluster policies, for the Interceptor to SteelHead connections only and not in-path or load balancing rules.
- E. The SCC can only monitor the health, backup the configuration and upgrade Interceptors. Policies are only for SteelHeads. Interceptors and SteelHead Mobile are not supported.

Correct Answer: C

QUESTION 6

A SteelHead is deployed on an 802.1Q trunk in the diagram below. A connection is being optimized from a client on VLAN 20 using Correct Addressing.

Which VLAN ID will be on the inner channel connection?



- A. 10
- B. 20
- C. The native VLAN
- D. No VLAN ID
- E. Only VLAN 10 can be optimized. All other are passed through on their original tag

Correct Answer: B

QUESTION 7

Adaptive data streamlining provides you:

- A. with the ability to fine tune the data streamlining capabilities, and enables you to obtain the right balance between optimal bandwidth reduction and optimal throughput
- B. with the ability to fine tune the data streamlining capabilities, and enables you to obtain the right balance between optimal bandwidth reduction and optimal acceleration
- C. with the ability to fine tune the compression capabilities, and enables you to obtain the right balance between optimal bandwidth reduction and optimal throughput
- D. with the ability to fine tune the compression capabilities, and enables you to obtain the right balance between optimal bandwidth reduction and optimal acceleration

Correct Answer: A

QUESTION 8

WCCP protocol has a methodology of load balancing with two or more Steelhead appliances. What are the maximum number of buckets able to be used for the MASK assignment?

- B. 32

- C. 64
- D. 128
- E. 256

Correct Answer: D

QUESTION 9

Which hypervisor platforms are officially supported by Virtual SteelHead? (Choose three.)

- A. Virtual Box
- B. Hyper-V
- C. KVM
- D. VMware Fusion
- E. ESXi

Correct Answer: BCE

QUESTION 10

A fat pipe is a network that can carry large amounts of data without significantly degrading transmission speed. If you have a fat pipe that is not being fully utilized and you are experiencing WAN congestion, latency, and packet loss as a result of the limitations of regular TCP, which of the following RiOS features will help? (Select 2)

- A. Enable Forced Burst TCP (FB-TCP)
- B. Enable HighSpeed TCP (HSTCP)
- C. Disable admission control
- D. Lower the Advanced Security Checkflow Parameter (ASCP)
- E. Enable Maximum TCP (MX-TCP)
- F. Enable disk encryption

Correct Answer: BE

QUESTION 11

What methods can the CMC appliance use to provide notification of CMC system events? (Select 3)

- A. Email
- B. RADIUS

C. SNMP traps

D. Syslog

Correct Answer: ACD

QUESTION 12

What service needs to be allowed if you are enforcing outbound security in the Steelhead Mobile solution?

A. Rbtdebug.exe

B. Rbtmon.exe

C. Shmobile.exe

D. Rbt sport.exe

E. All of the above

Correct Answer: E

QUESTION 13

Which of the following are examples of Security policies on the CMC appliance? (Select 3)

A. SSL Peering

B. SSL Ciphers

C. User Permissions

D. Web Settings

E. RADIUS

Correct Answer: CDE

QUESTION 14

You see errors such as the following in the SteelHead messages log "error=SMB_SHUTDOWN_ERR_SEC_SIG_ENABLED". What do these indicate?

A. SMB signing has been detected on SMB sessions which the SteelHead attempted to optimize, but SMB signing is not configured on the SteelHeads.

B. The SteelHeads are configured to carry secure traffic over SSI and the inner channel failed to establish.

C. The optimization service encountered an error, and the SMB blade has been shut down.

D. The SteelHead encountered a kernel error and was forced to shut down.

E. The server send a secure signal to terminate an optimized SMB session.

Correct Answer: A

QUESTION 15

A version 9 SteelCentral Controller for SteelHead (SCC) connects to managed appliances using which protocols?

- A. SNMP
- B. SSH and HTTPS
- C. SSH and API access
- D. SSH only
- E. SNMP and SSH

Correct Answer: D

[Latest 830-01 Dumps](#)

[830-01 Study Guide](#)

[830-01 Braindumps](#)