

9A0-384^{Q&As}

Adobe Experience Manager 6 Developer Exam

Pass Adobe 9A0-384 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.certbus.com/9a0-384.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



QUESTION 1

Which statement regarding an AEM instance started with author run-mode is correct?

- A. Author run-mode CANNOT be used to preview a website,
- B. The side-kick does NOT appear in the author mode,
- C. The run-mode can be changed to publish after installation,
- D. The run-mode CANNOT be changed to publish after installation.

Correct Answer: C

http://docs.adobe.com/docs/en/cq/5-6-1/deploying/configure_runmodes.html

QUESTION 2

Using the default Dispatcher configuration, which type of URL will have a response cached by the Dispatcher?

- A. URL denied by the /cache sections in dispatcher.any file.
- B. URL without a file extension.
- C. URL with query parameters.
- D. URL with an extension in its suffix.

Correct Answer: A

https://docs.adobe.com/docs/en/dispatcher/disp-config.html

QUESTION 3

Which log file in /crx-quickstrat/logs should you look at to see logging messages indicating events during startup?

- A. Audit.log
- B. Error.log
- C. Stdout.log
- D. Stderr.log

Correct Answer: C

http://docs.adobe.com/docs/en/cq/5-6-1/deploying/monitoring_and_maintaining.html

QUESTION 4



Which jar name can NOT be used to install an AEM publish instance?

- A. aem-publish-p4503, jar
- B. cq5-publish-4505, jar
- C. cq5-publish-4503, jar
- D. cq5-publish_4503, jar

Correct Answer: C

http://docs.adobe.com/docs/en/cq/5-6-1/getting_started/download_and_startworking.html

QUESTION 5

You add "sling.run.modes=publish/f in sling.properties and start the instance using the command "java -jar aem-6-p4502.jar -r author". In which mode will the instance start?

- A. Both author and publish.
- B. Author
- C. Publish
- D. Due to conflict in the run modes, AEM will not start.

Correct Answer: C

QUESTION 6

You are logged in as userA and you are impersonating userB. How are your activities logged in the access.log?

- A. The logged userld is "userB impersonated by userA"
- B. The logged userld is "userA on behalf of userB"
- C. The logged userld is "userB"
- D. The logged userld is "userA"

Correct Answer: C

QUESTION 7

Assume there are multiple publish instances (publ,pub2 and pub3) serving requests for an online shopping site. The end user is allowed to provide reviews and comments for each product and about their shopping experience. The Dispatcher module is in place to load balance the requests to publish instances and there is only one author instance, named author, where content editors create the pages. When a user, named User A, provides comments and the request being served by publish Instance publ, in which three ways are these comments replicated to pub2 and pub3? (Choose three.)



- A. Configure the dispatcher flush for the author pointing to a webserver uri on which the Dispatcheris deployed and configured.
- B. Configure replication agents for the author pointing to publ, pub2 and pub3.
- C. Configure reverse replication agents for the author pointing to publ, pub2 and pub3.
- D. Configure a static agent for the author.

Correct Answer: ACD

http://docs.adobe.com/docs/en/cq/5-4/deploying/configuring_cq.html

QUESTION 8

In a typical author, publish and dispatcher setup, where is the dispatcher flush configured?

- A. In the author instance.
- B. In the publish instance.
- C. In the dispatcher module.
- D. At the webserver level.

Correct Answer: A

https://docs.adobe.com/docs/en/dispatcher.html

QUESTION 9

You have written an OSGi service with the class name com.acme.myapp.EmailUpdate, You only we this service to run on the publish instance. Which two configurations would run the service on the publish instance only? (Choose two).



- A) /apps/myapp/config.publish/com.acme.myapp.EmailUpdate.properties (node location) com.acme.myappEmailUpdate.properties is a node with a jcr:primaryType = nt:file
- B) /apps/myapp/config.publish/com.acme.myapp.EmailUpdate.config (node location) com.acme.myappEmailUpdate.config is a node with a jcr:primaryType = nt:file
- C) /apps/myapp/config.publish/com.acme.myapp.EmailUpdate.config (node location)
 com.acme.myappEmailUpdate.config is a node with a jcr:primaryType = sling.OsgiConfig
- D) /apps/myapp/config.publish/com.acme.myapp.EmailUpdate (node location)

 com.acme.myappEmailUpdate is a node with a jcr:primaryType = sling.OsgiConfig
- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: BC

QUESTION 10

How can a JSP be included in a sightly template?

A.