

# A00-250<sup>Q&As</sup>

SAS Platform Administration for SAS9

## Pass SASInstitute A00-250 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/a00-250.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

A user needs to modify metadata. Which method should be used?

- A. Use the appropriate SAS application to make the modification.
- B. Open the SAS data sets where the metadata is stored and make the modification.
- C. Move the files to a project repository and open the SAS data sets in the physical folder to make the modification.
- D. Use SAS Management Console's Metadata Manager plug-in to make the modification.

Correct Answer: A

---

### QUESTION 2

A platform administrator wants to prevent all restricted users from accessing data that requires the Read permission.

Which permission level(s) should the platform administrator assign?

- A. RM and R for PUBLIC
- B. RM and R for PUBLIC and SAS Administrators
- C. R for PUBLIC
- D. RM for PUBLIC and SAS System Services

Correct Answer: C

---

### QUESTION 3

A platform administrator used operating system commands to backup the metadata repositories and repository manager in a SAS environment. When the platform administrator attempted to restore the SAS environment, the backup files were unusable.

What is the most likely cause of the backup files being unusable?

- A. The metadata server was stopped when the backup was taken.
- B. The metadata server was Online when the backup was taken.
- C. The metadata server was only paused to an Offline state when the backup was taken.
- D. The metadata server configuration file omaconfig.xml is not included in a backup initiated by operating system commands.

Correct Answer: B

---

#### QUESTION 4

The SAS configuration directory on each server machine must be protected by:

- A. metadata access controls.
- B. operating system controls.
- C. the Authorization Manager of SAS Management Console.
- D. the default Access Control Template (ACT) .

Correct Answer: B

---

#### QUESTION 5

Which statement regarding default groups is true?

- A. SASUSERS is a subset of PUBLIC
- B. PUBLIC is a subset of SASUSERS
- C. SASUSERS is a subset of ADMINISTRATORS
- D. ADMINISTRATORS is a subset of Unrestricted Users

Correct Answer: A

---

#### QUESTION 6

Select the method for updating table metadata that provides for the most control over updating features and can be run in batch.

- A. Update Metadata option in Data Library Manager in SAS Management Console.
- B. Update Library Metadata task in SAS Enterprise Guide.
- C. Update Metadata option in SAS Data Integration Studio.
- D. METALIB procedure using SAS code.

Correct Answer: D

---

#### QUESTION 7

Which statement is an advantage of pre-assigned libraries?

- A. Libraries are available in stored processes with no additional steps.
- B. Metadata security is always applied to pre-assigned libraries.

- C. User-written formats are only available to pre-assigned libraries.
- D. Maintenance is reduced for the platform administrator.

Correct Answer: A

---

#### QUESTION 8

In most deployments of the Platform for SAS Business Analytics, which type of access requires passwords for external accounts to be stored in the metadata?

- A. seamless access to the SAS datasets
- B. seamless access to SAS OLAP cubes
- C. seamless access to external databases
- D. all of the above

Correct Answer: C

---

#### QUESTION 9

A platform administrator wants to physically segregate the physical storage for metadata in a single environment.

What should the platform administrator create?

- A. additional foundation repositories
- B. additional custom repositories
- C. additional project repositories
- D. additional repository libraries

Correct Answer: B

---

#### QUESTION 10

Place the Log events in order of Diagnostic Level for severity from Highest (most severe) to Lowest.

- A. DEBUG, INFO, ERROR, WARN
- B. WARN, ERROR, DEBUG, TRACE
- C. ERROR, DEBUG, TRACE, WARN
- D. ERROR, WARN, INFO, DEBUG

Correct Answer: D

---

**QUESTION 11**

After the SAS configuration completes, all of the configuration directories, files, and scripts are owned by:

- A. the user who performed the installation.
- B. the SAS Platform Administrator.
- C. the SAS Data Integration Developer.
- D. the site's IT manager.

Correct Answer: A

---

**QUESTION 12**

A platform administrator needs to register OLAP cubes. What permission levels are required for this task?

- A. CM for the target folder and WMM for the OLAP schema.
- B. WM for the OLAP schema and RMLE for the target folder.
- C. WM for the target folder and WMM for the OLAP schema.
- D. WM for the OLAP schema and WMM for the target folder.

Correct Answer: D

---

**QUESTION 13**

Given the following applications:

-

SAS Add-in for Microsoft Office

-

SAS Enterprise Guide By default, How do these applications assign libraries?

- A.  
by using the SAS/ACCESS interface
- B.  
by using the metadata LIBNAME engine
- C.  
by using the BASE SAS engine

D.

by using the server autoexec file

Correct Answer: B

---

#### QUESTION 14

The metadata server is stopped. What will be the result when operating system commands are used to backup the metadata repositories and repository manager?

- A. The backup files will be unusable.
- B. The backup files will not include metadata configuration files.
- C. The backup files should be usable for a restore.
- D. The backup files will include metadata configuration files only.

Correct Answer: C

---

#### QUESTION 15

In what state must the metadata server be in if you choose to use operating system commands to backup metadata repositories?

- A. Online
- B. Running
- C. Administration
- D. Stopped

Correct Answer: D

[Latest A00-250 Dumps](#)

[A00-250 Study Guide](#)

[A00-250 Exam Questions](#)