

**100% Money Back
Guarantee**

Vendor: IBM

Exam Code: A2070-581

Exam Name: Assessment: IBM FileNet Content Manager V5.1, Specialist

Version: Demo

Topic 1, Volume A

QUESTION NO: 1

Which tool is used to create a connection point to an existing Process Engine isolated region?

- A.** Workplace XT.
- B.** Process Administrator.
- C.** FileNet Enterprise Manager.
- D.** Process Configuration Console.

Answer: C

QUESTION NO: 2

When using Workplace XT and a user is out of the office (e.g., vacation), where can they specify an alternate person to receive their Process Engine work items?

- A.** Site Preferences.
- B.** Process Configuration Console.
- C.** Task Settings under User Preferences.
- D.** General Settings under User Preferences.

Answer: C

QUESTION NO: 3

Which of the following is NOT reported to IBM FileNet Dashboard?

- A.** Remote procedure call counts and durations.
- B.** Number of documents stored in the Content Engine.
- C.** System specifications, operating system version, and product version.
- D.** Real-time graphing of performance data, including CPU load and memory utilization.

Answer: B

QUESTION NO: 4

How can you start and stop P8 components?

- A.** IBM FileNet Enterprise Manager.
- B.** Command-line based instruction only for Unix.
- C.** Graphical user interface (GUI) only for Windows.
- D.** Graphical user interface (GUI) based or command-line-based instruction.

Answer: D

QUESTION NO: 5

In which two scenarios should the Content Consistency Checker be used? (choose two.)

- A.** Content Engine is performing slow.
- B.** If search templates are not working.
- C.** After restoring a storage area from backup media.
- D.** To troubleshoot Fixed Content Device connectivity.
- E.** If users are unable to view the content of a document when the content is stored in a file storage area, even when they have view-content permissions on the document.

Answer: C,E

QUESTION NO: 6

Consider the following distributed P8 configuration:

Server A - Content Engine; Content Search Engine
Server B - Process Engine; Workplace XT
Server C - Relational database server
Database files - located on local storage on server C
Index collection files - located on local storage on server A
Objectstore file storage files - located on network attached storage (NAS)

All object stores contain file storage areas and are configured for content based retrieval (CBR). A complete offline backup of the system runs daily at 10 PM. If server A crashes at 2 PM and must be replaced, how should the administrator recover the system?

-
- A.** Restore all files for server A from backup.
 - B.** Restore all files for server A from backup and re-index the object stores.
 - C.** Restore all files for server A from backup and restore the database files to server C.
 - D.** Restore all files for server A from backup and restore the file storage files to the NAS device.

Answer: B

QUESTION NO: 7

For documents in which a date based property is a primary identifier, which type of partitioning will reduce query retrieval time?

- A.** Date partitioning.
- B.** Index partitioning.
- C.** Interval partitioning.
- D.** Collection partitioning.

Answer: D

QUESTION NO: 8

Which of the following actions can be performed within the query builder?

- A.** Execute Java code.
- B.** Search across object stores.
- C.** Perform content-based retrieval.
- D.** Save searches in an object store.

Answer: C

QUESTION NO: 9

What is the Composite Platform Installation Tool?

- A.** A tool that allows you to install P8 components only.

- B.** A tool that allows you to install P8 on multiple servers.
- C.** A tool that allows you to install P8 components remotely.
- D.** A tool that allows you to install P8 components on a single server, including the middleware applications such as the database and web application server software.

Answer: D

QUESTION NO: 10

The Process Engine service user (pe_service_user) is used by the Process Engine to connect to the Content Engine. What type of account should you create for the pe_service_user?

- A.** Database account.
- B.** Directory server account.
- C.** Application server account.
- D.** Operating system account.

Answer: B

QUESTION NO: 11

Content Search Services Client files are installed on which of the following P8 servers?

- A.** Content Engine.
- B.** Process Engine.
- C.** Application Engine.
- D.** Legacy Content Search Engine.

Answer: A

QUESTION NO: 12

FileNet Configuration Manager offers only one JDBC connection for an object store by default. What are the two ways of adding additional JDBC connections for object stores. (choose two.)

-
- A.** It is not possible to create multiple JDBC data source.
 - B.** Configure a new JDBC data source using the application server console.
 - C.** Create a new profile, for the JDBC data source in FileNet Configuration Manager .
 - D.** Add New Task "Configure Object Store JDBC Data Sources" in FileNet Configuration Manager.
 - E.** The same JDBC data source will work for the preference object store. No need to create a new one.

Answer: B,D

QUESTION NO: 13

The Content Engine bootstrap account (ce_bootstrap_admin) is stored in the CEMPBoot.properties file that is archived in the Content Engine EAR file. What type of account should you use for the ce_bootstrap_admin?

- A.** Database account.
- B.** Directory server account.
- C.** Application server account.
- D.** Operating system account.

Answer: B

QUESTION NO: 14

Component Manager hosts a component that can be used to execute certain content-related operations against the Content Engine. What is this component called?

- A.** Event action.
- B.** CEOperations.
- C.** Integration Tier.
- D.** Web Application Toolkit.

Answer: B

QUESTION NO: 15

What are the two types of transport protocols supported by the Content Engine? (choose two.)

- A. .NET
- B. Enterprise Java Beans (EJB)
- C. Java 2 Enterprise Edition (J2EE)
- D. Content Engine Web Services (CEWS)
- E. Representational State Transfer (REST)

Answer: B,D

QUESTION NO: 16

For which of the following components is it required to set session affinity (sticky session) on a load balancer?

- A. Content Engine.
- B. Process Engine.
- C. Application Engine.
- D. Content Search Engine/Server.

Answer: C

QUESTION NO: 17

Which items are associated with a Content Engine site?

- A. Marking sets, storage areas and virtual servers.
- B. Content cache areas, add-ons and object stores.
- C. Object stores, storage areas and fixed content devices.
- D. Storage areas, content cache areas and virtual servers.

Answer: D

QUESTION NO: 18

In a High Availability environment for Content Engine, how should IBM FileNet Enterprise Manager be connected to the Content Engine server?

- A. Using Enterprise JavaBeans (EJB) protocol for a specific node.
- B. Using WSI protocol for multiple nodes (e.g. load-balancer URL).
- C. Using Web Service Interoperability (WSI) protocol for a specific node.
- D. Using EJB protocol for multiple nodes (e.g. corbaloc URL for WebSphere).

Answer: C

QUESTION NO: 19

Workplace XT hosts and manages a component that enables the Process Engine to make calls on external components. What is this component called?

- A. PEOperations
- B. Process Adaptor
- C. Component Manager
- D. Process Administrator

Answer: C

QUESTION NO: 20

What two services does the Content Engine supply? (choose two.)

- A. Content storage.
- B. Workflow management.
- C. Life cycle management.
- D. Thin client user front end.
- E. User and group management.

Answer: A,C

QUESTION NO: 21

For a new Content Engine server, what information must be provided by the database administrator and recorded in the installation and upgrade worksheet?

- A. GCD and objectstore database names, database port numbers.
- B. GCD and objectstore database names, database user accounts and passwords.
- C. GCD and objectstore database names, database user accounts and passwords, data source names.
- D. GCD and objectstore database names, database port numbers, database user accounts and passwords.

Answer: D

QUESTION NO: 22

In a Disaster Recovery implementation, the Content Engine bootstrapped Engine-ws.ear file is copied from a PRODUCTION environment to a DR environment for deployment. What is the reason for this?

- A. It speeds up DR deployment.
- B. It reduces administrative work.
- C. It reduces the cost of DR deployment.
- D. It contains the Master Key for the GCD.

Answer: D

QUESTION NO: 23

Which of the following is true about the Directory configuration properties (User tab) -> User Search Filter property?

- A. The search filter must contain a clause with "cn={0}".
- B. The search filter is read-only and cannot be modified.
- C. The search filter must contain a clause with "objectClass=user".
- D. The attributes supplied to the search filter may be specific to the directory provider.

Answer: D

QUESTION NO: 24

The Process Engine authenticates via which P8 component?

- A.** Workplace XT.
- B.** Content Engine.
- C.** Application server.
- D.** Lightweight Directory Access Protocol server.

Answer: B

QUESTION NO: 25

The IBM FileNet Web Application Toolkit is part of which product?

- A.** Workplace
- B.** Workplace XT
- C.** Content Engine
- D.** IBM FileNet Enterprise Manager

Answer: A

QUESTION NO: 26

Data replication for disaster recovery can be accomplished at the application, host, storage or network level. Which of the following statements describes replication at the storage level for a FileNet P8 system?

- A.** Replication is configured and implemented by the FileNet P8 product.
- B.** Replication is configured and implemented by the host operating system.
- C.** Replication is managed by the storage device, typically to another device of the same model.
- D.** A device on the network, such as the IBM SAN Volume Controller (SVC), that intercepts device writes and replicates them to a corresponding storage device at a remote site.

Answer: C

QUESTION NO: 27

High-availability concerns typically steer Application Engine deployments towards which two items? (choose two.)

- A.** One dual-CPU system.
- B.** Two single-CPU systems.
- C.** Single location for configuration information.
- D.** Smaller and more numerous Application Engine servers.
- E.** One Object Store for each Application Engine to access.

Answer: B,D

QUESTION NO: 28

When the Content Engine launches a workflow, it needs to communicate with which component?

- A.** Workplace XT.
- B.** Application Engine.
- C.** Process Engine service.
- D.** Process Engine database.

Answer: C

QUESTION NO: 29

To enable log4j logging in Workplace XT debugging, you will perform which of the following?

- A.** Download and install log4j and configure with Workplace XT.
- B.** Out of the box Workplace XT comes with log4j and always enabled.
- C.** Workplace XT does not support log4j debugging. It is used only for Content Engine and Process Engine.
- D.** To enable logging, rename the sample logging configuration file, _log4j.properties to log4j.properties and restart the application server.

Answer: D

QUESTION NO: 30

Which one of the following Content Engine Client's will have better performance?

- A.** CE Client using .NET API.
- B.** CE Client using COM API.
- C.** CE Client using Java API over EJB transport.
- D.** CE Client using Java API over WSI transport.

Answer: C

QUESTION NO: 31

To verify a file storage area, you log onto the machine where the Content Engine Server is installed and examine the contents of the file storage area directory. This directory should contain which of the following objects?

- A.** Two subdirectories -- content and inbound
- B.** Three subdirectories -- content, inbound and outbound
- C.** An XML file, named fn_stakefile, and two subdirectories, content and inbound
- D.** An XML file, named fn_stakefile, and two subdirectories, inbound and outbound

Answer: C

QUESTION NO: 32

Which of the selections below may improve performance during high volume conditions?

- A.** Adjust Fixed Content Device retention parameters.
- B.** Modify your Content Engine Web Service Transport (CEWS).
- C.** Adjust your Lightweight Third Party Authentication (LTPA) parameters.
- D.** Increase the maximum connections for the application server connection pools.

Answer: C

QUESTION NO: 33

In a production environment a Process Engine client fix pack has been applied to the Content Engine. During fix pack install all the default options are selected. Which one of the following tasks needs to be done after the fix pack is installed?

- A.** Content Engine is not affected by PE client install.
- B.** Redeploy Content Engine Enterprise Archive (ear) file.
- C.** Stop and Start Content Engine after the fix pack install.
- D.** Rebuild and redeploy Content Engine Enterprise Archive (ear) file.

Answer: B

QUESTION NO: 34

In which directory on the Content Engine server will you find sample log4j client and server configuration files log4j.properties.and log4j.properties.server?

- A.** FileNet\Config.
- B.** FileNet\ContentEngine\config.
- C.** FileNet\ContentEngine\samples.
- D.** FileNet\ContentEngine\config\samples.

Answer: D

QUESTION NO: 35

Which P8 engine delegates authentication tasks to the Content Engine?

- A.** Process Engine.
- B.** Rendition Engine.
- C.** Application Engine.
- D.** Legacy Content Search Engine.

Answer: A

QUESTION NO: 36

If a user is a member of more than one access role, and the access roles have conflicting allow and deny access rights, which of the following will occur?

- A.** The user is allowed access.
- B.** The user is NOT allowed access.
- C.** The access will be determine by the object store access.
- D.** The user is allowed only if they are a member of one of the default access roles.

Answer: A

QUESTION NO: 37

What value on the FileNet Enterprise Manager -> Object Store's property dialog controls the amount of time a security entry remains in the security cache?

- A.** GCD Cache TTL.
- B.** Object Security Cache Entry TTL.
- C.** Directory Service Cache Expiration.
- D.** Maximum Marking Set Cache Entries.

Answer: B

QUESTION NO: 38

Security Policies support what security management mechanism where security is applied to both versionable and non-versionable objects as the object transitions from one state to another?

- A.** Marking Set Security.
- B.** Version State Security.
- C.** Object-managed State Security.
- D.** Application-managed State Security.

QUESTION NO: 39

What P8 domain level entity allows specific meta data attributes to be identified that control the effective access of an object in conjunction with the object's Access Control List (ACL)?

- A.** Marking sets.
- B.** Storage area.
- C.** Add-on feature.
- D.** Security inheritance.

Answer: A**QUESTION NO: 40**

Which of the following is NOT a step in the FileNet Deployment Manager deployment process?

- A.** Create a deploy dataset.
- B.** Create an export manifest.
- C.** Update an export manifest.
- D.** Create a property hash table.

Answer: D**QUESTION NO: 41**

Which of the following statements about half maps is true?

- A.** Half maps create a deploy dataset.
- B.** Half maps analyze objects for import.
- C.** Half maps store environment specific data.
- D.** Half maps are used to create an export manifest.

Answer: C

QUESTION NO: 42

When using the FileNet Enterprise Manager import manifest function, the "Retry Failed Imports" option handles which one of the following situations?

- A.** A transient error has occurred, and the importer will continue trying until the import is successful.
- B.** The import of an object has failed, so the importer will create the object with as much information as it has, then log an error.
- C.** The import of an object failed, so the importer will suspend itself while it searches for another definition of the object in another export XML file.
- D.** Object A has a dependency on Object B, but Object B appears after Object A in the export XML file, and the importer will resolve the error when Object B is encountered.

Answer: D

QUESTION NO: 43

Which of the following assets CANNOT be exported or imported by FileNet Deployment Manager?

- A.** Custom objects.
- B.** Workplace stored searches.
- C.** Workplace XT stored searches.
- D.** FileNet Enterprise Manager saved searches.

Answer: D

QUESTION NO: 44

What is the result when re-enabling content encryption on an Object Store?

- A.** Existing content is encrypted.
- B.** Only new content is encrypted.

D. Existing content is encrypted, existing encrypted content is re-encrypted.

Answer: B

QUESTION NO: 45

When a property is added to a class, what is created?

- A.** Choice list.
- B.** Property template.
- C.** Property description.
- D.** Default property value.

Answer: C

QUESTION NO: 46

Content Federation Services (CFS) provides a number of operations. Which operation is only available with IBM Content Integrator (CFS-ICI) with out-of-the-box tools?

- A.** Move
- B.** Delete
- C.** Create
- D.** Update

Answer: A

QUESTION NO: 47

The event subsystem is strongly related to which subsystem?

- A.** Audit.
- B.** Storage.
- C.** Security.

To Read the **Whole Q&As**, please purchase the **Complete Version** from **Our website**.

Trying our product !

- ★ **100% Guaranteed Success**
- ★ **100% Money Back Guarantee**
- ★ **365 Days Free Update**
- ★ **Instant Download** After Purchase
- ★ **24x7 Customer Support**
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



One Year Free Update  Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.	Money Back Guarantee  To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.	Security & Privacy  We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.
---	---	--

[Guarantee & Policy](#) | [Privacy & Policy](#) | [Terms & Conditions](#)

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2015, All Rights Reserved.