

C2040-986^{Q&As}

Creating IBM Lotus Notes and Domino 8.5 Applications with Xpages and Advanced Techniques

Pass IBM C2040-986 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.certbus.com/c2040-986.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





George has been asked to create a new Lotus Notes XPages application that is used in the Lotus Notes client and on the web. George knows Lotus Notes development, but not XPages yet. How can he use LotusScript in the new application?

A. He can use LotusScript agents in his application and he does not need to learn anything else.

B. He can call LotusScript agents from his XPages, but it would be better if he converted them into JavaScript in his XPages.

C. He cannot use LotusScript at all any more and needs to rewrite all of his existing agents and event code to use JavaScript and Java.

D. He can just copy and paste the LotuScript into the XPage event model and it will work.

Correct Answer: B

QUESTION 2

Marta needs to store a value and reuse it throughout the life of each Web user\\'s interaction with her XPages application. How should she set the value named \\'Title\\' to \\'Senior Project Manager?\\'

- A. sessionScope.Title= "Senior Project Manager"
- B. applicationScope.Title= "Senior Project Manager"
- C. sessionScope.setValue("Title", "Senior Project Manager")
- D. applicationScope.setValue("Title", "Senior Project Manager")

Correct Answer: A

QUESTION 3

Alison would like to perform an @DbLookup to the Keywords view from her XPage. The same code needs to run in a browser and in XPages in the Lotus Notes client. Which of the following options is the correct syntax?

- A. @DbLookup("", "Keywords", "Countries", 2, [FAILSILENT])
- B. @DbLookup(@DbName(), "Keywords", "Countries", 2, "[FAILSILENT]")
- C. @DbLookup(""; "Keywords"; "Countries"; 2; [FAILSILENT])
- D. @DbLookup(@DbName(), "Keywords", "Countries", 2, [FAILSILENT])

Correct Answer: B

QUESTION 4



DJ is developing his first Lotus Domino application. He wants to show a particular set of data to unauthenticated users and provide additional data to authenticated users. Which of the following can DJ use to determine whether the user is authenticated or not?

- A. @WebName to get the current user\\'s name
- B. @UserName, which returns "Anonymous" for unauthenticated users
- C. @IsAuthenticated to determine if the user is authenticated or not
- D. @WebUserName, which returns an empty string ("") when a user is not authenticated

Correct Answer: B

QUESTION 5

Manesh is developing the ActivityPlanner XPage. He now needs to add check boxes that allow users to select one or more of the activities of "Monthly Volunteering," "New Hire Orientation," and "Quality Circle." How can Manesh create the check boxes?

A. Drag a Check Box control onto the XPage canvas. In the Options area of the Properties tab, enter the following values on separate lines:Monthly VolunteeringNew Hire OrientationQuality Circle

B. Create a Check box group control on the XPage canvas. In the Options area of the Properties tab,

enter the following values on separate lines:Monthly VolunteeringNew Hire OrientationQuality Circle

C. From the Controls palette, drag "Check Box" onto the XPage canvas. Open the Source tab, and within the xp:checkBox tag, enter these lines:

D. From the Controls palette, drag "Other" onto the XPage and select Other Controls > Checkbox group. Open the Source tab, and within thexp:checkBoxGroup tag, enter these lines:

Correct Answer: D

QUESTION 6

Gustav has added a View control to his XPage. He needs to allow users to delete documents from the view. How can he do this task?

A. Add a button with a simple action defined to Delete Selected Documents.

B. Enable the Column Display property check box and the View property Allow Deletion.

C. Enable the Column Display property check box and add a button with a simple action defined to Delete Selected Documents.

D. Enable the Column Display property check box, and add a button with server-side JavaScript in the button\\'s onclick event that uses the@Function script library to execute @Command [(DeleteDocument)].

Correct Answer: C



Qiang needs to add a button to the Contact XPage. When clicked, this button should delete the currently open document from the application. What is one way that Qiang can add this button?

A. Drag the Data control from the core controls onto the XPage canvas. From the Control properties, set the Label to Delete. On the Operationstab, select Current document and Delete.

B. Drag the Data control from the core controls onto the XPage canvas. From the Control properties, set the Label to Delete. In the Options area f the properties, select Delete for the Action, and select Domino Document for the Target.

C. Drag a Button control from the core controls onto the XPage canvas. From the Control properties, set the Label to Delete. On the eventspanel, select the Mouse onclick event, and add a server-side simple action. Select Delete for the action.

D. Drag a Button control from the core controls onto the XPage canvas. From the Control properties, set the Label to Delete. On the eventspanel, select the Mouse onclick event, and add a client-side simple action. Select Delete for the action.

Correct Answer: C

QUESTION 8

Clarice has an XPage where she needs to store a value in a browser cookie. Given that the value\\'s name is \\'language\\' and the value is \\'Spanish,\\' what JavaScript code can she use to do that?

A. cookie.language = "Spanish"

```
B. cookie.setValue("language") = "Spanish"
```

C. var response = facesContext.getExternalContext().getResponse();var userCookie = new javax.servlet.http.Cookie("Cookie", "Spanish");response.addCookie(userCookie);

D. var response = facesContext.getExternalContext().getResponse();var userCookie = new javax.servlet.http.Cookie("language", "Spanish");response.addCookie(userCookie);

Correct Answer: D

QUESTION 9

Donna wants to navigate to a panel in her XPage. Which area would she use?

- A. The Applications view
- B. The Outline view
- C. The Properties view
- D. The Controls view

Correct Answer: B



Dudley is looking to improve the performance on an XPages application he built for the marketing department. This application is not used by a large amount of users at one time. Which server page persistence setting would work best in this scenario?

- A. Server default
- B. Keep pages on disk
- C. Keep pages in memory
- D. Keep only the current page on disk

Correct Answer: C

QUESTION 11

The DiscussionTopics XPage includes a button to take users to the Feedback XPage. Ted has created the Feedback XPage. He now wants to add a Save and close button that saves the user\\'s input, and take the user back to the DiscussionTopics XPage. What is one way that he can do this task?

A. Drag a new Button control onto the XPage canvas. Set the button type to Submit. For the onclick event, add the following server-sideJavaScript: Feedback.save();

B. Drag a new Button control onto the XPage canvas. Set the button type to Submit. For the onclick event, add the following server-sideJavaScript: Feedback.save(); context.getUrl("..");

C. Drag a new Button control onto the XPage canvas. Leave the button type as Button. For the onclick event, add a simple action selecting SaveDocument. Specify DiscussionTopics as the argument.

D. Drag a new Button control onto the XPage canvas. Leave the button type as Button. For the onclick event, add a simple action selecting SaveData Sources. Specify DiscussionTopics as the argument.

Correct Answer: D

QUESTION 12

Rhiannon needs to add a field on her XPage that shows three data options and only one of the options can be selected. What type of core control does Rhiannon need to use to accomplish this task?

- A. Check box
- B. Dialog box
- C. Radio button
- D. Select button

Correct Answer: C



Clay is updating the ticket processing application to use XPages in the Lotus Notes client. He wants to make sure that existing documents created with the ticket approval form now open in the new approval XPage. What does Clay need to do to accomplish this task?

A. From the form properties, click the Defaults tab and in the On Open section, select the approval XPage from the Display XPage instead property.

B. From the form properties, click the Form Info tab, and in the On Open section, select the approval XPage from the Display XPage instead property.

C. From the form properties, click the Form Info tab, and in the On Web Access section, select the approval XPage from the Display XPage instead property.

D. From the form properties, click the Launch tab, and in the On Open section select the approval XPage from the Display XPage instead property.

Correct Answer: A

QUESTION 14

Andrew needs to add a tabbed interface to his XPage. Where does he find a control to enable that functionality?

- A. Core controls
- B. Theme controls
- C. Custom controls
- D. Container controls

Correct Answer: D

QUESTION 15

Frederick has added a button to his XPage and labelled it Edit. What should he do to make the button put the document in edit mode?

A. Add a simple action to the button\\'s onclick event and select the Edit Document Action.

B. Add a simple action to the button\\'s onclick event and select the Change Document Mode Action, specifying Edit as the mode.

C. Add server-side JavaScript to the button\\'s onclick event and use the @Function script library to execute @Command[(EditDocument)].

D. Add client-side JavaScript to the button\\'s onclick event and use the @Function script library to execute @Command[(EditDocument)].

Correct Answer: B



C2040-986 VCE Dumps

C2040-986 Practice Test C2040-986 Exam Questions