

# C2090-013<sup>Q&As</sup>

IBM SPSS Modeler Data Mining for Business Partners v2

**Pass IBM C2090-013 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/c2090-013.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Given the Type node shown below,



what specifications are necessary to change all values outside the range 1 to 15 in field dropped\_calls to the undefined (\$null\$) value?

- A. Pass Values and Check action Nullify
- B. Specify Values Lower 1 and Upper 15 and Check action Nullify
- C. Specify Values Lower 1 and Upper 15 and Check action Discard
- D. Read Values and Check action Warn

Correct Answer: B

**QUESTION 2**

Examine the Data Audit output shown below.

Field	Measurement	Outliers	Extremes	Action	Impute Mi...	Method	% Complete	Valid
ACCOM	Nominal	--	--		Never	Fixed	100	
COUNTRY	Nominal	--	--		Never	Fixed	100	
CUSTID	Nominal	--	--		Never	Fixed	100	
DIST_TO_BE...	Continuous	1	0	None	Never	Fixed	100	
DOB	Nominal	--	--		Never	Fixed	100	
GENDER	Nominal	--	--		Never	Fixed	98.681	
HOLCODE	Nominal	--	--		Never	Fixed	100	
HOLCOST	Continuous	9	1	Discard	Never	Fixed	97.889	
NAME	Nominal	--	--		Never	Fixed	100	
NIGHTS	Continuous	0	0	Nullify	Never	Fixed	100	
NUMPARTY	Continuous	6	0	None	Never	Fixed	100	
POOL	Flag	--	--		Never	Fixed	100	
REGION	Nominal	--	--		Never	Fixed	100	
TRAVDATE	Nominal	--	--		Never	Fixed	100	

What action will occur in a generated Outlier and Extreme Supernode for HOLCOST?

- A. Nine records will be set to the system missing (null) value for HOLCOST.
- B. Ten records will be deleted.
- C. Ten records will be set to the system missing (null) value for HOLCOST.
- D. Nine records will be deleted.

Correct Answer: B

**QUESTION 3**

True or false: auto checking for invalid values can be done on the Type tab in any Source node.

- A. True
- B. False

Correct Answer: A

**QUESTION 4**

Which of the following types of nodes will have data flowing both in and out, when used in a stream?

- A. Record Ops
- B. Graphs
- C. Export
- D. Sources

Correct Answer: A



**QUESTION 5**

To correctly read the Excel? file shown below,

A	B	C	D	E	F
Basic Customer Information: Example Layout					
CUSTOMER_ID	GENDER	CREDITLIMIT	ZODIAC	E-MAIL ADDRESS	ZIP
723	F	9026	1	name7502@tnet.fr	1818BO
724	M	5223	3	name25485@wwmail.org	1132DG
725	F	668	8	name15543@wwmail.de	1803YT
726	M	8302	6	name28335@zigzag.be	1205WR
727	F	997	8	name5354@tnet.jp	1711ON
728	M	1955	3	name20637@wwmail.es	1055FG
729	F	6898	5	name20636@wwmail.es	1254MR
730	F	6488	11	name10414@tnet.inc	1723DG
730	F	6488	11	name10414@tnet.inc	1723DG
730	F	6488	11	name10414@tnet.inc	1723DG



which dialog box settings are appropriate?

- A.
- B.



C.

D.



Correct Answer: D

[Latest C2090-013 Dumps](#)

[C2090-013 PDF Dumps](#)

[C2090-013 Study Guide](#)