

C4070-604^{Q&As}

IBM System z Technical V5

Pass IBM C4070-604 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/c4070-604.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A large z196 installation is exploring its new capability to manage a large number of I/O devices. Which of the following functions best addresses the requirement?

- A. Up to three subchannel sets per LCSS
- B. Increased system I/O bandwidth to 288GB/s
- C. Doubled Hipersockets to 32
- D. Fixed size HSA

Correct Answer: A

QUESTION 2

A System z customer is planning to move their data center with several existing System z servers to a new space without a raised floor. Which of the following requirements should the technical specialist discuss with the customer?

- A. Ordering the height reduction feature if needed
- B. Top Exit Cabling Option is required for all the CPCs
- C. Confirm all the System z servers are z9 BC, z10 BC or z114
- D. Confirm the new installation is compliant with the Installation Manual for Physical Plugging

Correct Answer: C

QUESTION 3

Which of the following tools provides capacity sizing for a distributed server consolidation to Linux on System z opportunity?

- A. zCP3000
- B. RACEv
- C. SCON
- D. BWA Tool

Correct Answer: C

QUESTION 4

Which of the following customer environments would be the fit for the placement of a zBX?

- A. Customers with a large Intel environment that are running a mix of old and new servers running a mixture of Windows operating systems releases
- B. Customers already running a IBM System Analytics solution on POWER.
- C. A customer that is running a legacy application in a multi-tier environment where the database is running on System z and the application servers are running on HP servers running a current Linux release.
- D. A customer that is already running an XI50 DataPower solution and wants to relocate their XI50 blades over into a zBX to take advantages of the Unified Resource Manager Qualities of Service.

Correct Answer: C

QUESTION 5

A customer is looking for a solution that delivers a workload management across the platforms that run his core application. Additionally he is interested in a continuous availability solution that controls all components of the application independent of the platform that is used for the deployment.

Which of the following makes zEnterprise the best match to those requirements?

- A. The new Infiniband coupling link of z196 offer the opportunity to interconnect all platforms. The Unified Resource Manager delivers a central tool to control all events.
- B. z/OS offers with Parallel Sysplex and WLM a best of breed solution. For the distributed part Tivoli System Automation for Multi Platforms (TSAMP) delivers the required functionality.
- C. The combination of Unified Resource Manager, GDPS and TSAMP meets all requirements without changes to the applications.
- D. The customer can consolidate all application parts either on z/OS or on Linux on System z to meet the requirements.

Correct Answer: C

QUESTION 6

During which of the following activities do the customer and the technical specialist define post installation support?

- A. During the TDA (Solution Assurance)
- B. When establishing the system ship date
- C. When configuring the System z using eConfig

D. During the installation of the equipment by the CE

Correct Answer: A

QUESTION 7

A System z technical specialist is designing a z196 solution. Which of the following may be selected using eConfig?

- A. Select the total amount of user memory and the number and type of I/O ports
- B. Select the number and type of I/O cages and I/O drawers
- C. Manually assign the PCHIDs and CHPIDs
- D. Select how much memory to put on each book for multi-book processors.

Correct Answer: A

QUESTION 8

A System z technical specialist is configuring an MES upgrade of a z10EC to a z196. The MRREPORT does not properly reflect the latest z10 configuration since a few cards were swapped recently. This needs to be corrected for a TDA in two weeks.

Which of the following actions address this situation?

- A. Run eConfig
- B. Transmit the VPD to the IBM manufacturing plant
- C. Ignore the removed cards and proceed with the configuration
- D. Manually edit the MRREPORT to account for the changes

Correct Answer: B

QUESTION 9

The zEnterprise Technical Specialist is talking with the customer support group. The customer technical staff has made several statements regarding their individual understanding of the cabling for zBX racks. Which of the following customer statements is incorrect?

- A. All cables required to connect a zBX to a node are delivered by default.
- B. All cables required to implement and connect a zBX to the customer environment (LAN,SAN) are delivered by

default.

C. All cables required to implement and connect a zBX to the customer environment (LAN, SAN) must be ordered separately

D. In order to connect a zBX correctly to a customer network detailed planning is necessary the evaluate the requirements (SFPs, cables)

Correct Answer: C

QUESTION 10

In a pre-Sale TDA review meeting, what requirement below is recommended before placing an order for new or upgrade system z114 or z196 machine being proposed. Which of the following requirements must be performed before the TDA review?

A. SW Configuration

B. Contract Proposal

C. Capacity Planning Analysis

D. Project Plan

Correct Answer: C

[C4070-604 Practice Test](#)

[C4070-604 Study Guide](#)

[C4070-604 Braindumps](#)