

C9010-030^{Q&As}

IBM i Administration V1

Pass IBM C9010-030 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.certbus.com/c9010-030.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

At the end of an *ALLUSR library save the system issues the following message: "CPF3777631 libraries saved, 1 partially saved, 0 not saved." ThelibraryQPFRDATAmissedsavingtheMGTCOLobjects. Taking which action will avoid the problem in the future?

A. Stop performance collection as part of the backup routine, and restart it when the backup is complete.

B. Change the Save While Active parameter on the save to "SYSDFN to allow a check point on the management collection objects.

C. As part of the save operation cycle the collection services job to get an empty "MGTCOL object so the save will not fail on it.

D. Uncheck the Create Database Files during collection" option on the Collection Services Properties in IBM i Navigator.

Correct Answer: D

QUESTION 2

Which option represents the complete list of parameters for defining an interface with a static address for IPv6 in addition to the line description name?

- A. The TCP/IP address, DNS server and router address
- B. The TCP/IP address
- C. The TCP/IP address and mask
- D. The TCP/IP address, mask, and router address

Correct Answer: D

QUESTION 3

After performing a full system restore, an administrator reviews the system and determines that some *CMD, *PGM, *SRVPGM, *SQLPKG, and *MODULE objects are missing from certain libraries. Which system value could cause the problem?

- A. Verify object on restore (GVFYOBJRST)
- B. Force conversion on restore (QFRCCVNRST)
- C. Allow user domain objects in libraries (QALWUSRDMN)
- D. Restore conversion (QRSTCVN)

Correct Answer: B



QUESTION 4

Specific Network Server Storage Spaces (NWSSTG) are being saved in order to be moved from one system to another. Both systems are running IBM i 7 2 The target system has never hosted any other type of system. What is required to successfully prepare the target system for the restore of the Network Storage Spaces from the system currently hosting the IPS?

A. Run the INZNWSCFG command to initialize the target system for reloading the Network Server Description and the Network Server Storage Spaces

B. Restore the Network Server Description, then restore the corresponding Network Server Storage Spaces

C. Use the CRTNWSSTG command to create a small network storage space to set up the directory structure, then run the RST command to restore the storage spaces from the source system

D. Run the RST DIR(QFPNWSSTG) OBJ(*ALL) to restore the Network storage space description and spaces

Correct Answer: B

QUESTION 5

An administrator is working on a hardware replacement for a current system Which tool should be used to determine if the current LIC, OS, and existing adapters may be migrated to the new system?

- A. IBM PreUpgrade Verification Tool
- B. IBM Workload Estimator
- C. IBM System Planning Tool
- D. IBM Migration Modeler

Correct Answer: D

QUESTION 6

What are the steps to access the configuration for IBM i NetServer file and print shares?

A. > Run the WRKNETSRV command > Take option 6. "work with object shares"

B. > Start the NETSRVCMD menu > Take option 6, "work with object shares"

C. > In the IBM Navigator for i window, select the system. > Expand Servers >TCP/IP, >Click on IBM i Net Server, > Expand "shared objects

D. > On a Windows PC, map a drive to the IBM i server root > Open "My Computer" on the PC > Right click on the file shares on the resulting menu > Select properties on the second resulting menu

Correct Answer: C

QUESTION 7



Which TCP/IP ports are valid when used to remotely connect via SSL or non-SSL to the HMC for 5250 console access?

- A. 23 and 992
- B. 2300 and 2301
- C. 2100 and 2300
- D. 22 and 23
- Correct Answer: B

QUESTION 8

Which tool is appropriate to determine if Solid State Drives will improve disk performance in an environment?

- A. Performance Navigator for IBM i
- B. Disk Magic with SSD extraction
- C. SSD Analyzer Tool for IBM i
- D. Disk Performance Calculator

Correct Answer: C

QUESTION 9

The HMC is backed up in two different ways for different purposes. Which identifies the correct tasks and usage?

A. 1) Backup Critical System data is used prior to a firmware update 2) Save Upgrade Data is used for crash recovery purposes

B. 1) Create Recoverable Image is used for crash recovery purposes 2) Save Upgrade Data is used prior to a firmware update

C. 1) Save Upgrade Data is used prior to a firmware update 2) Back Up Management Console Data is used for crash recovery purposes

D. 1) Back Up Profile Data is used prior to a firmware update 2) Create Recoverable Image is used for crash recovery purposes

Correct Answer: D

QUESTION 10

An administrator has multiple, geographically separated, IBM i systems to manage. The administrator must

monitor system performance and run performance analysis on an as-needed basis, from web browsers



inside and outside the corporate network.

Which web-based tool will support the requirements?

- A. IBM Performance Management for Power Systems
- B. IBM i Performance Data Investigator
- C. System i Navigator for Windows Management Central
- D. IBM i Performance Tools Management Feature

Correct Answer: A

QUESTION 11

An administrator needs to automatically terminate interactive user jobs when they are idle for more than 15 minutes Which two system values should the administrator use to complete this task?

- A. QINACTITV (inactive job timeout) QJOBENDNFY (notify user on job end)
- B. QLMTDEVSSN (limit device sessions) QDEVSSNACN (device session end action)
- C. QDSCJOBITV (time interval before jobs are disconnected) QDSCJOBACN (disconnected job action)
- D. OINACTTTV (inactive job timeout) QINACTMSGQ (inactive job message queue)

Correct Answer: D

QUESTION 12

An administrator is recovering a single image system after a crash. The administrator has placed the latest

SAVSYS into the external SAS TS2900 LTO tape drive and performed a D-Mode IPL.

Why is the system failing to find the SAVSYS media?

- A. The TS2900 is an alternate installation device and requires an I_BASE_01 DVD in the alternate IPL device.
- B. The TS2900 requires Alternate IPL Enablement feature to boot the SAVSYS.
- C. The I_BASE_01 DVD must be loaded up to SST before a SAS tape device is recognized.
- D. The TS2900 is an alternate IPL device but not an alternate installation device.

Correct Answer: D

QUESTION 13

A subsystem description is configured as shown in the following screens;



Eile Ed	it Yiew Communic	cation Actions	Window Help									
		1 1 1	2 0 a a									
_			Displ			atio	ona	1 41	ttri	but	es	
Sub	system des	cription	PROD	Seso)		St	atus	e 1	AC	TIV	E/E
	system des				2 .			PRO	DSB	ISD		
L :	ibrary .							Q	GPL			
	imum jobs							4		-		
	n-on displa								IGN			
	tem library	i itat a	times !!			1.1			SYS	1		
Aux	iliary stor	cage pool	aroun	• •	a			*NO				
Session	A - DocumentationColors.w	is - [24 x 80]	COMPANY PROPERTY.	100			rife Barry					6
- Associate	A - DocumentationColors w View Communication	and water in the second second	(elp									9
Eile Edit	and the second se	Actions Window H										9
Eile Edit	Yew Communication	Actions Window H		Que	ue E	ntrie	5					
Ele Ede	Vew Communication	Actions Window H	lisplay Job							jstem	:	ST
File Edit	Yew Communication	Actions Window H				ntrie s:		CTIVE		istem	1	ST
Ele Ede	Vew Communication	Actions Window H	lisplay Job			N I	A				-	ST
File Edit	Yew Communication	Actions Window H	B A A Job Display Job RODSBSD			N I	A			jstem	-	
File Edit	Vew Communication	Actions Window H	B A A Job Display Job RODSBSD Hax		tatu	s: Hax	A	Pric	ority	,		ST
File Edit	Yew Communication	Actions Window H	B A A Job Display Job RODSBSD Hax	S 	tatu 2	s: Hax 3	A	Pric	i ority 6	7	8	

Users are assigned to each job queue to run their batch work. The users assigned to the ACCOUNTING

job queue are complaining that their batch jobs are occasionally not running. Other users do not

experience this issue.

Why are ACCOUNTING users experiencing this problem?

A. The jobs in the ACCOUNTING queue are run at the lowest execution pnonty based on the sequence number field Jobs from CORP and ENGR are consuming all the processing capability allowed for the subsystem.

B. The run priority of the job does not match the sequence number of the job queue entry.

C. The subsystem starts jobs up to the maximum allowed for each job queue starting with the lowest sequence number (SEQ NBR column)

D. The auxiliary storage pool group is not set to match the number of job queue entries in the subsystem.

Correct Answer: B

QUESTION 14

An administrator needs to set up and configure a monitor for CPU usage under Management Central >

Monitors.

Given the image below:



Enviro	nment: My Connections
- (1):	Management Central (10.7.15.101)
+	Task Activity
(+)	Scheduled Tasks
+	E Definitions
	Monitors
	System
	File File
	dol 🔊
	B Message

What is used to set up this monitor?

- A. System
- B. Job
- C. File
- D. Message
- Correct Answer: A

QUESTION 15

Which product gives MacBook users 5250 emulation and allows for native spooled file copy to the laptop?

- A. IBM i Access for Windows using Wine on OS X
- B. IBM i Access for Windows running in a virtual machine running on OS X
- C. IBM i Access for OS X
- D. IBM i Access Client Solutions
- Correct Answer: D

C9010-030 Practice Test C9010-030 Exam Questions C9010-030 Braindumps