

C9530-410^{Q&As}

IBM MQ V8.0 System Administration

Pass IBM C9530-410 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/c9530-410.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A system administrator would like to capture accounting and statistics data to analyze performance of channels across multiple platforms.

Where can the system administrator capture the data?

- A. In the System Management Facility SMF.
- B. On SYSTEM.ADMIN.PERFM.EVENT queue.
- C. On SYSTEM.ADMIN.ACCOUNTING.QUEUE and SYSTEM.ADMIN.STATISTICS.QUEUE.
- D. On SYSTEM.ADMIN.ACCOUNTING.QUEUE and SYSTEM.ADMIN.STATISTICS.QUEUE for distributed platforms and in System Management Facility SMF for the z/OS platform.

Correct Answer: C

QUESTION 2

After a system crash, a system administrator tried to start queue manager QMI, but it failed with this error:

AMQ7047: An unexpected error was encountered by a command. In the queue manager error log, this error was reported:

AMQ7472: Object QMI, type catalogue damaged.

The queue manager was using linear logging.

The system administrator needs to recover the queue manager. How can the system administrator do this?

- A. Restore the queue manager active logs from a back up.
- B. Run rcdmqmg command against the queue manager object.
- C. Run rcrmobj command against the queue manager object
- D. Delete the le containing the damaged queue manager object and restart the queue manager.

Correct Answer: D

QUESTION 3

A financial company is having a problem with IBM MQ on their development system. The queue manager is not down, but the new application keeps failing and MQ generates FDC IEs. This problem is significantly affecting the business as they could miss the project deadlines. The system administrator needs to open a Service Request SR to report the problem to IBM. What should be the severity of the SR raised by the system administrator?

- A. 1
- B. 2
- C. 3
- D. 4

Correct Answer: B

QUESTION 4

A system administrator is planning to enable events when queue manager objects are created, changed or deleted.

Which events should the system administrator enable?

- A. Logger
- B. Performance
- C. Configuration
- D. Queue Manager

Correct Answer: C

QUESTION 5

A system administrator of a z/OS queue manager expects to have 1000 client channels connecting with the queue manager at the same time.

What should system administrator do to tune the channel initiator to handle this work?

- A. Use the default values for the channel initiator parameters.
- B. Increase MAXCHL, ACTCHL, TCPCHL, CHIADAPS, and CHIDISPS from the default values.
- C. Increase CHIADAPS and use the default values for CHIDISPS, MAXCHL, ACTCHL, TCPCHL.
- D. Increase CHIADAPS and CHIDISPS and use the default values for MAXCHL, ACTCHL, TCPCHL.

Correct Answer: B

QUESTION 6

IBM MQ V7.0.1.3 is running on a server.

A system administrator receives request to install IBM MQ V8.0 as a second installation on a server where

IBM MQ V7.0.I.3 is running. Both the product versions need to co-exist. What should the system administrator do rst to ensure both versions will run without impacting each other?

- A. Upgrade IBM MQ V7.0.I.3 to 7.0.I.6.
- B. De ne a separate installati n name.
- C. De ne a new data directory for IBM MQ V8.0.
- D. Set up environment variables to have both product versions installed in the same path.

Correct Answer: D

QUESTION 7

While monitoring a message queue, a system administrator nds a continuous growth of unused topic node subscriptions on a queue manager.

Which parameter should the system administrator decrease to reduce unwanted topics?

- A. PUBSUB
- B. TPCOUNT
- C. TREELIFE
- D. SUBCOUNT

Correct Answer: C

QUESTION 8

Application A is connected to a queue manager that is named QM1. Application B is connected to a queue manager that is named QM2. The messages that Application A puts to a queue on QM1, must be transferred to QM2 only when QM2 noti es QM1 that it is ready to receive the messages. What channels must the system administrator create on QM1 and QM2 to support this topology?

- A. A sender channel on QM1 and a receiver channel on QM2.
- B. A sender channel on QM1 and a requester channel on QM2.
- C. A server channel on QM1 and a client connection channel on QM2.
- D. A server channel on QM1 and a server connection channel on QM2.

Correct Answer: C

QUESTION 9

A z/OS batch application called ORDRPROC processes order messages. Each message is 30 to 40 KB in size. In the past, a non-shared local queue was used and the application was always run on the same single LPAR. As part of a 24/7 high availability project, the queue is to be converted into a shared queue, so the processing can take place on any of four LPARs, but it is critical that the messages are processed by only one instance of the batch server program at a time. The shared queue is to use an existing Coupling Facility structure named BATCHMSGS which is configured to offload messages larger than 24 KB to shared message data set SMDS. In addition to setting QSGDISPARED, which a ributes amongst others must the system administrator use within the de ne QLOCAL command for the new shared queue to support these requirements?

- A. OFFLOADSMDS SHARE
- B. DEFSOPTSHAREDNOTRIGGER
- C. CFSTRUCTBATCHMSGS NOSHARE
- D. STGCLASSHARED PROCESSORDRPROC

Correct Answer: C

QUESTION 10

On a Linux system, a system administrator needs to change the default queue manager from QM1 to a newly created queue manager QM2.

How can the system administrator do this?

- A. Re-createQM2withthe-doption.
- B. Use the ALTER QMGR command.
- C. Edit the DefaultQueueManager stanza in qm.ini replacing QM1 with QM2.
- D. Change the queue manager name on the Name a ribute of the DefaultQueueManager stanza to QM2 in mqs.ini.

Correct Answer: D

[Latest C9530-410 Dumps](#)

[C9530-410 PDF Dumps](#)

[C9530-410 Practice Test](#)