

CAS-PA^{Q&As}

Certified Application Specialist – Performance Analytics

Pass ServiceNow CAS-PA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/cas-pa.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by ServiceNow Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which of the following can be used across all the visualisations in a workspace?

- A. Signal
- B. Dashboard Builder
- C. Studio
- D. User Experience filter

Correct Answer: D

Create a single User Experience filter for use across all the visualisations in a workspace. The filter you create is available in the workspace in which you created it. For filters to work in workspaces, you must configure an event handler to apply the filters.

Reference: <https://docs.servicenow.com/bundle/quebec-servicenow-platform/page/administer/workspace/task/create-user-exp-filters.html>

QUESTION 2

Which of the following visualisation types allow you to add multiple data sources of the same type in the UI Builder? (Choose two.)

- A. Single Score
- B. Time Series
- C. Pie and donuts
- D. Bars

Correct Answer: BC

You can add multiple data sources of the same type for time series (including Area, Column, Line, Stepline, and Spline) and bar (including Horizontal bar and Vertical bar) visualisations.

Reference: <https://docs.servicenow.com/bundle/quebec-servicenow-platform/page/use/par-for-workspace/concept/time-series-visualizations.html>

QUESTION 3

Which of the following are true statements about configuring pie, donut, and single score visualisations in workspaces?

- A. Data labels are shown as only percentages, as values, or as both.
- B. Legend percentages are shown along with values.
- C. The metric label name is displayed near the metric value.

D. Set gradient, texture, or no colour options for data display.

Correct Answer: ABC

A pie visualisation shows how individual pieces of data relate to the whole using a circle to represent the whole.

A Donut visualization shows how individual pieces of data relate to the whole using a donut shape to represent the whole.

Single score visualisations display a single, key business value or current aggregate indicator score. You can set a score to update in real-time. The following enhancements are made to pie, donut, and single score visualisations in the

Quebec release:

*

The metric label name is displayed near the metric value.

*

Legend percentages are shown along with values.

*

Data labels are shown as only percentages, as values, or as both. Gradient, texture, or no colour are not valid colour options for data display. You can set `\\default\\`, `\\colour palette\\` and `\\fixed element colour\\` for pie and donut visualisations, and `\\default\\` and `\\single colour\\` for single score visualisations.

Reference:<https://docs.servicenow.com/bundle/quebec-servicenow-platform/page/use/par-for-workspace/concept/pie-donut-visualizations.html#pie-donut-visualizations>

QUESTION 4

Which system property enables an administrator to allow specified user roles to select indicators as data sources from the Data Visualisation Configuration panel?

- A. glide.knowman.search.apply_role_based_security
- B. par_vis_config.data_source.can_select_indicator
- C. com.snc.pa.dc.max_row_count_indicator_source
- D. glide.source_control.checksum_required

Correct Answer: B

par_vis_config.data_source.can_select_indicator property specifies roles (comma-separated) which can select indicators as data sources from the Data Visualisation configuration panel. If empty, all users can select the indicator sources that they have access to. Type: string

Default value: empty

Location: System Property [sys_properties] table com.snc.pa.dc.max_row_count_indicator_source property sets the maximum number of rows allowed to be fetched from an Indicator Source. glide.source_control.checksum_required property

allows you to enable optional checksum validations and sanitisations.

glide.knowman.search.apply_role_based_security property honours read access to knowledge bases or articles specified for roles if set to true. If false, it enables specified user criteria to override read access specified for roles.

Reference:https://docs.servicenow.com/bundle/quebec-platform-administration/page/administer/referencepages/reference/r_AvailableSystemProperties.html

QUESTION 5

What role or access do users need to act on a signal to reset a baseline or dismiss a signal?

- A. Responsible users without workspace access
- B. Users with the admin. pa_admin. or pa_kpi_signal_admin role without being a responsible user
- C. Only users with the admin role
- D. Users irrespective of their level of responsibility

Correct Answer: B

Users with the admin, pa_admin, or pa_kpi_signal_admin role can reset a baseline or dismiss a signal without being a responsible user. Users with other roles must become responsible users to take such actions. These users also need a role that gives them access to a relevant workspace. You can assign responsibility for KPI Signals for a KPI to yourself or someone else. You can also unassign responsibility.

Reference:<https://docs.servicenow.com/bundle/quebec-now-intelligence/page/use/par-for-workspace/concept/kpi-signals-responsible-users.html>

[Latest CAS-PA Dumps](#)

[CAS-PA PDF Dumps](#)

[CAS-PA Exam Questions](#)