

C_TADM_23^{Q&As}

SAP Certified Technology Consultant – SAP S/4HANA System Administration

Pass SAP C_TADM_23 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.certbus.com/c_tadm_23.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

In an AS ABAP-based SAP system, a user performs the second dialog step in a dialog transaction.

The dialog work process used in the first dialog step is occupied by a different user. What happens with this second user request?

- A. The dialog work process that handled the first dialog step performs a rollout to handle the request.
- B. The request is processed asynchronously by an update work process.
- C. The request remains in the request queue until the dialog work process that handled the first dialog step is free again.
- D. The request is processed by a different free dialog work process.

Correct Answer: D

QUESTION 2

In an SAP S/4HANA server system, which data can you NOT maintain for a technical user?

- A. Roles
- B. Groups
- C. Parameters
- D. Address

Correct Answer: D

In an SAP S/4HANA server system, you can maintain various data for a technical user, such as roles, groups, and parameters. Roles are used to assign authorizations to users, groups are used to organize users into logical units, and parameters are used to set user-specific values for certain system variables. However, you cannot maintain address data for a technical user, as this is only relevant for dialog users who have a personal user master record. References: SAP S/4HANA System Administration course [ADM100], Unit 3: User Administration, Lesson: Creating and Maintaining User Master Records, Slide 4-5.

QUESTION 3

You have configured an SAP Web Dispatcher and set: `wdisp/ssl_encrypt=2 icm/server_port_...PROT=HTTP`. Which communication channels does this establish?

- A. HTTP between the client and SAP Web Dispatcher. HTTPS between SAP Web Dispatcher and the SAP system
- B. HTTPS between the client and SAP Web Dispatcher. HTTP between SAP Web Dispatcher and the SAP system
- C. HTTP between the client and SAP Web Dispatcher. HTTP between SAP Web Dispatcher and the SAP system
- D. HTTPS between the client and SAP Web Dispatcher. HTTPS between SAP Web Dispatcher and the SAP system

Correct Answer: C

QUESTION 4

What is the correct sequence of the following four steps when you restart the SAP HANA database system?

- A. Row tables are loaded into memory. Column tables are loaded. Open transactions are recovered. Aborted transactions are rolled back.
- B. Aborted transactions are rolled back. Open transactions are recovered. Row tables are loaded into memory. Column tables are loaded.
- C. Row tables are loaded into memory. Open transactions are recovered. Aborted transactions are rolled back. Column tables are loaded.
- D. Aborted transactions are rolled back. Row tables are loaded into memory. Open transactions are recovered. Column tables are loaded.

Correct Answer: C

QUESTION 5

Which services can you stop in the SAP HANA cockpit from the SYSTEMDB Manage Services app?

Note: There are 2 correct answers to this question.

- A. Daemon
- B. Preprocessor
- C. Index server
- D. Compile server

Correct Answer: BD

QUESTION 6

You are running an SAP HANA database in log mode "normal". Under what circumstances does the database automatically execute a regular log backup? Note: There are 2 correct answers to this question.

- A. When the time threshold is exceeded
- B. When the log segment is full
- C. When a commit occurs

D. When the log buffer is full

Correct Answer: AB

QUESTION 7

You are running an AS ABAP-based SAP system. Which parts does the Internet Server Cache (ISC) of the ICM process consist of? Note: There are 3 correct answers to this question.

- A. Browser cache
- B. CPU cache
- C. Disk cache
- D. UFO cache
- E. Memory cache

Correct Answer: CDE

QUESTION 8

In an embedded deployment, which protocol is used by object pages to access the SAP S/4HANA system?

- A. OData
- B. RFC
- C. DIAG
- D. InA

Correct Answer: B

QUESTION 9

Which characteristics describe an SAP HANA multitenant database container (MDC) system? Note: There are 3 correct answers to this question.

- A. The name server provides index server functionality for the system database.
- B. Database isolation increases the isolation between tenant databases on operating system level.
- C. Each tenant database runs its own compile server and the preprocessor server.
- D. The name server owns information about the location of tables and table partitions in databases.
- E. A multitenant database container system is identified by a single system ID (SID).

Correct Answer: ABE

QUESTION 10

You are installing an SAP S/4HANA Server 1909 system, using s4xhost as application server host and haxhost as database host. Which actions can Software Provisioning Manager (SWPM) perform? Note: There are 3 correct answers to this question.

- A. Set database import parameters for the database running on haxhost
- B. Copy the database installation media from s4xhost to haxhost
- C. Install the Central Service instance on s4xhost
- D. Install the database on haxhost
- E. Copy the database backup media from s4xhost to haxhost

Correct Answer: ABC

QUESTION 11

From top to bottom, what is the hierarchy of the NetWeaver Administrator (NWA)?

- A. Work Set Work Center Function
- B. Work Center Function Work Set
- C. Work Center Work Set Function
- D. Function Work Center Work Set

Correct Answer: C

QUESTION 12

What can you configure by maintaining table HTTPURLLOC?

- A. The hostname of the URL launched by transaction /UI2/FLP
- B. The URL of a local Web server for user assistance resources
- C. The URL used by classic applications
- D. The path of the URL launched by transaction /UI2/FLP

Correct Answer: A

QUESTION 13

Which operating system process initiates the start procedure of an AS Java-based SAP system instance?

- A. jstart
- B. sapcpe
- C. sapstartsv
- D. saphostexec

Correct Answer: C

The sapstartsv process is responsible for starting and stopping SAP systems and SAP instances. It also provides a web service interface for remote administration and monitoring of SAP systems. The sapstartsv process runs on each host of an SAP system and communicates with the SAP Host Agent (saphostexec) process. The sapstartsv process can be controlled by the command line tool SAPControl or the graphical tool SAP Management Console (SAP MC).
References: SAPTEC - Technology Fundamentals of SAP S/4HANA and SAP Business Suite, Unit 2: Starting and Stopping SAP Systems, Lesson: Starting and Stopping SAP Systems

QUESTION 14

What is the definition of "Transport Group" in Transport Management System (TMS)?

- A. A collection of systems that are assigned to the same transport target group
- B. A collection of systems that share the same transport directory
- C. A collection of systems that are connected by transport routes
- D. A collection of systems that are controlled by the same transport domain controller

Correct Answer: B

QUESTION 15

What actions can you perform using the SAP_FIORI_FOUNDATION_S4 task list? Note: There are 3 correct answers to this question.

- A. Schedule a job for calculation of SAPUI5 application index.
- B. Generate SAP Fiori foundation roles.
- C. Replicate backend catalogs.
- D. Enable SAP GUI for HTML.
- E. Create users with generated business roles.

Correct Answer: BCD

[Latest C_TADM_23 Dumps](#)

[C_TADM_23 Study Guide](#)

[C_TADM_23 Braindumps](#)