

# C\_TPLM30\_67<sup>Q&As</sup>

SAP Certified Application Associate - Enterprise Asset Management  
(Maintenance & Repair) with SAP ERP 6.07

**Pass SAP C\_TPLM30\_67 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.certbus.com/c\\_tplm30\\_67.html](https://www.certbus.com/c_tplm30_67.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official  
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

You want to set up an external refurbishment process through subcontracting, using material requirements planning (MRP)? Which of the following must you set in the system? Please choose the correct answer. Response:

- A. The Special Procurement indicator in the material master record
- B. The Subcontracting flag for the refurbishment order type
- C. The Material Provision indicator for special stock in the refurbishment order header
- D. The Subcontracting flag in the refurbishment order header

Correct Answer: A

---

### QUESTION 2

Your customer wants to assign personnel to order operations. Which master data must exist in the system?

Please choose the correct answer.

Response:

- A. A requirements profile
- B. A personnel indicator in the control key
- C. A personnel profile
- D. A personnel number

Correct Answer: D

---

### QUESTION 3

To display overhead costs in a maintenance order, you need to assign a costing sheet in Customizing. To which parameter do you assign the costing sheet?

- A. Version for cost estimates
- B. Costing type
- C. Valuation categories
- D. Valuation variant

Correct Answer: D

---

#### QUESTION 4

Your customer plans a plant shutdown and wants to use the Maintenance Event Builder to plan revisions and create maintenance orders automatically.

What must you do in Customizing?

- A. Define field values for PM/PS Reference Element
- B. Define transfer of project or investment program
- C. Create a revision type and select WPS-Controlled.
- D. Create a revision type and select Not WPS-Controlled.

Correct Answer: C

---

#### QUESTION 5

Which of the following rules applies to user status in orders and notifications? Please choose the correct answer.

Response:

- A. The user status in the notification can be copied into the order.
- B. When you set a new user status with a status number, the previous user status with status number is deactivated.
- C. When a user status is flagged as an initial status, it overrides the initial system status CRTD.
- D. Changes to the user status can affect authorizations.

Correct Answer: B

---

#### QUESTION 6

Which of the following always produces up-to-the-minute costing information for maintenance orders?

- A. A standard analysis from the Plant Maintenance Information System (PMIS)
- B. A standard query in SAP NetWeaver Business Warehouse
- C. A maintenance order list
- D. A shift report based on shift notes

Correct Answer: C

---

#### QUESTION 7

Which of the following steps are required to create a measuring point for performance-based preventive maintenance? (Choose two)

- A. Specify the annual estimated usage for the measuring point.
- B. Activate the Measurement Reading Transfer indicator.
- C. Define a valuation code group.
- D. Create the measuring point as a counter.

Correct Answer: AD

---

### QUESTION 8

Which object do you use to assign number ranges for maintenance plans in Customizing? Please choose the correct answer.

Response:

- A. Maintenance planner group
- B. Technical object
- C. Maintenance item
- D. Maintenance plan category

Correct Answer: D

---

### QUESTION 9

Your customer needs to review costs in a maintenance order at operation level.

Which Customizing steps must you perform?

Please choose the correct answer.

Response:

- A. Set the account assignment indicator for the costing sheet and assign the costing sheet to the order type.
- B. Set the account assignment indicator for the settlement profile and assign the settlement profile to the order type.
- C. Set the account assignment indicator for the valuation variant and assign the valuation variant to the cost variant.
- D. Set the account assignment indicator for the order type and assign the order type to the plants.

Correct Answer: D

---

#### QUESTION 10

What happens when you set the system status in a maintenance order to technically completed (TECO)?

There are 2 correct answers to this question.

Response:

- A. The system sets a deletion indicator for outstanding reservations.
- B. The system sets a deletion indicator for outstanding purchase requisitions.
- C. The system posts costs to the target account assignment.
- D. The system sets a deletion indicator for purchase orders assigned to the maintenance order.

Correct Answer: AB

---

#### QUESTION 11

Your customer wants to assign maintenance orders to network activities automatically with the Maintenance Event Builder (MEB).

Which of the following steps must you perform?

There are 2 correct answers to this question.

Response:

- A. Set the define Transfer of Project or Invest Program indicator.
- B. Assign maintenance orders manually to a revision with revision type WPS-controlled.
- C. Assign a network to a revision with revision type WPS-controlled.
- D. Assign a hierarchical task list to a notification.
- E. Assign the Reference PM/PS element to task list headers and network activities.

Correct Answer: CE

---

#### QUESTION 12

At runtime communication between the source system and BW is broken down into the following steps:

Identify them .

There are 2 correct answers to this question.

Response:

- A. Loading of data to info provider

- B. Running of analysis.
- C. Master data
- D. Projection data
- E. BW and SAP

Correct Answer: AB

---

### QUESTION 13

Your customer wants to utilize estimated costs in Plant Maintenance orders. Which condition does the customer need to be aware of?

- A. Planned costs overwrite estimated costs after release of the order.
- B. A specific order type in which cost estimates are activated must be used.
- C. Planned costs must not exceed the estimated costs.
- D. Upon release of the order, estimated costs cannot be revised.

Correct Answer: D

---

### QUESTION 14

How is a new functional location initially assigned to its place in the hierarchy? Please choose the correct answer.

Response:

- A. Automatically based on the structure indicator
- B. Manually using the List Editing transaction
- C. Automatically based on the Bill of Material (BOM)
- D. Manually using the Install transaction

Correct Answer: A

---

### QUESTION 15

Which of the following steps must you perform to customize priorities for a maintenance order?

- A. Assign a priority type to an order type.
- B. Assign priorities to technical object master records.

C. Assign a priority type to a technical object master record.

D. Assign priorities to order types.

Correct Answer: A

[Latest C\\_TPLM30\\_67 Dumps](#)

[C\\_TPLM30\\_67 Study Guide](#)

[C\\_TPLM30\\_67 Braindumps](#)