

# DES-6332<sup>Q&As</sup>

Specialist - Systems Administrator - VxRail Appliance Exam

**Pass EMC DES-6332 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/des-6332.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



#### QUESTION 1

A VxRail administrator is evaluating vSAN settings in preparation for vSAN configuration.

Which configurations will result in the lowest initial usable capacity?

- A. FTT = 1 (RAID 5 - Erasure Coding) Deduplication and Compression Enabled
- B. FTT = 1 (RAID 5 - Erasure Coding) Deduplication and Compression Disabled
- C. FTT = 1 (RAID 1 - Mirroring) Deduplication and Compression Enabled
- D. FTT = 1 (RAID 1 - Mirroring) Deduplication and Compression Disabled

Correct Answer: A

---

#### QUESTION 2

You are checking the overall health of the VxRail vSAN environment. Which VMware interface are you using?

- A. vSphere Web Client
- B. vSphere Client
- C. Host Client
- D. Update Manager

Correct Answer: B

---

#### QUESTION 3

Which VxRail model series supports only hybrid disks?

- A. S Series
- B. P Series
- C. E Series
- D. G Series

Correct Answer: D

---

#### QUESTION 4

An administrator wants to get information about a specific host and runs this code:

```
GET /v1/hosts/{sn}
```

An API code 404 is returned.

What is the reason for the error code?

- A. The provided {sn} was not valid
- B. There was a server error
- C. The administrator was not authenticated
- D. The API is designed to return all hosts in a cluster

Correct Answer: A

---

#### QUESTION 5

Which level of data protection can be configured across sites in a VxRail Stretched Cluster?

- A. RAID 1
- B. RAID 5
- C. RAID 1/10
- D. RAID 6

Correct Answer: A

---

#### QUESTION 6

When needed, the vSAN might also break large objects into multiple components. What is the maximum size of a component?

- A. 63 GB
- B. 127 GB
- C. 255 GB
- D. 511 GB

Correct Answer: C

---

#### QUESTION 7

VxRail has been deployed using the default network profile with 4 NDC ports.

Which vmnics carry the VxRail management traffic, and in what teaming and failover configuration?

- A. vmnic0 and vmnic3 active/active pair with no link aggregation

- B. vmnic0 and vmnic1 active/active pair with link aggregation
- C. vmnic1 and vmnic2 active/standby pair with link aggregation
- D. vmnic0 and vmnic1 active/standby pair with no link aggregation

Correct Answer: D

---

#### QUESTION 8

Which feature captures I/O traces from ESXi and generates metrics that represent the storage I/O behavior at VMDK level?

- A. Storage I/O Control
- B. IOmeter
- C. IOinsight
- D. vSAN iSCSI Target Service

Correct Answer: C

---

#### QUESTION 9

A user of VxRail Manager wants to investigate Storage IOPS for a node. Which tab should they use?

- A. Health > Physical > Node
- B. Health > Physical > Cluster
- C. Health > Logical > Cluster
- D. Health > Logical > Node

Correct Answer: D

---

#### QUESTION 10

What is a consideration when choosing between vSphere Encryption and vSAN Encryption?

- A. vSphere Encryption applies to the entire vSAN datastore vSAN Encryption is on a per VM basis.
- B. vSphere Encryption does not support deduplication and compression vSAN Encryption allows deduplication and compression
- C. vSphere Encryption addresses fears of media theft vSAN Encryption addresses fears of a rogue admin
- D. vSphere Encryption is for data-at-rest vSAN Encryption is for data-in-flight

Correct Answer: D

---

#### QUESTION 11

An administrator attempts to add an S Series node to a Gen 2 VxRail cluster and the build fails. What is a possible reason for this failure?

- A. IP address pool has no more free addresses
- B. Hybrid and Flash nodes cannot be mixed in the same cluster
- C. Quanta and Dell nodes cannot be mixed in the same cluster
- D. Loudmouth process needs to be restarted

Correct Answer: B

---

#### QUESTION 12

As an administrator, you are asked to view the health of the vSAN on the VxRail cluster. You select the VxRail cluster in the Navigation panel in vCenter.

Under which tab could you run the vSAN health check?

- A. Hosts
- B. vSAN
- C. Monitor
- D. Datastores

Correct Answer: B

---

#### QUESTION 13

A VxRail administrator wants to rename the VxRail cluster and the VxRail vSAN datastore. What is the recommended method to make these changes?

- A. Refer to the VMware vSphere and vSAN documentation Follow the steps detailed in the VMware documentation
- B. Renaming the objects is not permitted Rebuild the cluster with the desired names
- C. Use SolVe to generate the relevant procedures Follow the steps detailed in the procedures
- D. Refer to the VxRail Appliance Administration Guide Follow the steps detailed in the guide

Correct Answer: B

---

#### QUESTION 14

In VxRail nodes with 4 NDC network ports and a pair of ToR switches, which configurations are supported?

- A. 4 port configurations are not supported.
- B. Ports 1 and 4 connected to ToR switch 1 Ports 2 and 3 connected to ToR switch 2
- C. Ports 1 and 2 connected to ToR switch 1 Ports 3 and 4 connected to ToR switch 2
- D. Ports 1 and 3 connected to ToR switch 1 Ports 2 and 4 connected to ToR switch 2

Correct Answer: C

---

#### QUESTION 15

The vSphere Client is showing several failures on node 3. Support recommends opening an SSH session to troubleshoot. The connection fails to establish.

Which path should be used to enable SSH on the host from vSphere Client?

- A. Host > Monitor > Services > Enable SSH
- B. Cluster > Configure > VxRail > Hosts > Enable SSH
- C. Host > Configure > System > Services
- D. Cluster > Monitor > VxRail > Hosts > Services

Correct Answer: A

[DES-6332 PDF Dumps](#)

[DES-6332 Practice Test](#)

[DES-6332 Braindumps](#)