

DES-DD23^{Q&As}

Implementation Engineer - PowerProtect DD

Pass EMC DES-DD23 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/des-dd23.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

The finance department requires PDFs older than 90 days to be archived through Cloud Tier into Azure Blob Storage. They want any PDFs older than 180 days archived into AWS S3. Which data movement policy is used to archive files into Azure Blob Storage?

- A. App-driven
- B. Age-based
- C. Age-range
- D. Recall

Correct Answer: B

QUESTION 2

A backup administrator is tasked with monitoring PowerProtect DD capacity metrics. The administrator is backing up 2 TB of data daily with a reduction rate at 5x. After data reduction, subsequent full backups compress down to 100 GB.

The initial backup requires 400 GB with a 10 percent increase in the data each day. Each incremental backup is 200 GB. After data reduction, each incremental backup is 20 GB.

What is the weekly burn rate (GB) after six daily incremental backups and one weekly backup?

- A. 200
- B. 220
- C. 400
- D. 440

Correct Answer: A

QUESTION 3

DRAG DROP

What is the order of steps to configure DD Boost on a PowerProtect DD appliance?

Select and Place:

Enable DD Boost	STEP 1
Define a local user as the DD Boost User	STEP 2
Create storage units as needed	STEP 3
License DD Boost	STEP 4

Correct Answer:

	Enable DD Boost
	License DD Boost
	Create storage units as needed
	Define a local user as the DD Boost User

Reference: <https://www.delltechnologies.com/asset/en-us/products/storage/technical-support/s2403-dell-emc-powerprotect-dd-series-appliances-with-veritas-netbackup-configuration-guide.pdf>

QUESTION 4

Which protocol is used for communications between a PowerProtect DD appliance and cloud tier to Dell EMC ECS?

- A. SSH
- B. SSL
- C. FTP
- D. HTTPS

Correct Answer: D

Reference: <https://www.dell.com/support/kbdoc/en-pk/000020178/data-domain-import-ssl-root-ca-cert-from-load-balancer-for-ecs-cloud-tier-and-best-practices>

QUESTION 5

What is a requirement to configure the PowerProtect DD tape out to cloud feature?

- A. Two cloud units

- B. Cloud Tier Capacity License
- C. Tape Out to Cloud License
- D. DDVE in the Cloud

Correct Answer: B

DD VTL supports storing the VTL vault on Cloud Tier storage. To use this functionality, the protection system must be a supported Cloud Tier configuration, and have a Cloud Tier license in addition to the VTL license. Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/technical-support/docu95865.pdf>

QUESTION 6

A customer needs an upgrade on their DD6900 to use HA. Which expansion shelf is required?

- A. ES40
- B. FS25
- C. DS60
- D. ES25

Correct Answer: A

Reference: <https://docplayer.net/195500638-Dell-emc-powerprotect-dd6900-system.html> (61)

QUESTION 7

A technician is upgrading a DD9400 with a DS60 expansion shelf with 60 drives. In the GUI interface, only 30 drives are accessible. What is causing these drives to be inaccessible?

- A. There are not enough cache drives on the DD9400 to support the extra capacity.
- B. A second SAS connection from DD9400 to DS60 is not activated.
- C. There are not enough spare drives.
- D. The capacity license applied is only for 30 drives.

Correct Answer: B

QUESTION 8

An organization uses tape libraries in their current backup infrastructure. They have purchased a PowerProtect DD system and plan to use VTL to move from physical tape. What is a consideration when configuring the tape size?

- A. Use multiple drives to write multiple streams
- B. Set retention periods for as long as possible

- C. Target multiple drives to write single stream
- D. Use larger tapes for multiple smaller datasets

Correct Answer: A

QUESTION 9

An administrator monitors the performance statistics of a PowerProtect DD appliance. Low disk-write rates are shown, and the network inbound traffic is high. What is the most likely cause of this behavior?

- A. NVRAM failure
- B. Disk failure
- C. Expired segments
- D. Known segments

Correct Answer: D

QUESTION 10

Backup administrators have noticed slow backups on the AIX environment.

To fix the issue, what should the set large_send be for each NIC, and what should the NFS option be set to?

- A. no and nfs_rfc1323=0
- B. yes and nfs_rfc1323=0
- C. no and nfs_rfc1323=1
- D. yes and nfs_rfc1323=1

Correct Answer: D

[Latest DES-DD23 Dumps](#)

[DES-DD23 PDF Dumps](#)

[DES-DD23 Braindumps](#)