

E20-005^{Q&As}

Backup Recovery Systems and Architecture Exam

Pass EMC E20-005 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/e20-005.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which function is performed by a SCSI initiator device?

- A. Issue commands to a target device
- B. Switch orientations depending on the role it plays in an I/O operation
- C. Execute commands
- D. Serve requests

Correct Answer: C

QUESTION 2


Which type of backup only copies the files that have changed since the last full backup?

- A. Cumulative
- B. Full
- C. Incremental
- D. Synthetic full

Correct Answer: A

QUESTION 3

Refer to the exhibit.



When determining disk drive performance, between which two components is the external transfer rate measured?

- A. HBA and interface
- B. Interface and buffer

- C. Buffer and head disk assembly
- D. Interface and head disk assembly

Correct Answer: A

QUESTION 4

What terminology is used to describe grouping several physical drives into one logical drive?

- A. Concatenation
- B. Partitioning
- C. Formatting
- D. Grouping

Correct Answer: A

QUESTION 5

Why is a backup required?

- A. Allow multiple, simultaneous access of data
- B. Prevent data corruption
- C. Prevent unauthorized access of data
- D. Restore the original data in the event of data loss

Correct Answer: A

QUESTION 6

How is client backup data viewed in cloud storage for backup and recovery?

- A. Object
- B. File
- C. Block
- D. Page

Correct Answer: A

QUESTION 7

What is a benefit of using EMC NetWorker modules?

- A. Ensures consistent backups
- B. Improves tape utilization ratio
- C. Organizes data on the backup media for fast recovery
- D. Performs cold database backups

Correct Answer: B

QUESTION 8

Which switch port type is used for the interswitch link connectivity between two FC switches?

- A. G_port
- B. E_port
- C. N_port
- D. F_port

Correct Answer: B

QUESTION 9

Which database is used to store the location of other databases in Microsoft SQL Server?


- A. master
- B. model
- C. msdb
- D. tempdb

Correct Answer: A

QUESTION 10

Refer to the exhibit.

Storage Node A



A company is implementing a VTL appliance in their environment as shown. What can be done so that Storage Node A can see the appliance?

- A. Configure SAN Switches 1 and 2 on the same fabric
- B. Zone Storage Node A to the VTL appliance
- C. Configure operating system tape drivers on Storage Node A
- D. Add the backup server to SAN Switch 2 and configure it as a bridge

Correct Answer: A

QUESTION 11

What is the purpose of NDMP?

- A. Provides a standard protocol for backup and recovery operations of network-attached devices
- B. Enables components from different vendors to coexist in the same network
- C. Manages the flow of backup data from different host operating systems and hardware platforms
- D. Reduces traffic congestion on a network by controlling the data flow

Correct Answer: A

QUESTION 12

Where does backup metadata reside when target-based deduplication technology is used?

- A. Backup server
- B. Storage node
- C. Backup client
- D. Deduplication node

Correct Answer: A

QUESTION 13

In Volume Shadow Copy Service, what is the role of the I/O interceptor?

- A. Copies data from source to virtual volume before the write to source volume is allowed
- B. Copies data from source to virtual volume after the write to source volume is allowed
- C. Leaves the source volume unchanged and writes to virtual volume
- D. Writes new data to both source volume and virtual volume

Correct Answer: A

QUESTION 14

A backup administrator has initiated a restore from a physical tape library. Data did not begin transferring back to the storage node until a minute later.

What is the most likely reason for the delay?

- A. The tape cartridge needs to be loaded and validated.
- B. The data is multiplexed on tape.
- C. The tape library is offline.
- D. The backup server must find the backup metadata.

Correct Answer: A

QUESTION 15

What is recovery point objective?

- A. Maximum allowable time to fully recover an application

- B. Actual time that it takes to recover all data
- C. Amount of data loss that is acceptable by the business
- D. Length of time that backups are kept for recovery purposes

Correct Answer: C

[Latest E20-005 Dumps](#)

[E20-005 PDF Dumps](#)

[E20-005 Exam Questions](#)