

**Exam** : **E20-070**

**Title** : EMC technology  
foundations-san

**Version** : DEMO

1. What is PowerPath?

- A. Array based software that intelligently manages I/O to the array
- B. Array based software that supports active-active and active-passive arrays
- C. Host based software that notifies the application when a path failure occurs
- D. Host based software that provides path failover and load balancing.

*Answer: D*

2. Which GUI interface is used to build Symmetrix configurations or BIN files?

- A. Fabric manager
- B. Navisphere
- C. SymmSeek
- D. SymmWin

*Answer: D*

3. What are two valid types of zoning in a SAN?

- A. Flexible Zoning and Invariant Zoning
- B. Hard Zoning and Soft Zoning
- C. SNIA Zoning and Vendor-Unique Zoning
- D. Serial and Parallel zoning

*Answer: B*

4. When can PowerPath configuration, management and tuning be performed?

- A. During maintenance windows
- B. Offline
- C. Online
- D. When the system is not used for production

*Answer: C*

5. Which CLARiiON component is used for staging and prefetching data?

- A. nv ram

- B. PSM
- C. Read cache
- D. Write cache

*Answer: C*

6. From PowerPath's point of view, what array type is an INVISTA instance?

- A. Active-active
- B. Active-passive
- C. Passive-active
- D. Passive-passive

*Answer: A*

7. What is the default element size for a five disk RAID 5 group?

- A. 64 bytes
- B. 4KB
- C. 64KB
- D. 128KB

*Answer: C*

8. Which information does VisualSRM collect about hosts?

- A. CPU and memory utilization
- B. Filesystem names and utilization
- C. Switch and array port to filesystem mapping
- D. Volume group names and utilization

*Answer: B*

9. Which fabric security feature is governed by the common Fibre Channel standard?

- A. LUN Binding
- B. Port Binding
- C. Port Masking

D. Zoning

*Answer: D*

10. Which RAID type uses a single drive to maintain parity?

A. RAID 1

B. RAID 1/0

C. RAID 3

D. RAID 5

*Answer: C*

11. When is a write to the CLARiiON considered complete with write cache enabled?

A. After five sequential writes are received by the first SP

B. After the write is cached in the receiving SPs memory

C. After the write is committed to disk

D. After the write is committed to the peer SPs cache memory

*Answer: D*

12. What is a feature of PowerPath?

A. Automated path failover with no path recovery

B. Manual path failover

C. Proactive path testing

D. Static load balancing

*Answer: C*

13. What software options exist for managing a M-Series fabric?

A. Connectrix Manager and ControlCenter

B. Connectrix Manager and WebTools

C. Device Manager and ControlCenter

D. EWS and WebTools

*Answer: A*

14. How is cache memory allocated in a CLARiiON CX series array?

- A. Pages
- B. Partition
- C. Segments
- D. Tracks

*Answer: A*

15. What components are used to daisy chain DMX-3 storage bays?

- A. Disk directors
- B. Disk adapters
- C. Link Control Cards
- D. Midplane

*Answer: C*

16. A fabric contains a single host HBA requiring connectivity to storage ports on several storage arrays. Which parameter can impose a limit on this design?

- A. Fan-in ratio for each storage array port
- B. Fan-in ratio for the HBA
- C. Fan-out ratio for each storage array port
- D. Fan-out ratio for the HBA

*Answer: B*

17. What is a functionality of the PowerPath filter driver?

- A. Notifies the application after each I/O is delivered
- B. Redirects I/O to the next available path based on the load balancing policy
- C. Redirects I/O to the shortest path to the logical volume
- D. Uses a random path in the volume path set to service the I/O request

*Answer: B*

18. What is a PowerPath storage class?

- A. A grouping of applications using the same channels
- B. A license that is required to manage a storage array
- C. A storage array that PowerPath supports
- D. A tiered license for the host class that PowerPath supports

*Answer: C*

19. Which IT issue does VisualSRM help resolve?

- A. Manual and error-prone storage provisioning adds complexity
- B. Multiple products required to coordinate backup tasks on many hosts adds complexity
- C. Need to identify dormant files that are no longer accessed for better storage utilization
- D. Visualization of entire storage path from filesystem to array drive is required

*Answer: C*

20. Which additional information is provided by the VisualSAN SNIA Agent which is not provided by the Navisphere Agent?

- A. Automatic Host and HBA association
- B. Detailed HBA property information
- C. Path visualization from Host to Storage Unit
- D. Storage provisioning (host to array)

*Answer: B*

# Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <b>One Year Free Update</b> <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <b>Money Back Guarantee</b> <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <b>Security &amp; Privacy</b> <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.