

E20-597^{Q&As}

NetWorker Specialist Exam for Storage Administrators

Pass EMC E20-597 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.certbus.com/e20-597.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Which EMC NetWorker command can be used to determine the number of records in the Client File Index for each client?

- A. nsrls
- B. mminfo
- C. nsrinfo
- D. gstclreport

Correct Answer: A

QUESTION 2

What EMC NetWorker software component controls the backup device in an EMC NetWorker Data Zone?

- A. Storage Node
- B. Client
- C. Server
- D. EMC NetWorker Management Console

Correct Answer: A

QUESTION 3

Which applications are supported by the EMC NetWorker Module for Microsoft (NMM) federated backup?

- A. Exchange Database Availability Group and SQL AlwaysOn Availability Group
- B. SharePoint distributed farm and Windows Hyper-V CSV
- C. Both full and incremental backups of Sybase and Exchange Database Availability Group
- D. SharePoint distributed farm and SQL AlwaysOn Availability Group

Correct Answer: A

QUESTION 4

A backup administrator has configured a new library using the EMC NetWorker Management Console on an existing storage node. They notice that the library does not show ready in the NMC. Before running backups to the new library, the administrator wants to ensure the process that controls the library is running.



Which process should the administrator look for on the storage node?

- A. nsrlcpd
- B. nsrsnmd
- C. nsrexecd
- D. nsrmmd
- Correct Answer: A

QUESTION 5

An administrator using EMC NetWorker Power edition plans to add a storage node. In preparation for adding the storage node, they attempt to set server parallelism to 96. When saving the changes to the configuration, the administrator notices that server parallelism reverts back to 64.

Which action needs to be taken to set server parallelism to 96?

- A. Add a storage node enabler code
- B. Set device max sessions to 96
- C. Configure group parallelism to 96
- D. Enable diagnostic mode

Correct Answer: A

QUESTION 6

What is a core function of vStorage API support in EMC NetWorker?

- A. Eliminates intermediate storage required by VCB to cache the snapshots
- B. Supports ESX 3.5, 4.0 and 4.1
- C. Change Block Backup and Recovery Support.
- D. Utilizes intermediate copy step required by VCB.

Correct Answer: A

QUESTION 7

In an EMC NetWorker environment, a clone volume (physical tape) required for a recovery is not currently mounted.

Which attribute is reviewed first to determine the storage node that will be used for the recovery?

A. Client\\'s "Recover Storage Node"



- B. Client\\'s "Clone Storage Node"
- C. Client\\'s "Storage Node"
- D. Jukebox "Read Host Name"

Correct Answer: A

QUESTION 8

What is integrated with NMDA to provide snapshot-based protection for DB2?

- A. PowerSnap
- B. SnapImage
- C. VSS
- D. VMware
- Correct Answer: A

QUESTION 9

In EMC NetWorker, what happens when the high watermark is reached on an AFTD being managed by the stage resource?

- A. Automatically move save sets to another media
- B. Continuously stage save sets until all the save sets are moved
- C. Automatically clone save sets to another media
- D. Automatically send warning messages to the Administrator

Correct Answer: A

QUESTION 10

What is a characteristic of an EMC NetWorker advanced file type device?

- A. Duplicate media database records
- B. Duplicate CFIs
- C. Requires CIFS or NFS shares
- D. Requires a separate pool

Correct Answer: A



QUESTION 11

A Dell EMC NetWorker backup administrator is trying to restore Client A form Client B in the same datazone. After clicking the "Recover" option using NetWorker User for Windows, the administrator is not able to see Client A in the source window.

What is the reason for this issue?

- A. This type of recovery is not supported
- B. Remote access field of Client B is not populated
- C. Administrator user must perform the recovery
- D. Remote access field of Client A is not populated

Correct Answer: A

QUESTION 12

An EMC NetWorker administrator wants to determine the RPC port range for a host.

Which directory contains this information?

- A. nsrladb
- B. catalogs
- C. jobsdb
- D. nsrdb

Correct Answer: A

QUESTION 13

How can an EMC NetWorker administrator achieve a recovery of an EMC NetWorker resource database?

- A. Perform a browsable recovery of the /nsr/index directory
- B. Rebuild the database with nsrck command
- C. Recover the SYSTEM save set
- D. Recover the bootstrap save set with mmrecov

Correct Answer: D

QUESTION 14



When backing up an Oracle database with EMC NetWorker Module for Databases and Applications, how is the Oracle backup level determined?

- A. Level specified in RMAN backup script.
- B. NSR_BACKUP_LEVEL parameter in NMDA configuration file.
- C. Level specified in EMC NetWorker Schedules resource.
- D. NSR_BACKUP_LEVEL parameter in RMAN backup script.

Correct Answer: A

QUESTION 15

An EMC NetWorker Administrator needs to be able to back up and recover a high density active file system to the backup devices connected to local or remote storage nodes.

- A. Add the SnapImage module
- B. Add the NDMP module
- C. Add the PowerSnap module
- D. Add EMC NetWorker Module for Microsoft Applications

Correct Answer: A

Latest E20-597 Dumps

E20-597 VCE Dumps

E20-597 Braindumps