

E22-285^{Q&As}

VxRail Appliance 4.x Deployment and Implementation Exam

Pass EMC E22-285 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/e22-285.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What is the VxRail maximum cluster size if using only 1 GbE links?

- A. 8
- B. 16
- C. 32
- D. 64 with an RPQ

Correct Answer: A

QUESTION 2

Which VxRail node type supports only hybrid storage?

- A. S Series
- B. E Series
- C. G Series
- D. V Series

Correct Answer: A

QUESTION 3

A workstation is being configured on the management VLAN (10.150.140.0/24) to connect to VxRail Manager for first time deployment. Configuring which IP addresses on the workstation will result in a successful deployment without having to change them during initialization?

- A. 192.168.1.199 and 10.150.140.100
- B. 192.168.1.250 and 10.150.140.255
- C. 192.168.10.199 and 10.150.140.255
- D. 192.168.10.250 and 10.150.140.250

Correct Answer: A

QUESTION 4

A VxRail deployment has just been completed, and the performance service is enabled, but the vSAN performance statistics are not available for the cluster or virtual machines.

What is the reason for this situation?

- A. vSAN performance hot-fix has not been applied
- B. Monitoring policy has not been created
- C. Performance service has not been manually enabled
- D. Data has not been populated

Correct Answer: B

QUESTION 5

A company is planning to deploy VxRail for business critical applications. The solution should support automated workload re-balancing.

Which vSphere license is required for this solution?

- A. vSphere with Operations Management Enterprise
- B. vSphere Enterprise Plus
- C. vSphere Enterprise
- D. vSphere Standard

Correct Answer: B

QUESTION 6

Which step is required to enable VxRail Manager capabilities to register the system, obtain product license files, update system software, download VxRail documentation, and browse VxRail Community?

- A. Enable the cluster/VDS/management accounts when using an external vCenter
- B. Enable EMC Secure Remote Support (ESRS)
- C. Configure VMware Secure Support Account (vSSA) access
- D. Set the Username and Password for the Support Account

Correct Answer: A

QUESTION 7

What is the maximum number of hosts supported in a VxRail Stretched Cluster?

- A. 15

B. 16

C. 31

D. 32

Correct Answer: C

QUESTION 8

During VxRail initial deployment the build fails. Support requests that logs be downloaded manually. Which logs should be collected?

A. /var/log/vmware-installer

B. All files and folders under /var/log/vmware

C. /var/log/vmware/marvin/tomcat/logs/marvin.log only

D. /var/log/mystic/web.log

Correct Answer: D

QUESTION 9

What is the Dell EMC product that is purpose-built for departmental and edge applications, as well as small enterprise and mid-market data centers?

A. Vscale Architecture

B. VxRail

C. VxRack

D. Vblock/VxBlock

Correct Answer: B

QUESTION 10

What is a requirement for the Top of Rack (ToR) switches used in a VxRail implementation?

A. MLD Querier

B. EtherChannel

C. IPV4 and IPV6 Multicast

D. LACP

Correct Answer: C

QUESTION 11

You are asked to cable up a VxRail G Series cluster to a redundant pair of 1/10G switches. What is the cabling best practice for this configuration?

- A. Cable ports 1 and 2 to onswitch. Cable ports 3 and 4 to the other switch.
- B. Cable ports 1 and 2 to one switch. Cable ports 3 and 4 to the other switch. Cable BMC from node 1 and 2 to one switch. Cable BMC from node 3 and 4 to the other switch.
- C. Cable ports 1 and 3 to one switch. Cable ports 2 and 4 to the other switch.
- D. Cable ports 1 and 3 to one switch. Cable ports 2 and 4 to the other switch. Cable BMC from node 1 and 3 to one switch. Cable BMC from node 2 and 4 to the other switch.

Correct Answer: D

QUESTION 12

When using the RASR method to reset a VxRail node, which boot device is selected?

- A. RASRUSB
- B. SATADOM
- C. IDRAC SD CARD
- D. IDSMD

Correct Answer: D

QUESTION 13

What is the correct command to restart the Loudmouth process on a VxRail node?

- A. `/usr/lib/vmware-loudmouth/bin/loudmouthc restart`
- B. `systemctl restart vmware-loudmouth`
- C. `/etc/init.d/loudmouth restart`
- D. `/sbin/service loudmouth restart`

Correct Answer: C

QUESTION 14

A BMC interface webpage is reachable but unresponsive. What should be done to resolve this problem?

- A. NDU to latest bundle of VxRail software
- B. Reboot the node
- C. Reset the BMC through/tmp/vspexblue/bin/ipmitool mc reset cold
- D. Upgrade the BMC firmware

Correct Answer: B

QUESTION 15

Which requirement is optional for a VxRail Stretched Cluster?

- A. Enterprise Plus vSphere Licensing
- B. External vCenter
- C. IPv6 Multicast between locations
- D. Cross-site layer-2 connectivity

Correct Answer: C

[E22-285 VCE Dumps](#)

[E22-285 Practice Test](#)

[E22-285 Exam Questions](#)