

# EINSTEIN-ANALYTICS-AND- DISCOVERY-CONSULTANT<sup>Q&As</sup>

Salesforce Certified Einstein Analytics and Discovery

**Pass Salesforce EINSTEIN-ANALYTICS-AND-  
DISCOVERY-CONSULTANT Exam with 100%  
Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/einstein-analytics-and-discovery-consultant.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

Account Type	Total Accounts This Year	Total Accounts Last Year	YoY Growth
Customer	5,296	4,238	24.96%
Prospect	1	0	
Wholesaler	2	2	0%

Universal Containers has a dashboard for Sales Managers to visualize the YoY Growth of their customers-

The formula used is:  $YoY = [(This\ Year - Last\ Year) / Last\ Year] \%$

Based on the graphic, when there is no account in the Last Year column, the YoY Growth shows null results.

The Sales Managers want to replace it with 100% value.

What is the correct function to use?

- A. `replace()`
- B. `number_to_string()`
- C. `coalesce()`
- D. `substr()`

Correct Answer: C

### QUESTION 2

An Einstein Analytics team wants to create a dashboard that displays values from an external, on-premise Oracle database.

What are two options to load the data from the Oracle database into Einstein Analytics? Choose 2 answers

- A. Use the Salesforce SOAP interface.
- B. Use the Analytics External Data API.
- C. Use Oracle database connector.
- D. Load the data as a CSV file.

Correct Answer: BC

### QUESTION 3

Which isn't an option for setting a security predicate for a dataset created from an external data file?

- A. In the metadata file associated with the external data file using the rowLevelSecurityFilter key
- B. In the Register transformation node of a dataflow that uses this dataset
- C. In the dataset Security Predicate
- D. On each row prior to upload

Correct Answer: D

---

### QUESTION 4

Can you share dashboards with others in your org?

- A. Click on the "Share" icon on the dashboard. From there, you can set up sharing options, post a dashboard screenshot to Chatter, get a URL to share, or download a screenshot.
- B. Click on the "Share" icon on the lens. From there, you can set up sharing options, post a dashboard screenshot to Chatter, get a URL to share, or download a screenshot
- C. No, you can't share dashboards.
- D. Click on the "Share" icon on the dataset.

Correct Answer: A

---

### QUESTION 5

A customer displays a lot of data and wants a way to dynamically emphasize certain values on a bar chart in order to properly grab the user's attention.

What can an Einstein Consultant use to accomplish this task?

- A. Customize tooltip
- B. Chart Markers
- C. XMD
- D. Compare Table

Correct Answer: C

---

### QUESTION 6

What is an Einstein Discovery story?

- A. An account of imaginary or real people and events told for entertainment
- B. A collection of graphs, statistical analysis, and text that helps you understand the relationships between multiple outcome variables and the factors that influence those variables
- C. A collection of graphs, statistical analysis, and text that proves exactly what caused an outcome
- D. A collection of graphs, statistical analysis, and text that helps you understand the relationships between a single outcome variable and the factors that influence that variable

Correct Answer: D

---

#### QUESTION 7

What is the test called that helps to identify categories that exhibit a pattern outside the overall average?

- A. Null hypothesis test
- B. Significance level test
- C. Critical region test
- D. Chi-square test
- E. T-test

Correct Answer: E

---

#### QUESTION 8

Why is it important to select the right root object when you use the dataset builder?

- A. The root object determines who can see the dataset.
- B. Only data from the root object can be included in the dataset.
- C. The root object determines what related objects you can add to the dataset.
- D. The root object determines what app the dataset is saved in.

Correct Answer: C

---

#### QUESTION 9

Max of objects that can be enabled for Data Sync

- A. 200
- B. 100

C. 150

D. 50

Correct Answer: B

---

#### QUESTION 10

An Einstein Discovery team created a model to maximize the margin of their sales opportunities. They want to deploy the model to the Opportunity object in order to predict the outcome of every newly created or updated Opportunity.

What are the steps to accomplish this?

A. Create a trigger on Opportunity and use the Salesforce External Connector to get predictions from Einstein Discovery.

B. Create an Apex batch on Opportunity and use the REST API to get predictions from Einstein Discovery.

C. Create a trigger on Opportunity and install the Einstein Discovery Writeback managed package from the AppExchange.

D. Create a trigger on Opportunity and use the REST API to get predictions from Einstein Discovery.

Correct Answer: C

[https://help.salesforce.com/articleView?id=bi\\_edd\\_wb\\_native.htm&type=5](https://help.salesforce.com/articleView?id=bi_edd_wb_native.htm&type=5)

---

#### QUESTION 11

The Universal Containers company used Einstein Analytics to create two datasets:

Dataset A: contains a list of activities with an "activityID" dimension and a "userID" dimension  
Dataset B: contains a list of users with a "userID" dimension

The team wants to delete from Dataset A all activities related to users in Dataset B.

How can an Einstein Consultant help them achieve this?

A. Use the dataflow transformation "delete" and set "userID" as the deletion ID.

B. Use a combination of dataflow transformations: "augment" and "filter."

C. Use an external ETL tool to extract both datasets and delete records.

D. Use the recipe operation "delete" and set "userID" as the deletion ID.

Correct Answer: B

---

#### QUESTION 12

The Universal Containers company uses Einstein Analytics to build dashboards for different departments: Sales, Service, and Marketing. Users for the same department have the same role and need to have access to the same dashboards. Dashboards for different departments use some common datasets with the same row-level security.

How can an Einstein Consultant address this need?

- A. Create one application for each department and use roles to share applications.
- B. Create one application for each department, put common datasets in the shared app, and use profiles to share applications.
- C. Create one application for each department, put common datasets in the shared app, and use roles to share applications.
- D. Create one application for each department, put common datasets in the shared app, and use permission sets to share applications.

Correct Answer: C

---

### QUESTION 13

The Universal Containers company uses a Microsoft Azure SQL Data Warehouse to gather information about sales representatives' objectives. They want to use Einstein Analytics to gain insights from this data; therefore, they need to automatically load the warehouse's data into an Einstein Analytics dataset on a daily basis. The data also needs to be transformed and merged with data from the company's org.

Which three Einstein Analytics user interface features can be used to complete these requirements? Choose 3 answers

- A. Dataflow
- B. Microsoft Azure SQL Data Warehouse Connector
- C. Einstein Analytics Connector for Excel
- D. Recipes
- E. Analytics REST API

Correct Answer: ABD

---

### QUESTION 14

What is a keyword in SAQL? And what case must it be in?

- A. A keyword is basically just a function in SAQL, like group, foreach, etc. And it has to be lowercase.

Correct Answer: A

---

### QUESTION 15

A client has two datasets that are used across seven different dashboards. Three of these dashboards are used by marketing and four are used by sales. The client requires that only marketing can access the marketing dashboards and only sales can access the sales dashboards.

What solution should be recommended?

- A. Create two custom apps: one for marketing dashboards with marketing as "viewer" and one for sales dashboards with sales as "viewer." Add the datasets as references to both custom apps.
- B. Create three custom apps: one for marketing dashboards with marketing as "viewer," one for sales dashboards with sales as "viewer," and one for datasets where marketing and sales are "viewer."
- C. Create one custom app for the datasets and share it with marketing and sales as "viewer."
- D. Duplicate the datasets and create two custom apps: one for marketing dashboards and datasets with marketing as "editor" and one for sales dashboards and datasets with sales as "editor."

Correct Answer: B

[https://help.salesforce.com/articleView?id=bi\\_security\\_implementation\\_guide.htm&type=5](https://help.salesforce.com/articleView?id=bi_security_implementation_guide.htm&type=5)

[EINSTEIN-ANALYTICS-AND-DISCOVERY-CONSULTANT Practice Test](#)

[EINSTEIN-ANALYTICS-AND-DISCOVERY-CONSULTANT Exam Questions](#)

[EINSTEIN-ANALYTICS-AND-DISCOVERY-CONSULTANT Braindumps](#)