

# EW0-200<sup>Q&As</sup>

Extreme networks associate(ena)

## Pass Extreme Networks EW0-200 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/ew0-200.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Extreme Networks Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



### QUESTION 1

What CLI command is used to disable learning of incoming RIP routes on an interface?

- A. disable rip learning
- B. configure rip rxmode none
- C. configure rip interface passive
- D. None of these

Correct Answer: B

---

### QUESTION 2

Extreme Networks switches build their forwarding database from the incoming packet field information containing the:


- A. Source MAC address.
- B. Destination MAC address.
- C. Source IP address.
- D. Destination IP address.

Correct Answer: A

---

### QUESTION 3

Given the following diagram, which command would you use to send a switch configuration file from the TFTP server to the switch?



- A. download config 192.168.0.254
- B. download config 192.168.0.1

C. upload config 192.168.0.254

D. upload config 192.168.0.1

Correct Answer: A

---

#### QUESTION 4

What is the meaning of the following CLI command: `con ipr a bl 10.11.12.0/24`?

A. Configure a blackhole route that blocks traffic destined to the 10.11.12.0/24 network.

B. Configure a default route that forwards traffic destined to the 10.11.12.0/24 network.

C. Configure a static route that forwards traffic destined to the 10.11.12.0/24 network.

D. None of these.

Correct Answer: A

---

#### QUESTION 5

The following console speeds are supported when a switch runs in bootROM mode. (Choose the two that apply)

A. 2400 bps

B. 9600 bps

C. 38400 bps

D. 115200 bps

Correct Answer: BC

---

#### QUESTION 6

The RFC 1918 describes the use and benefits of IP address space for private Internets. The following IP address 172.16.280.4/24 can be considered as a valid private IP address.

A. TRUE

B. FALSE

Correct Answer: B

---

#### QUESTION 7

Which of the following CLI command line statements will configure an IP address on the default VLAN?

- A. config vlan default xnetid 192.168.1.1 255.255.255.0
- B. config default ipaddress 192.168.1.1/24
- C. enable vlan default ipaddress 192.168.1.1 255.255.255.0
- D. enable vlan default xnetid 192.168.1.1/24

Correct Answer: B

---

#### QUESTION 8

The following applies when you execute a scheduled incremental download from a TFTP server.

- A. There must be IP connectivity between the switch and the TFTP server.
- B. The TFTP server must have the correct configuration in the right place
- C. The configuration will not automatically be saved unless you specify this in the file.
- D. All of the above

Correct Answer: D

---

#### QUESTION 9

Which one of the following can populate an IP Route Table with its route entry on an Extreme switch?

- A. UDP-forwarding
- B. Proxy ARP
- C. MAC Addresses
- D. None of these.

Correct Answer: D

---

#### QUESTION 10

What is the default IP RIP route advertisement timer value?

- A. 30 seconds
- B. 60 seconds
- C. 120 seconds
- D. 180 seconds

Correct Answer: A

---

**QUESTION 11**

Which statement is true?

- A. When a bridge is root-bridge all its ports are root ports.
- B. When a bridge is root-bridge only one of its ports is root port.
- C. When a bridge is root-bridge none of its ports is root port.
- D. None of the above

Correct Answer: C

---

**QUESTION 12**

ExtremeWare does not support the exterior gateway protocol ?BGP4 in any of the Extreme Networks switch products.

- A. TRUE
- B. FALSE

Correct Answer: B

---

**QUESTION 13**

What industry specification defines the ability to associate multiple VLANs on a single Ethernet link and is supported on Extreme Networks switches?

- A. MPLS
- B. 802.1Q
- C. ISL
- D. Answer b and c

Correct Answer: B

---

**QUESTION 14**

The modular Alpine 3808 has a capacity of 64Gbps and can forward 48 million packets per second.

- A. TRUE
- B. FALSE

Correct Answer: A

---

**QUESTION 15**

What is one of the functions of the ISO/OSI data-link layer?

- A. Encoding and decoding of signals
- B. Provide one or more service access points.
- C. Manage communication over the link
- D. None of the above

Correct Answer: C

[EW0-200 PDF Dumps](#)

[EW0-200 VCE Dumps](#)

[EW0-200 Braindumps](#)