

# FM0-305<sup>Q&As</sup>

Developer Essentials for FileMaker 11

**Pass FileMaker FM0-305 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/fm0-305.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by FileMaker  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

Which two statements regarding the Go to Related Records script step are true? (Choose two.)

- A. The script step can specify a layout in another FileMaker Pro file as the destination layout.
- B. If there are no related records, the destination layout will have 0 records in the found set.
- C. The script step has the option to display the related records in any of the file's existing windows.
- D. The script step has the option to show records related to the current record only or to all the records in the found set.
- E. The Go to Related Records script step will not work if the destination table is based on an External Data Source of type ODBC.

Correct Answer: AD

---

### QUESTION 2

Given a FileMaker Pro 11 database with the following script:

```
Perform Find [Restore]
```

```
# Find restores criteria: Customer::Name [Smith]
```

```
Refresh Window
```

```
If [Get ( LastError )]
```

```
Show Custom Dialog ["No records found" "No records matched your find criteria."]
```

```
End If
```

Which two statements are true if there are no records where the Customer::Name field contains "Smith"? (Choose two.)

- A. Unless a Set Error Capture [On] step is added at the beginning of the script, Get (LastError) will not return an error value.
- B. Adding a Set Error Capture [On] step to the beginning of the script has no effect on whether or not the custom dialog displays its error message.
- C. Adding a Set Error Capture [On] step to the beginning of the script will cause a default FileMaker error dialog to display, followed by the custom error dialog.
- D. Adding a Set Error Capture [On] step to the beginning of the script will suppress the default FileMaker error stating that no records match this set of find requests.

Correct Answer: BD

---

### QUESTION 3

Given the following function:

Substitute ( myText ["abc" "XYZ"] [ "XYZ" "abc"] )

if the field myText contains "abcxyz", what is the result?

- A. abcabc
- B. abcxyz
- C. XYZabc
- D. XYZxyz

Correct Answer: B

---

#### QUESTION 4

A FileMaker Pro 11 file has a Customer table and a related Contact table. The relationship from Customer to Contact is configured to create related records in the Contact table. On the Relationships Graph, an external table occurrence called Invoice is referenced and is related to the Customer table. The file has layouts based on the Customer, Contact, and Invoice table occurrences.

The following script is used:

Script A:

New Record/Request

A button that performs Script A has been placed on the Customer layout in a portal that displays the related Contact records.

Which two statements are true? (Choose two.)

- A. When the button is clicked, a new record is created in the Contact table.
- B. When the button is clicked, a new record is created in the Customer table.
- C. If the user is on the Contact layout and runs Script A from the Scripts menu, a new record will be created in the Contact table.
- D. If the user is on the Customer layout and runs Script A from the Scripts menu, a new record is created in the Customer table, and a new related record is created in the Contact table.
- E. Without a Go to Layout script step, Script A cannot be run from the Scripts menu and create a new record in the Invoice table.

Correct Answer: BC

---

#### QUESTION 5

Given the following return delimited data in a Team field of a FileMaker Pro 11 database:

Andy Jones Bernie Lee

Carry Lane

Which formula would result in the string "Bernie Lee" (without quotes or leading/trailing carriage returns) from Team?

- A. ListValues ( Team 2 )
- B. GetWords (Team 3 2)
- C. Middle (Team 12 10)
- D. MiddleWords (Team 3 4)
- E. MiddleValues (Team 2 1)

Correct Answer: C

---

#### QUESTION 6

Which two statements are true about FileMaker Pro 11 relationships? (Choose two.)

- A. A relationship defined with an X (cross product) will only include records with nonmatching match field values.
- B. Valid relationships can include unindexed match fields.
- C. The % (contains) operator can be used for join criteria that include one unindexed match field.
- D. When editing match fields for a relationship, no more than 16 pairs of join criteria can be used.
- E. A relationship defined with an X (cross product) match will allow the Delete related records in this table when a record is deleted in the other table option.

Correct Answer: BE

---

#### QUESTION 7

What can be retrieved using one of the Get functions?

- A. the list of users logged into a file
- B. the list of plugins installed for a user
- C. the list of script triggers defined for a named object on a layout
- D. the list of unique IDs for the current window's found set of records
- E. the list of NIC addresses for network cards connected to the user's computer

Correct Answer: E

---

### QUESTION 8

Which two are required to make a FileMaker Pro database accessible to remote applications using JDBC? (Choose two.)

- A. The database is hosted using FileMaker Server 11 Advanced.
- B. A properly configured DSN is installed on the computer hosting the database.
- C. The ISAPI Filters must be enabled on Windows IIS (Internet Information Server).
- D. A Java Virtual Machine (JVM) must be installed on the computer hosting the database.
- E. The database has the [fmjdbc] extended privilege enabled in at least one privilege set associated with an active account.

Correct Answer: AE

---

### QUESTION 9

Which two are required for a FileMaker Pro 11 user to access a supported external SQL Source (ESS) from a file being hosted by FileMaker Server 11? (Choose two.)

- A. the [fmjdbc] extended privilege assigned to the user's privilege set
- B. the ODBC/JDBC setting enabled in the FileMaker Server 11 Admin Console
- C. a compatible ODBC driver installed on the FileMaker Server computer or the user's local computer
- D. a validated path to the Data Source listed under the File Path List in the Edit Data Source dialog
- E. an External ODBC Data Source in the Manage External Data Sources dialog for the hosted FileMaker database

Correct Answer: CE

---

### QUESTION 10

Which three methods can be used to access an ODBC data source from within FileMaker Pro 11? (Choose three.)

- A. Execute SQL script step
- B. Import Records script step
- C. File > Sharing > ODBC/JDBC menu item
- D. File > Import Records > Folder... menu item
- E. File > Manage > External Data Sources... menu item

Correct Answer: ABE

---

#### QUESTION 11

A database has an Order table and a Customer table. There is a relationship between Customer and Order. On a layout based on the Customer table there is a portal showing all of that customer's orders for the current calendar year. The portal has no filter criteria applied. There is a calculation field in the Customer table, zSumOrders, that adds up the total amount of all the customer's orders for the year. This field is displayed below the portal. Which one may cause the displayed value of zSumOrders on a customer record to change?

- A. adding one or more sort criteria to the Orders portal
- B. adding one or more sort criteria to the relationship on which the Orders portal is based
- C. using Filter Portal Records to further limit the set of records displayed in the Orders portal
- D. changing the criteria of the portal's relationship to further limit the set of records displayed in the Orders portal
- E. selecting the Save record changes automatically setting in the Layout Setup dialog for the layout in question

Correct Answer: D

---

#### QUESTION 12

For serverhosted databases, FileMaker Server 11 Advanced is required for which three operations? (Choose three.)

- A. importing ODBC data
- B. acting as an ODBC data source
- C. sharing via Custom Web Publishing
- D. sharing via Instant Web Publishing
- E. accessing External SQL data sources
- F. sharing to more than 250 simultaneous FileMaker Pro users

Correct Answer: BDF

---

#### QUESTION 13

Which script trigger could provide the functionality to prevent invalid data from being committed while allowing the ability to revert the record?

- A. OnObjectSave
- B. OnObjectExit
- C. OnObjectModify
- D. OnObjectValidate

Correct Answer: D

---

#### QUESTION 14

Given the following formula in a calculation field that returns a Text result: Let( tmp = "2 \* 5" Evaluate( Quote ( tmp ) ) )  
What will be returned?

- A. the value 10
- B. the value "10", quotes included
- C. the value tmp
- D. the value "tmp", quotes included
- E. the value 2 \* 5
- F. the value "2 \* 5", quotes included

Correct Answer: E

---

#### QUESTION 15

Which two statements are true about OnTimer triggers? (Choose two.)

- A. They only run when the application is idle.
- B. OnTimer triggers are configured in the File Options dialog.
- C. Different OnTimer scripts can be installed in different windows.
- D. Days and times can be specified when the OnTimer script activates.

Correct Answer: AC

[Latest FM0-305 Dumps](#)

[FM0-305 VCE Dumps](#)

[FM0-305 Brindumps](#)