

HAAD-RN^{Q&As}

HAAD Licensure Examination for Registered Nurses

Pass HAAD HAAD-RN Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/haad-rn.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HAAD
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A 65-year-old patient is admitted with ischemic stroke. Which of the following would be initially assessed by the nurse to determine the patient's level of consciousness?

- A. Visual fields
- B. Deep tendon reflexes
- C. Auditory acuity
- D. Verbal response

Correct Answer: D

QUESTION 2

During balloon inflation of an indwelling urinary catheter, the patient complains of pain and discomfort. The nurse should:

- A. Continue the procedure and assure the patient
- B. Aspirate the fluid and remove the catheter
- C. Withdraw the fluid and reinsert the catheter
- D. Decrease the amount of injected fluid and secure

Correct Answer: C

QUESTION 3

The patient is to receive 100 ml/hr of D5W through a micro drip. How many drops per minute should the patient receive?

- A. 25 gtts/min
- B. 30 gtts/min
- C. 100 gtts/min
- D. 200 gtts/min

Correct Answer: C

QUESTION 4

The patient with liver cirrhosis receives 100 ml of 25% serum albumin intravenously. Which of the following findings would best indicate that the albumin is having its desired effect?

- A. Decreased blood pressure
- B. Increased serum albumin level
- C. Increased urine output
- D. Improved breathing pattern

Correct Answer: C

QUESTION 5

The patient did not sleep well last night and is anxious about having a bronchoscopy later this morning. The priority nursing intervention would be to:

- A. Reassure and encourage expression of feelings
- B. Administer the premedication a little earlier
- C. Keep the patient occupied until the procedure
- D. Explain the purpose of the bronchoscopy

Correct Answer: A

QUESTION 6

When preparing an eye medication, the nurse reads the order "OS". Medication is given into:

- A. Both eyes
- B. Left eye
- C. Right eye
- D. Infected eye

Correct Answer: B

QUESTION 7

A nurse has been working in a general hospital on the same medical unit for 6 years. The Behavioral Unit is desperately short staffed and the nurse is asked to work her shift in this other unit. What would be the expected response of the nurse to this request?

- A. "I will go to the unit and hopefully the behavioral health staff members will assist me with my assignment."
- B. "I cannot go. I have no previous behavioral health experience. I do not want to reduce the quality of patient care."
- C. "I have no previous behavioral health experience. I am willing to go and help with any duties that are similar to those I perform on my unit."

D. "I should not be expected to float to another unit without a proper orientation. I will fill out an incident report if I am sent there."

Correct Answer: C

QUESTION 8

A patient voided a urine specimen at 9:00 AM. The specimen should be sent to the laboratory before:

- A. 9:30 AM
- B. 10:00 AM
- C. 10:30 AM
- D. 11:00 AM

Correct Answer: A

QUESTION 9

Nursing management of the patient with external otitis includes:

- A. Irrigating the ear canal with warm saline several hours after instilling lubricating ear drops
- B. Inserting an ear wick into the external canal before instilling the ear drops to disperse the medication
- C. Teaching the patient how to instill antibiotic drops into the ear canal before swimming
- D. Instilling ear drops without the dropper touching the auricle and positioning the ear upward for 2 minutes afterwards

Correct Answer: D

QUESTION 10

To prevent post-operative thrombophlebitis, which one of the following measures is effective?

- A. Elevation of the leg on two pillows
- B. Using of compression stocking at night
- C. Massage the calf muscle frequently
- D. Performing leg exercises

Correct Answer: D

QUESTION 11

A nursing measure that is helpful in communicating with a hearing impaired patient is to:

- A. Use simple sentences
- B. Talk while close to patient's ear
- C. Raise the voice
- D. Write out all questions and responses

Correct Answer: A

QUESTION 12

When taking routine post-operative observations on a patient who underwent an exploratory laparotomy, the nurse plans to monitor which important finding over the next hour?

- A. Serosanguinous drainage on the surgical dressing
- B. Blood pressure of 105/65 mmHg
- C. Urinary output of 20 mls in the last hour
- D. Temperature of 37.6 °C

Correct Answer: C

QUESTION 13

The nurse should observe for which of the following symptoms in a patient who has just undergone a total thyroidectomy:

- A. Weight gain
- B. Depressed reflexes
- C. Muscle spasm and twitching
- D. Irritable behavior

Correct Answer: C

QUESTION 14

A patient admitted to the hospital in hypertensive crisis is ordered to receive hydralazine (Apresoline) 20mg IV stat for blood pressure greater than 190/100 mmHg. The best response of the nurse to this order is to:

- A. Give the dose immediately and once
- B. Give medication if patient's blood pressure is > 190/100 mmHg

- C. Call the physician because the order is not clear
- D. Administer the dose and repeat as necessary

Correct Answer: A

QUESTION 15

A patient is admitted to a hospital with acute renal failure. The patient wakes up complaining of abdominal pain. On assessment, the nurse observes edema to the patient's ankles and distended neck veins. The patient is dyspneic with a blood pressure of 200/96 mmHg. The proper nursing diagnosis for this patient is:

- A. Deficient fluid volume related to disease process
- B. Excess fluid volume related to decreased glomerular filtration rate
- C. Knowledge deficit related to proper medication regimen
- D. Acute pain related to renal edema

Correct Answer: B

[Latest HAAD-RN Dumps](#)

[HAAD-RN VCE Dumps](#)

[HAAD-RN Braindumps](#)