www.CertBus.com

HC-611 Q&As

Huawei Certified Network Associate - Building the Structure of Storage Network (HCNA-BSSN)

Pass Huawei HC-611 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.certbus.com/hc-611.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

S5000 series storage arrays supported disk types include () (Choose two)

A. SAS

B. SATA

C. FC

D. IDE

Correct Answer: BC

QUESTION 2

S5000T initial system administrator name is:

A. admin

B. administrator

C. root

D. user

Correct Answer: A

QUESTION 3

SAN storage systems, real-time monitoring disk status, the suspected faulty disk data migration to hot spare disk is called:

A. Reconstruction

B. Reconstruction

C. Disk pre-copy

D. Disk Sleep

Correct Answer: C

QUESTION 4

At the same specifications, the number of disks, disk space utilization is below 60% of the RAID levels are () (Choose two)

A. RAID 5

B. RAID 50

C. RAID 1

D. RAID10

Correct Answer: CD

QUESTION 5

Which of the following is not a form of storage networks?

A. JBOD

B. DAS

C. NAS

D. SAN

Correct Answer: A

QUESTION 6

Install the package which of the following commands can be used under Linux?

A. rpm-ivh

B. installp

C. swinstall

D. rmp

Correct Answer: A

QUESTION 7

Same LUN simultaneously mapped to multiple host groups, this statement is correct.

A. True

B. False

Correct Answer: B

QUESTION 8

In all other parameters are equal, the greater the buffer capacity hard disk, hard disk performance, the better.

A. True

B. False

Correct Answer: A

QUESTION 9

About the configuration of the array starters, the following statement is wrong:

A. If iscsi connection, you need to know in advance the host initiator node name

B. If the FC connection, you need to know in advance wwn host FCHBA card number

C. Must ensure that the normal connection between the host and the starter before adding starter

D. None of the above comments

Correct Answer: D

QUESTION 10

NAS server does not support the agreement are:

A. ftp

B. iSCSI

C. CIFS

D. NFS

Correct Answer: B

QUESTION 11

ISM sub navigation tree "device" entry included under (Choose two)

A. Host Group

B. Controller

C. Host computer

D. Hard disk

Correct Answer: BD

QUESTION 12

iSCSI protocol is not used to:

A. TCP

B. IPX

C. IP

D. SCSI

Correct Answer: B

QUESTION 13

After installing UltraPath for Linux, UltraPath for Linux can be found in the User Guide which catalog:

A. / opt / UltraPath

B. / etc / init.d / UltraPath

C. / bin / UltraPath

D. / bin / UltraPath / doc

Correct Answer: A

QUESTION 14

Red indicator light on the hard disk may indicate what the phenomenon: (Choose two)

A. Hard disk failure

B. Hard drive normal

C. Hard drive to transfer data

D. In the hard disk array management interface opens positioning

Correct Answer: AD

QUESTION 15

What are the indicators on view before S5000T product, you need to observe when maintaining () (Choose three)

A. Control box alarm indicator

B. Control box Power / Start Indicator

C. Hard drive activity LED

D. Interface Module Indicators

Correct Answer: ABC

HC-611 VCE Dumps   HC-611 Exam Questions   HC-611 Braindumps