

# HCE-3210<sup>Q&As</sup>

Hitachi Vantara Certified Specialist - NAS Solutions Architect

**Pass Hitachi HCE-3210 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/hce-3210.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

You are designing a new Hitachi NAS Platform 4000 solution that will use Hitachi File Replication for DR protection. The production system will deploy deduplication across its file systems.

What must you take into account regarding the DR target file systems when architecting your proposal?

- A. Data cannot be deduplicated on the the DR file systems.
- B. Data will eventually be deduplicated on the DR file systems.
- C. Data is deduplicated in-line as it is replicated to the DR file systems.
- D. Data cannot be accessed on the DR target until the file systems are promoted.

Correct Answer: B

---

### QUESTION 2

A customer would like to implement a Hitachi NAS Platform in a NFS environment. They have two business requirements:

1.

The "Dev" environment has a write intensive random workload and requires excellent performance.

2.

The "Eng" environment has a 80% read and 20% write random workload and requires a right balance between cost and performance.

Which set of RAID group types should you choose?

- A. RAID-10forDevandRAID-6forEng
- B. RAID-5forDevandRAID-10forEng
- C. RAID-10forbothDevandEng
- D. RAID-10forDevandRAID-1forEng

Correct Answer: A

---

### QUESTION 3

A customer plans to implement SNMP management tools for their Hitachi NAS Platform from the customer's management LAN.

Which two are needed? (Choose two.)

- A. a configured SMTP server
- B. a configured community string
- C. Admin-EVS accessible from the customer's management LAN
- D. an enabled HTTPS certificate

Correct Answer: BC

---

#### QUESTION 4

A customer wants to configure Data Migrator jobs to allow them to migrate unused data to a slower tier of disk.

Which three Data Migrator parameters must be configured? (Choose three.)

- A. path
- B. replication
- C. rule
- D. schedule
- E. task

Correct Answer: ACD

---

#### QUESTION 5

What are two characteristics of file system expansion within a Storage Pool? (Choose two.)

- A. File systems can be expanded as long as they contain meta data.
- B. Chunks define the increment by which file systems grow when they expand.
- C. To add more than one file system to a Storage Pool, a license key is required
- D. The chunk size limits the file system size.

Correct Answer: BD

---

#### QUESTION 6

A customer has just implemented anti-virus scanning on their Hitachi NAS Platform and they are experiencing degraded performance since the implementation. Which three actions should the customer take to improve performance? (Choose three.)

- A. Increase the number of anti-virus scanning servers.
- B. Enable SMB signing to reduce protocol overhead.
- C. Upgrade the anti-virus scanning server hardware.
- D. Optimize the network connectivity between the anti-virus scanning servers and the Hitachi NAS Platform.
- E. Enable ICMP on the anti-virus scanning servers.

Correct Answer: ACD

---

#### QUESTION 7

Which two statements are correct about Tiered File Systems (TFS)? (Choose two.)

- A. Snapshot data is preserved in both tiers 0 and 1.
- B. Only SSD and SAS storage can be used for tier 0.
- C. TFS should only be used with WFS-2.
- D. A maximum of three tiers are supported using WFS-2

Correct Answer: AC

---

#### QUESTION 8

A customer would like to implement an OLTP application using their Hitachi NAS Platform 4000. The Hitachi NAS Platform is connected to a Hitachi HUS 150 with SAS drives running firmware 0935/A or later. They want to achieve maximum performance. Considering the queue depth limitations on the Hitachi NAS Platform and Hitachi HUS 100 systems, what is the maximum number of active LUNs that should be assigned on each HUS target port?

- A. 16
- B. 32
- C. 64

D. 128

Correct Answer: B

---

#### QUESTION 9

A Hitachi NAS Platform customer has NFS clients accessing files on a UNIX security mode virtual volume. What security information is before granting or denying access? (Choose three.)

A. UID

B. atime

C. GID

D. file permission

E. SID

Correct Answer: ACD

---

#### QUESTION 10

You are designing a Hitachi NAS 4000 platform solution to replace an existing NetApp solution. The NetApp system has a number of mount points that are shared between Unix and Windows systems (CIFS and NFS).

Which three data points should be gathered that are relevant to the solution design? (Choose three.)

A. File System mode

B. Directory Services configuration

C. Snapshot Policies

D. User/Group Mapping configuration

E. SMB version

Correct Answer: ABD

---