

Exam : **HP0-242**

Title : Supporting the ESL9000

Version : DEMO

1. On which Operator Control Panel screen can you read error logs?

- A. Overview
- B. Tapes
- C. Operator
- D. Service

Correct: C

2. The Use Barcodes button on the Systest Library screen of an ESL library is activated. What occurs?

- A. Selected cartridges are swapped during the test, based on the barcode label.
- B. Barcodes are read as cartridges are swapped.
- C. Cartridges are not swapped; barcodes are used to simulate cartridge swapping.
- D. Cartridges are returned to the previous location after the test terminates.

Correct: B

3. What is the maximum number of times an HP Ultrium cleaning cartridge can be used?

- A. 5
- B. 10
- C. 15
- D. 20

Correct: C

4. What is the format of the ESL Interface Manager Command Line Interface command prompt?

- A. CLI >
- B. / >
- C. IM >
- D. >

Correct: B

5. The Interface Manager card in an ESL library connects to the Fibre Channel Interface Controllers across a ____.

- A. PCI bus
- B. multimode Fibre Channel cable
- C. private Ethernet cable
- D. serial cable

Correct: C

6. The Actions button on a Command View ESL screen is used to ____.

- A. perform the selected action
- B. open a menu of currently available actions
- C. display information about the current action
- D. take control over the current action

Correct: B

7. From which Operator Control Panel screen can you configure library options?

- A. License
- B. Tapes
- C. Services
- D. Operator

Correct: D

8.The cascade port of the Interface Manager card in an ESL library uses ____.

- A.DHCP by default to acquire an IP address across the network
- B.a pre-assigned, customizable IP address
- C.no IP address by default; you must set it during the configuration process
- D.a hardcoded IP address that cannot be changed

Correct:D

9.What is the default baud rate for configuring the Fibre Channel interface card through the serial connection?

- A.9600
- B.19200
- C.57600
- D.115200

Correct:D

10.Which connection type has the highest priority when connecting to a Network Storage Router (NSR) through the Interface Manager card?

- A.Command View ESL
- B.Telnet
- C.FTP
- D.Serial

Correct:D

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.	 Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.	 Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.
---	---	--

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.