

Exam : **HP0-244**

Title : Advanced Backup
Troubleshooting & Tuning

Version : DEMO

1. HP Ultrium tape drives use the ATS (Adaptive Tape Speed) feature. The main purpose of ATS is to increase ____.

- A. buffer capacity by varying the speed of the tape
- B. tape write speed by adjusting the host transfer rate
- C. overall performance by reducing the number of repositions
- D. tape read speed by adjusting the host transfer rate

Correct: C

2. What is the maximum cable length of an LVD SCSI bus?

- A. 7 m
- B. 12 m
- C. 20,5 m
- D. 25 m

Correct: B

3. What happens if you connect an HVD (High Voltage Differential) HBA (host bus adapter) to an LVD (Low Voltage Differential) tape device?

- A. The devices function correctly if you setup unique SCSI IDs and have proper termination.
- B. The devices do not function together and you may damage them.
- C. The devices function correctly after setting up the compatibility mode for the HBA.
- D. The devices do not function together unless you use active termination.

Correct: B

4. What is an advantage of the Cartridge Memory (a memory chip located in the cartridge) of the LTO Ultrium technology (LTO-CM) over previous tape technologies?

- A. It eliminates the need for barcodes and barcode readers in tape libraries.
- B. Data such as tape identity, type, usage and tape contents is read from a chip rather than the system area on tape, which reduces the wear and tear of that particular section.
- C. It contains troubleshooting information from the tape drive which can help to reduce overall repair times.
- D. The Ultrium drive reads data for firmware upgrades from a chip rather than a tape which increases the speed of the upgrade procedure.

Correct: B

5. The DLT tape backward read compatibility of HP SuperDLT drives is possible due to the ____.

- A. Magneto-Resistive Cluster (MRC) technology
- B. additional magnetic read-head
- C. Pivoting Optical Servo (POS) technology
- D. low-dens mode switch

Correct: B

6. SCSI bus termination is ____.

- A. optional
- B. required and there must be one terminator for each device on the bus
- C. required and there must be two terminators, one on each end of the bus
- D. required and done automatically by all SCSI devices

Correct: C

7. Which tool, available at the HP web site, can size and configure the ideal backup solution for DAS, NAS and SAN environments using information you specify?

- A. HP OpenView Data Protector configuration scripiter

- B.Backup Sizing Tool
- C.Enterprise Backup Solution Configuration Matrix
- D.HP StorageWorks Library and Tape Tools

Correct:B

8.Which HP StorageWorks tape drive is the most appropriate choice for enterprise businesses with 150 GB of data to backup?

- A.DAT 24
- B.DAT 72
- C.DLT VS 80
- D.Ultrium 460

Correct:D

9.Click the Exhibit button. A customer has one single ESL9326D/DX with 4 DLT8000 drives. Which tape drive is supported for the next drives being installed in this library?

Upgrade to drive	SDLT 220 (Ultra 2 SCSI)	SDLT 320 (Ultra 2 SCSI)	Ultrium 230 (Ultra 2 SCSI)	Ultrium 460 (Ultra 3 SCSI)	Media Partitioning	Media Partitioning	Media Partitioning
Library					DLT8000 & SDLT	SDLT & LTO	Ultrium 230 & 460
ESL9198DIX	Supported	Supported	Supported	Supported	Supported (LVD only)	Supported (LVD only)	Supported
requires	249632-821 ESL9000 SDLT Ext. auto AV upgrade 234617-821 ESL 9000 Field Upgrade SDLT220 Add/Ch LVD Drive	249632-821 ESL9000 SDLT Ext. auto AV upgrade 293414-821 ESL9000 LVD SDLT320 drive upgrade 274673-821 ESL9000 5 MB Memory Module	249632-821 ESL9000 SDLT Ext. auto AV upgrade 301930-821 ESL9000 LTO Ultrium 230 Upgrade Drive 274673-821 ESL9000 5 MB Memory Module 302254-821 ESL9000 UNIVERSAL L/OAD PCRT	249632-821 ESL9000 SDLT Ext. auto AV upgrade 330834-821 ESL9000 LTO Ultrium 460 Upgrade Drive 274673-821 ESL9000 5 MB Memory Module 302254-821 ESL9000 UNIVERSAL L/OAD PCRT (configure single drive per SCSI bus) e2400 F60 embedded NSR and M2402 external NSR are Ultra 3 SCSI			
ESL9198SL	Supported	Supported	Supported	Supported	Supported (LVD only)	Supported (LVD only)	Supported
requires	234617-821 ESL 9000 Field Upgrade SDLT220 Add/Ch LVD Drive	293414-821 ESL9000 LVD SDLT320 drive upgrade 274673-821 ESL9000 5 MB Memory Module	301930-821 ESL9000 LTO Ultrium 230 Upgrade Drive 274673-821 ESL9000 5 MB Memory Module 302254-821 ESL9000 UNIVERSAL L/OAD PCRT	330834-821 ESL9000 LTO Ultrium 460 Upgrade Drive 274673-821 ESL9000 5 MB Memory Module 302254-821 ESL9000 UNIVERSAL L/OAD PCRT (configure single drive per SCSI bus) e2400 F60 embedded NSR and M2402 external NSR are Ultra 3 SCSI			
ESL9326D/DX	Supported (HVD only)	Supported (HVD only)	Not supported	Not supported	Supported (HVD only)	Not supported	Not supported
requires	249632-821 ESL9000 SDLT Ext. auto AV upgrade 234617-822 ESL 9000 SDLT220 Add/Ch HVD Drive	249632-821 ESL9000 SDLT Ext. auto AV upgrade 293415-821 ESL9000 HVD SDLT320 drive upgrade 274673-821 ESL9000 5 MB Memory Module	X	X		X	X
ESL9326SL	Supported	Supported	Supported	Supported	Supported (LVD only)	Supported (LVD only)	Supported
requires	234617-821 ESL 9000 SDLT220 LVD upgrade Drive	293414-821 ESL9000 LVD SDLT320 drive upgrade 274673-821 ESL9000 5 MB Memory Module	301930-821 ESL9000 LTO Ultrium 230 Upgrade Drive 274673-821 ESL9000 5 MB Memory Module 302254-821 ESL9000 UNIVERSAL L/OAD PCRT	330834-821 ESL9000 LTO Ultrium 460 Upgrade Drive 274673-821 ESL9000 5 MB Memory Module 302254-821 ESL9000 UNIVERSAL L/OAD PCRT (configure single drive per SCSI bus) e2400 F60 embedded NSR and M2402 external NSR are Ultra 3 SCSI			

- A.DLT 8000 drives only
- B.SDLT220 or SDLT320
- C.DLT8000, SDLT220 or SDLT320
- D.SDLT220, SDLT320 or Ultrium230

Correct:C

10.Click the Exhibit button. A customer installed Virtual Replicator on a Windows 2000 host. Which backup applications are supported for backing up the Virtual Replicator disks? Select TWO.

**STORAGE HARDWARE / SOFTWARE
COMPATIBILITY MATRIX**

Libraries | AutoLoaders | Operating Systems | RAID Arrays | Infrastructure | Servers | Fibre HBAs
SCSI HBAs | Software | Disk Array Multipath | Firmware & Drivers | Backup App Details | Legacy Support

February 2004

	HP Data Protector	Atempo Time Navigator	BakBono NetVault	CA BrightStor ARCserve	CA BrightStor EB	CommVault Galaxy	Legato NetWorker	Syncsort Backup Express	Tivoli Storage Manager	VERITAS Backup Exec	VERITAS NetBackup
OpenView											
Storage Virtual Replicator				✓			✓		✓	✓	✓
OV-SAM	✓			✓	✓	✓	✓	✓	✓	✓	✓
Zero Downtime with XP	✓										
Instant Recovery with XP	✓										
StorageWorks											
Command View for ESL	✓			✓		✓	✓		✓	✓	✓
Continuous Access				✓			✓		✓	✓	NT/WIN2K only
Business Copy EVA	✓	✓		✓		✓	✓		✓	NT/WIN2K only	NT/WIN2K only
Business Copy XP	✓										
Tools and Utilities											
Smart Start	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Insight Manager	✓			✓	✓	✓	✓	✓	✓	✓	✓

- A. HP Data Protector
- B. Legato NetWorker
- C. Tivoli Storage Manager
- D. CommVault Galaxy
- E. CA BrightStor EB

Correct: B C

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.