

HP0-J65^{Q&As}

Designing HP SAN Networking Solutions

Pass HP HP0-J65 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/hp0-j65.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

The CTO for a healthcare IT company just returned from HP Discover. They would like a presentation about the HP StoreServ family of arrays. The company has one data center with servers and storage. Government regulations require the

company to have one copy of patient data in the data center and two additional copies.

The company utilizes Amazon Storage Services to retain the two additional copies due to their data center limitations. The current array also failed to recover from a controller failure three months ago. Which HP value proposition will increase

data availability and efficiency for the customer?

- A. HP Remote Copy software
- B. HP Autonomic storage provisioning and data tiering
- C. HP Peer Motion
- D. HP 3PAR Mesh-Active clustering and persistent cache

Correct Answer: D

QUESTION 2

You are presenting a solution to a customer that allows the current legacy distributed storage environment to be changed to a scalable shared storage design. Which feature of HP supported SAN solutions should you emphasize?

- A. Availability
- B. Security
- C. Modularity
- D. Business continuity

Correct Answer: C

QUESTION 3

Which software product allows you to define alarm thresholds and monitor port state changes in a SAN?

- A. Fabric Watch
- B. SWCC
- C. Global Reporter
- D. Command View

Correct Answer: A

QUESTION 4

Which document can be used to plan a customized SAN?

- A. HP StorageWorks SAN Design Reference Guide
- B. relevant HPStorageWorks Software Product Description (SPD)
- C. hardware release notes
- D. Brocade SAN Planning and Design Guide

Correct Answer: A

QUESTION 5

A customer wants to connect three separate fabrics together by using the LSAN feature. They do not want to merge the fabrics.

Which proposal this task?

- A. HP 2404 FCoE Converged Network Switch
- B. HP MDS 9500 Supervisor Module
- C. HP 8/24 SAN Switch
- D. HP 8/40 SAN Switch

Correct Answer: D

QUESTION 6

The customer wants to implement an HP StoreOnce solution for the environment show. You have been given the following information:


Each branch office has approximately 100 GB of data.

Philadelphia has approximately 2 TB data.

Pittsburg has approximately 1 TB data.

All backup data will be replicated back to the data center in Pittsburg.

Costs should be kept to a minimum but allow for the possibility of adding three more sites. Which HP StoreOnce solution should you propose for pittsburg?



- A. HP StoreOnce B6200 Backup
- B. HP StoreOnce 4220 Backup
- C. HP StoreOnce 4420 Backup
- D. HP Storeonce 2620 Backup

Correct Answer: B

QUESTION 7

What are three features of Fabric Watch? (Choose three.)

- A. monitors server adapter status
- B. defines port World Wide Names
- C. defines alarm thresholds

- D. monitors power supply status
- E. monitors port state changes

Correct Answer: CDE

QUESTION 8

Your customer is using a Fibre Channel MSL4048 tape library and a MSA2000fc storage system. What should they do to gain optimal tape performance?

- A. Use dedicated HBA for disk and tape connections
- B. Use multipath software for the tape drives
- C. Use redundant paths to the tape drives
- D. Avoid overlapping zones for disk and tape connections.

Correct Answer: D

QUESTION 9

A major media company has recently acquired a distribution company. You have been asked to design a solution that will allow the two companies to connect their SAN fabrics in order to facilitate a data migration.

The media company SAN fabric consist of HP H-series SN6000 SAN switches, and the distribution company utilizes HP B-Series SAN switches. You wish to control the access between the two fabrics during this transition.

Which feature allows this functionality without additional costs to the customer?

- A. Extend Fabric
- B. ISL trunking
- C. LSAN
- D. Transparent Router

Correct Answer: C

QUESTION 10

You are planning a SAN solution for Your customer. What is the most important SAN design consideration?

- A. Define a disaster recovery plan.
- B. Determine the customer's business and IT requirements.
- C. Determine the hardware requirements for the customer's most critical business application.

D. Use devices from a single vendor.

Correct Answer: B

QUESTION 11

A broadcasting company has an aged Fibre Channel-based storage networking infrastructure. They have three EMC CX-series arrays, each with 50 TB, two HP EVA 8100, each with 80 TB. They want to update their environments with two new HP 3PAR StoreServ 7400 arrays. Due to their availability requirements, complexity, and the need to avoid downtime for applications, the company would like to implement online migration using only proposal.

Which solution should you recommend to the customer?

- A. HP MPX200 Multifunction Router
- B. HP Continuous Access EVA Data Migration
- C. HP 3PAR StoreServ External Storage Option
- D. HP 3PAR StoreServ 7400 peer Motion Online Import

Correct Answer: A

QUESTION 12

What is a design criteria of an EBS solution?

- A. The library is directly attached to a SAN connected backup server.
- B. Storage systems and libraries must be connected to different fabrics.
- C. Libraries are only supported in a Fibre Channel loop environment.
- D. The library is connected to the fabric via a Fibre Channel to SCSI router.

Correct Answer: D

QUESTION 13

You are designing a core-edge solution. Your customer has an existing HP C-series MDS 9500 Director Switch and wants to one HP B-series 8/24c SAN Switches. What must you consider for proper interoperability? (Select two.)

- A. The B-series switches should be in Access Gateway mode
- B. The B-series switches should be in standard switch mode
- C. The C-series core switches should support NPIV
- D. The C-series core switches should be in interopmode 1
- E. The C-series core switches should be in interopmode 2

Correct Answer: AC

QUESTION 14

An advantage of using HP StoreOnce Catalyst with the HP StoreOnce B6200 Backup System is a reduction in bandwidth between which two components?

- A. the HP StoreOnce B6200 Backup System and the tape library
- B. the media server and the client
- C. the HP StoreOnce B6200 Backup System and the client
- D. the media server and the HP StoreOnce B6200 Backup System

Correct Answer: D

QUESTION 15

You are designing an HP Converged Infrastructure solution for your customer, which consists of four fully populated HP BladeSystem with HP Virtual Connect FlexFabric, two HP 3PAR StoreServ 7400 storage arrays, and four HP 8/40 SAN switches.

The customer wants to monitoring solution for their hardware equipment.

Which HP solutions should you advise?

- A. HP Insight Remote Support Advanced
- B. HP Insight Online
- C. HP Insight Remote Support Standard
- D. HP Insight Control Environment

Correct Answer: B

[HP0-J65 PDF Dumps](#)

[HP0-J65 VCE Dumps](#)

[HP0-J65 Braindumps](#)