

Exam : **HP0-P18**

Title : HP Integrity o-Class
BladeSystem

Version : Demo

1.A CD ROM with an EFI readable file system is available to the system. From the "EFI Shell>" prompt, which command do you use to access the drive?

- A.fs0:
- B.:dr0
- C.:blk0
- D.cdrom0:

Answer: A

2.Which single media allows you to restore the Windows Server 2003 operating system files on the internal disk of an HP Integrity Blade?

- A.HP SmartStart media
- B.HP Smart Setup media
- C.HP Reinstallation media
- D.Microsoft Windows Server 2003 RTM media

Answer: C


3.Which Insight Control Environment components need to be installed to integrate HP-UX Workload Manager?

- A.Integrity Integration Module
- B.Extensions for HP SIM
- C.Integrated HP BladeSystem Console
- D.HP-UX Support Pack

Answer: B

4.Click the Exhibit button.

Fan bay numbering



Which fans need to be installed in an eight-fan configuration in a c7000 enclosure?

A. 1, 2, 3, 4, 7, 8, 9 and 10

B. 1, 2, 3, 4, 5, 6, 7 and 8

C. 1, 2, 4, 5, 6, 7, 9 and 10

D. 1, 2, 3, 4, 6, 7, 8 and 9 Answer: C

5. Click the Exhibit button.

Connection	Port number	Connects to interconnect bay/port	Comments
NIC	NIC 1 NIC 2 NIC 3 NIC 4	1/Port N+8 2/Port N+8 1/Port N 2/Port N	One or two single-wide Ethernet interconnect modules
Mezzanine slot 1—1x or 2x cards	1x/2x port 1 1x/2x port 2 1x/2x port 3 1x/2x port 4	3/Port N 4/Port N 3/Port N+8 4/Port N+8	One or two single-wide interconnect modules
Mezzanine slot 1—4x cards	4x port 1	3/Port N	<ul style="list-style-type: none"> One double-wide interconnect module Only port 1 of a two port card will be connected
Mezzanine slot 2—1x or 2x cards	1x/2x port 1 1x/2x port 2 1x/2x port 3 1x/2x port 4	5/Port N 6/Port N 7/Port N+8 8/Port N+8	Up to four single-wide interconnect modules
Mezzanine slot 2—4x cards	4x port 1 4x port 2	5/Port N 7/Port N	One or two double-wide interconnect modules
Mezzanine slot 3—1x or 2x cards	1x/2x port 1 1x/2x port 2 1x/2x port 3 1x/2x port 4	7/Port N 8/Port N 5/Port N+8 6/Port N+8	Up to four single-wide interconnect modules
Mezzanine slot 3—4x cards	4x port 1 4x port 2	5/Port N 7/Port N	One or two double-wide interconnect modules

* Connectivity to interconnect bays 7 and 8 is only available with four-port mezzanine cards or port 2 of 4x card in Mezzanine slot 2.

Which interconnect module port does the embedded NIC 2 of a BL870c in device bay 5 of a c7000 enclosure connect to?

- A. Port 5 of the interconnect module in bay 1
- B. Port 13 of the interconnect module in bay 1
- C. Port 5 of the interconnect module in bay 2
- D. Port 13 of the interconnect module in bay 2

Answer: D

6. How should you install memory in an BL860c BladeSystem server to get the best performance?

- A. Install the memory DIMMs in pairs starting with slots 1A-B.
- B. Install the memory DIMMs in quads starting with slots 0A-D
- C. All DIMM slots should be populated with the same size DIMMs
- D. Arrange DIMMs so that the DIMMs with the largest capacity are in the highest numbered slots.

Answer: C

7. You just installed a BL860c Blade Server. How do you verify which system, BMC and iLO 2 firmware is installed?

- A. Run the fw command from the iLO 2.
- B. Run the sysrev command from the iLO 2.
- C. Execute the fwconfig command from the EFI Shell.
- D. Execute the firmware command from the EFI Shell.

Answer: B

8. After a fresh installation of Windows Server 2003 on an Integrity Blade, which log file can you check to verify

if there were errors during the installation?

- A. The Windows install logfile (install.log)
- B. The memory dump file (memory.dmp)
- C. The Windows System Event logfile (system.evt)
- D. The Windows Application Event Log file (application.evt)

Answer: C

9. An additional processor has just been installed in an HP c-Class Integrity BladeSystem server. Which offline tools are available to verify that the processors are functioning? (Select two.)

- A. top
- B. STM
- C. EFI info cpu command
- D. EFI devices command
- E. EFI cpuconfig command

Answer: CE

10. Which MP command is used to identify a particular blade?

- A. BLADE
- B. VFP
- C. LOC
- D. SYSREV

Answer: C

11. You want to access HP System Management Homepage on one of your server blades. Which port will be used during secure communication?

- A. 2000
- B. 50000
- C. 2301
- D. 2381

Answer: D

12. You access the HP System Management Homepage of a Windows 2003 BL860C and the system type is shown as "unknown". What can be the problem?

- A. SMIS Service is not installed
- B. SMTP Service is not installed
- C. SNMP Service is not installed
- D. SYSMAN Service is not installed

Answer: C

13. Which interfaces are used to connect to the iLO MP of the Integrity BladeSystem server? (Select two.)

- A. USB
- B. OA/iLO
- C. SUV cable serial port
- D. Parallel port E. PS2

Answer: BC

14. How can you connect to the iLO 2 MP of an Integrity BladeSystem server? (Select two.)

- A. Parallel port
- B. telnet to the MP
- C. SUV cable serial port
- D. connect a keyboard to the OA
- E. use the USB port of Interconnect Module one

Answer: BC

15. Which lanboot option allows you to install HP-UX from a specific Ignite-UX server when more than one Ignite-UX server is available in the subnet?

- A. lanboot select -dn
- B. lanboot select
- C. lanboot -od
- D. lanboot -od

Answer: A

16. You created a dbprofile to install from an Ignite-UX server in a single network configuration, but the directed boot continues to fail. What is missing in your dbprofile?

- A. boot file path
- B. gateway IP-address
- C. client IP-address
- D. netmask

Answer: A

17. Which file on the Ignite-UX server needs to be updated with the client credentials to enable the client for network install?

- A. /etc/opt/ignite/clients
- B. /etc/bootptab
- C. /etc/services
- D. /etc/opt/ignite/INDEX

Answer: B

18. The HP Integrity Essentials Foundation Pack for Linux includes two management CDs. Which software is included on these CDs? (Select two.)

- A. system backup software
- B. LAN connectivity tools
- C. HP Systems Insight Manager
- D. System Management Homepage
- E. Cell Local Memory (CLM) management utilities

Answer: CD

19. Which operating system does not support booting from the EFI Shell command line?

- A. Linux
- B. HP-UX
- C. HP Open VMS
- D. Windows Server 2003

Answer: D

20. Which of the following features are included in the Advanced iLO 2 MP license on Integrity Blades? (Select three.)

- A. iLO 2 virtual floppy
- B. iLO 2 virtual USB key
- C. remote console software
- D. Integrated Remote Console (IRC)
- E. iLO 2 MP firmware FTP server
- F. iLO 2 MP configuration backup and restore

Answer: ABD

21. What do you have to do to see the Power On Self Test (POST) messages on an Integrity BladeSystem server?

- A. At the iLO 2 MP prompt, enter the command post.

- B. At the iLO 2 MP prompt, enter co in the main menu.
- C. Configure the local serial port as AUX UART.
- D. Connect a terminal to the OA service serial port.

Answer: B

22. Which tool provides proactive remote monitoring, diagnostics, and troubleshooting?
- A. HP Service Essentials Remote Support Pack (RSP)
 - B. HP Web Based Enterprise Services (WEBES)
 - C. HP Support Tool Manager (STM)
 - D. HP Web-Based Enterprise Management (WBEM)

23. Which tool provides the basic management features of system discovery and identification, single event view, inventory data collection, and reporting?
- A. HP Systems Insight Manager (HP SIM)
 - B. HP Web Based Enterprise Services (WEBES)
 - C. HP Web-Based Enterprise Management (WBEM)
 - D. HP Service Essentials Remote Support Pack (RSP)

Answer: A

24. Which tool is a suite of system diagnostic tools?
- A. HP Systems Insight Manager (HP SIM)
 - B. HP Web Based Enterprise Services (WEBES)
 - C. HP Web-Based Enterprise Management (WBEM)
 - D. HP Service Essentials Remote Support Pack (RSP)

Answer: B

25. Which is a feature of HP Virtual Server Environment (VSE)?
- A. allows failover clustering
 - B. builds Virtual Connect configurations
 - C. creates a pool of virtual servers within an Integrity Blade
 - D. allows partitioning on processor granularity

Answer: C

26. Which feature is factory integrated on Integrity Blades?
- A. iLO 2 configuration backup and restore
 - B. Automatic iLO 2 MP firmware synchronization
 - C. iLO 2 Advanced Automatic Configuration (AAC)
 - D. iLO 2 Advanced Pack

Answer: D

27. Which command do you enter at the iLO 2 MP command prompt to configure the iLO 2 MP static IP address?

- A. ipconfig
- B. ifconfig
- C. pc
- D. lc E. ls

Answer: D

28. How can you configure a static iLO 2 MP IP address?

- A. Use the lc command at the MP prompt.
- B. Use the mp_static_set command at the OA prompt.
- C. Click on MP addressing in the System Management homepage.
- D. Click on Static MP Config in the Web configuration page of the OA.

Answer: A

29. Which option is available by default on the EFI Boot Manager menu?

- A. Backup Configuration Menu
- B. iLO MP Configuration Menu
- C. System Configuration Menu
- D. Core LAN Configuration Menu

Answer: C

30. While installing a BL860c for the first time, which command do you use to display the date from the iLO MP command prompt?

- A. date B. set
date C. show
date
- D. list date

Answer: A

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.