

# HP0-P24<sup>Q&As</sup>

HP-UX 11iv3 System Administration

# Pass HP HP0-P24 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.certbus.com/hp0-p24.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





# **QUESTION 1**

In preparation for a maintenance window, a system administrator wants to download and test the latest ONCplus Release. What is the correct way to accomplish this task?

- A. Obtain independent software units from the HP Software Depot
- B. Download it from the HP Support Center in the patch management section
- C. Call the local Support Center to get the depot provided by a personal ftp
- D. Use Software Assistant (SWA) to obtain a customized depot for the test system

Correct Answer: B

#### **QUESTION 2**

Which command will transfer a volume group from one disk to another?

- A. vgexport
- B. vgchange
- C. vgmodify
- D. vgmove
- Correct Answer: A

## **QUESTION 3**

Which ioscan command displays the Extensible Firmware Interface (EFI) device paths when available?

- A. loscan -kfC
- B. loscan --m
- C. loscan -- k
- D. loscan --e
- Correct Answer: D

#### **QUESTION 4**

A company wants to buy an HP Integrity server that can have 16 cores. The model that the CIO is considering for purchase has four available CPU sockets. Which processor model should the system administrator recommend?

A. Itanium 8800 series processor



- B. Itanium 9100 series processor
- C. Itanium 9200 series processor
- D. Itanium 9300 series processor

Correct Answer: A

## **QUESTION 5**

system administrator needs to make a recovery archive of a system named server 1 and is required to include the entire vg00 volume group, exclude /var/tmp the archive, and add the descriptive tag "server 1 recovery". The administrator needs to save the recovery archive to ignite server iux\_srv01. Which command would accomplish this task?

```
A make_net_recovery -s iux_srv01 -d "server1 recovery" -x inc_entire=/var/tmp x exclude=vg00
B. make_tape_recovery -a /dev/rmt/0mn -d "server1 recovery" -x inc_entire=vg00 -x exclude=/var/tmp
C. make_tape_recovery -n 2 -v -d "server1 recovery" -x inc_entire=vg00 -x exclude=/var/tmp
D. make_net_recovery -s iux_srv01 -d "server1 recovery" -x inc_entire=vg00 -x exclude=/var/tmp
```

# A. B. C. D.

Correct Answer: D

# **QUESTION 6**

Where can a system administrator access the Dynamic Root Disk (DRD) toolset?

- A. System Management Home (SMH)
- B. Ignite-UX (IUX)
- C. Command Line Interface (CLI)
- D. Logical Volume Manager (LVM)

Correct Answer: C

# **QUESTION 7**

Which products do HP-UX Containers utilize to provide applications with guaranteed CPU, memory, and I/ O resources? (Select two)

A. HP Service guard (SG)

- B. Capacity Advisor (CapAd)
- C. Process Resource Manager (PRM)



- D. Processor Sets (PSFTS)
- E. Integrity Virtual Machines (VMs)

Correct Answer: CE

## **QUESTION 8**

What is the maximum amount of data that a make \_tape\_ recovery tape can hold when all applicable patches have been applied to an HP -UX server?

A. Up to 2GB of data and only on a single tape regardless of the overall tape size

B. Up to 8GB of data and only on a single tape regardless of the overall tape size

C. As much as 2GB of data on a single tape hut if make \_tape\_ recovery is run in the foreground, it prompts for more tapes, if they are necessary, until all data is stored

D. As much data as will fit on the tape but if make \_tape\_ recovery is run in the foreground, it prompts for more topes, if they are necessary

Correct Answer: A

#### **QUESTION 9**

A system administrator must upgrade the volume group vglogs to version 2.2 and verify that the change is applied correctly. Currently no logical volumes mounted from that volume group. Given this information, put the steps needed to accomplish this task in order.

Hot Area:



1 w vgvsersion -V 2.2 /dev/vglogs vgdisplay /dev/vglogs vgchange -a n /dev/vglogs vgchange -a y /dev/vglogs 2 \* vgvsersion -V 2.2 /dev/vglogs vgdisplay /dev/vglogs vgchange -a n /dev/vglogs vgchange -a y /dev/vglogs 3 . vgvsersion –V 2.2 /dev/vglogs vgdisplay /dev/vglogs vgchange -a n /dev/vglogs vgchange –a y /dev/vglogs 4 vgvsersion –V 2.2 /dev/vglogs vgdisplay /dev/vglogs vgchange -a n /dev/vglogs vgchange –a y /dev/vglogs


Hot Area:



1 w vgvsersion -V 2.2 /dev/vglogs vgdisplay /dev/vglogs vgchange -a n /dev/vglogs vgchange -a y /dev/vglogs 2 \* vgvsersion –V 2.2 /dev/vglogs vgdisplay /dev/vglogs vgchange -a n /dev/vglogs vgchange -a y /dev/vglogs 3 . vgvsersion -V 2.2 /dev/vglogs vgdisplay /dev/vglogs vgchange -a n /dev/vglogs vgchange –a y /dev/vglogs 4 vgvsersion -V 2.2 /dev/vglogs vgdisplay /dev/vglogs vgchange -a n /dev/vglogs vgchange –a y /dev/vglogs

Correct Answer:





# **QUESTION 10**

Dug to Linux experience, the system administrator executes hostname -A on an HP-UX server. What is the result of this action?

- A. The server\\'s hostname is set to -A.
- B. The shell returns a syntax error because -A is an invalid option for the hostname command in HP-UX
- C. The output will only include the primary hostname
- D. The output is identical to what Is seen in Linux

Correct Answer: B



HP0-P24 VCE Dumps

HP0-P24 Study Guide

HP0-P24 Braindumps