

HP2-T26^{Q&As}

Servicing HP BladeSystem Solutions

Pass HP HP2-T26 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/hp2-t26.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Click the area of the graphic where you view diagnostic test error information.

Hot Area:

The screenshot shows the HP Insight Diagnostics interface. At the top, there is a navigation bar with buttons for Survey, Diagnose, Status, Log, and Help. Below this is the 'System Survey' section, which includes tabs for 'Current Configuration' and 'Compare Configurations'. There are also dropdown menus for 'View Level' (set to Summary) and 'Categories' (set to Overview). The main content area displays system information in a table format:

| System | |
|--|--------------------------------------|
| Product Name | ProLiant BL480c G1 |
| Serial Number | NP6CMU0200 |
| Processor Package 1 (Socket 1, Core = 1) | Intel Xeon Processor @ 3.20 Ghz |
| Processor Package 2 (Socket 2, Core = 1) | Intel Xeon Processor @ 3.20 Ghz |
| Operating system environment | Microsoft(R) Windows(R) Server 2003, |
| Total memory - 2048 Mbytes | |
| Board 0 | |
| DIMM 1A (DDR2-FBD) | 1024 Mbytes (667 MHz) |
| DIMM 2C | Not Installed |
| DIMM 3E | Not Installed |
| DIMM 4A (DDR2-FBD) | 1024 Mbytes (667 MHz) |

Hot Area:

HP Insight Diagnostics

Survey | **Diagnose** | Status | Log | Help

System Survey

Current Configuration | Compare Configurations

View Level: Summary | Categories: Overview

| System | |
|--|--------------------------------------|
| Product Name | ProLiant BL480c G1 |
| Serial Number | NP6CMU0200 |
| Processor Package 1 (Socket 1, Core = 1) | Intel Xeon Processor @ 3.20 Ghz |
| Processor Package 2 (Socket 2, Core = 1) | Intel Xeon Processor @ 3.20 Ghz |
| Operating system environment | Microsoft(R) Windows(R) Server 2003, |
| Total memory - 2048 Mbytes | |
| Board 0 | |
| DIMM 1A (DDR2-FBD) | 1024 Mbytes (667 MHz) |
| DIMM 2C | Not Installed |
| DIMM 3E | Not Installed |
| DIMM 4A (DDR2-FBD) | 1024 Mbytes (667 MHz) |

Correct Answer:

HP Insight Diagnostics

Survey | **Diagnose** | Status | Log | Help

System Survey

Current Configuration | Compare Configurations

View Level: Summary | Categories: Overview

| System | |
|--|--------------------------------------|
| Product Name | ProLiant BL480c G1 |
| Serial Number | NP6CMU0200 |
| Processor Package 1 (Socket 1, Core = 1) | Intel Xeon Processor @ 3.20 Ghz |
| Processor Package 2 (Socket 2, Core = 1) | Intel Xeon Processor @ 3.20 Ghz |
| Operating system environment | Microsoft(R) Windows(R) Server 2003, |
| Total memory - 2048 Mbytes | |
| Board 0 | |
| DIMM 1A (DDR2-FBD) | 1024 Mbytes (667 MHz) |
| DIMM 2C | Not Installed |
| DIMM 3E | Not Installed |
| DIMM 4A (DDR2-FBD) | 1024 Mbytes (667 MHz) |

QUESTION 2

What does selecting the Allow Non-Bundled Versions provide in HP SUM?

- A. Other non-bundled products can be added to the bundle.
- B. All products will be updated including other manufacturers firmware and updates will be installed with the bundle.
- C. Old and new firmware files can be added and be installed with the bundle.
- D. All available firmware will be overwritten.

Correct Answer: A

QUESTION 3

Which utility can you use to analyze application crash dumps on a Windows server?

- A. System Event Viewer
- B. Snort
- C. DrWatson
- D. Postfix

Correct Answer: A

QUESTION 4

Which statements are true about Agentless Management? (Select two.)

- A. Agentless Management Service is installed as a daemon in HP-UX.
- B. Agentless Management is installed using Ignite UX.
- C. Agentless Management is only supported on Integrity Blades.
- D. The Agentless Management Service provides OS information to ilo
- E. Agentless Management is only supported on Gen8 servers.

Correct Answer: DE

QUESTION 5

How is a backup of the Onboard Administrator (OA) performed?

- A. by using the CLI of interconnect in bay 1
- B. by using the GUI
- C. by copying the activeoa.cfg file to the USB drive
- D. by recording the configuration on a CD using CD-RW attached to the OA USB port

Correct Answer: B

QUESTION 6

How does a c7000 enclosure retain air handling integrity when a fan is removed?

- A. The enclosure design uses blank panels to prevent air loss.
- B. A blanking panel causes the air flow to reverse, allowing warmer air to escape.
- C. The enclosure uses a self-closing door to prevent air loss.
- D. The fans increase in revolutions per minute to increase air volume.

Correct Answer: C

QUESTION 7

An engineer is trying to insert an I/O Accelerator card into a blade server. Which mezzanine slot is appropriate?

- A. mezzanine slot 3 only
- B. type 1 mezzanine slot only
- C. any available mezzanine slot
- D. type 2 mezzanine slot only

Correct Answer: B

QUESTION 8

When installing half-height c-Class server blades in a c3000 rack enclosure, what is the recommended sequence for installing them into the server bays when viewed from the front of the enclosure?

- A. from top to bottom, then right to left
- B. from bottom to top, then right to left
- C. from top to bottom, then left to right
- D. from bottom to top, then left to right

Correct Answer: D

QUESTION 9

What does an HP warranty include? (Select two.)

- A. software support
- B. parts and labor
- C. downtime protection as needed
- D. flexible support levels
- E. hardware protection against manufacturer defect

Correct Answer: BE

QUESTION 10

How do you access the EBSU?

- A. Press F9 during POST.
- B. Press F11 during POST.
- C. Boot from Smart Setup Media.
- D. Boot from Smart Start Media.

Correct Answer: C

QUESTION 11

A customer has a critical blade server, and you discover that the system ROM is causing memory errors. After you update this blade, how can you confirm that the other blades have the correct system ROM?

- A. Tell the customer to shut down now so you can see the POST message.
- B. Browse to the OA, then hover over the ILO, and check the version.
- C. Connect to the OA using putty and type show all.
- D. Connect to the OA using telnet and type show server version all.

Correct Answer: C

QUESTION 12

Which utility should you use to gather detailed information about SNMP traffic on a Windows server?

- A. Microsoft Performance Monitor
- B. Microsoft Network Monitor
- C. Microsoft SNMP Monitor
- D. Microsoft System Event Viewer

Correct Answer: B

QUESTION 13

Which benefits does the new DDR-3 memory technology offer? (Select three.)

- A. ability to intermix registered and unregistered DIMMs
- B. bandwidth increased to 1333MHz
- C. address parity detection
- D. bandwidth increased to 667 MHz
- E. smaller footprint for increased density
- F. larger footprint for increased storage

Correct Answer: ACE

QUESTION 14

Where do the default configurations settings for the HP Systems Insight Management agents reside on a Linux system?

- A. \hp\hpsmh\conf\smhpd.xml
- B. \hp\hpsmh\win_ia32\smhpd.xml
- C. \hp\hpsmh\smhpd.xml
- D. \hp\hpsmh\data\cgi-bin\smhpd.xml

Correct Answer: A

QUESTION 15

Which ProLiant Server Blade utilities are available to check the system information and BIOS version? (Select two.)

- A. ROM-Based Setup Utility

B. Diagnostic Utility

C. Inspect Utility

D. Option ROM Configuration for Arrays Utility

E. Network Boot Utility

Correct Answer: AC

[Latest HP2-T26 Dumps](#)

[HP2-T26 PDF Dumps](#)

[HP2-T26 VCE Dumps](#)