

HPE0-J50^{Q&As}

Integrating Protected HPE Storage Solutions

Pass HP HPE0-J50 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.certbus.com/hpe0-j50.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

Refer to the exhibit.

13:20:27 02/20/2015 Lan VVname Host Port 0 G1_10G_FC_RS IN2UH_1 2:5:1 0 G1_10G_FC_RS BB2VH_1 3:5:1	E	Gur				Hax 4	Sur Cor A.3A 0.37	RV9 B.30	Cur 4.1	Rvg 4	21en A 9
2 Press the enter key to stop	ŧ	2	2	 8	8		6.34	8.34	4.1	4.1	A
13:20:29 02/20/2015 Lan UUname Host Port 0 G1_10G_FC_RS BB2UH_1 2:5:1 0 G1_10G_FC_RS BB2UH_1 3:5:1		Gur	Rug		Aug 188	10× 376	Sur Car 8.78 9.57	Rug 8.64	68.9	58.3	glen Ø
2 Press the enter key to stop RR2 cliz _	ĉ	11	6	613	389		0.65	0.69	56.2	48.5	2 0

A customer is complaining about slow performance for their HPE 3PAR StoreServ system.

Which CLI command can be used by the storage administrator to display the queue length of a VLUN attached to the server during the troubleshooting process?

- A. perfvluns
- B. statvirtvolmapping
- C. show mappingsvirtvol
- D. srstatvlun

Correct Answer: D

Reference: https://support.hpe.com/hpsc/doc/public/display?docId=c04204279 (689)

QUESTION 2

The customer has purchased an HPE StoreOnce VSA and their backup software is HPE Data Protector.

What considerations should be taken for support of Data Protector and Catalyst stores?

- A. Catalyst only supports Data Protector 64 bit Media Agent.
- B. StoreOnce Catalyst only supports Data Protector 6.x and above.
- C. Only Data Protector Cell Manager supports writing to the Catalyst store.
- D. The Data Protector 64 bit Media Agent supports only VTL and NAS on the StoreOnce.

Correct Answer: C

QUESTION 3

A storage integrator has connected a new Windows Server 2008 R2 host to an HPE 3PAR StoreServ array. After



creating a new 3PAR Virtual Volume and exporting it to the new host, the Disk Management tool on the host is displaying two new drives.

Which additional software should the technician install to consolidate the displayed drive?

- A. Storage Spaces
- B. Enhanced Storage
- C. File and Storage Services
- D. Multipath I/O feature

Correct Answer: D

QUESTION 4

Your customer needs to extend their storage SAN environment without the additional workload of manually creating zones for every new host or storage device. What will allow the customer to move from creating zones manually to having zones created automatically?

- A. Brocade scripting of the zone setup
- B. HPE 3PAR Smart SAN feature
- C. break up of SAN switches to zone individually
- D. HPE SAN Advisor

Correct Answer: C

QUESTION 5

Refer to the exhibit.



Create	Virtual Volume	General ~		?	
General				□ Advanced options	^
	Name	CriticalData			
	System	G3_RackB ~			
	Domain	<none> ~</none>			
	Template				
	Provisioning	Thin Provisioned ~			
	Dedup	No No			
	Compression	No No			
	CPG	FC_r1	× ū		
	Size	10 GB 🗸			
Additiona					
□ Edit ad	ditional settings				~

A storage integrator is creating a virtual volume on an HPE 3PAR StoreServ storage system and plans to create clones of the volume in the future.

Which additional steps will be required for this? (Choose two.)

- A. Check Edit additional settings.
- B. Configure a new Virtual Domain.
- C. Check Enable clones.
- D. Check Advanced options.
- E. Configure Copy CPG.

Correct Answer: DE

QUESTION 6

Your customer has a requirement to provide identification information to the PDU such as server name, UUID number, and IP address from their ProLiant-based storage products. Which PDU do you recommend to meet this requirement?

A. HPE G2 Metered PDUs

- B. HPE Intelligent PDU
- C. HPE G2 Metered and Switched PDU
- D. HPE Standard Series G2 Basic PDU



Correct Answer: B

Reference: http://www.hp.com/hpinfo/newsroom/press_kits/2010/techforum2010/pdf/TF_IPD_DataSheet.pdf

QUESTION 7

A storage integrator is handing over an installed HPE StoreOnce solution to the customer and demonstrates that the system is property configured. Which CLI command can be used to run an appliance self-test?

- A. run confidencereport
- B. run confidencereport all
- C. system confidencechecker runtest all
- D. confidencecheck

```
Correct Answer: C
```

Reference: https://support.hpe.com/hpsc/doc/public/display?docId=c04000350 (129)

QUESTION 8

In which areas in SSMC can a 3PAR virtual domain membership be selected? (Choose two.)

- A. iSCSI port
- B. Host
- C. Fibre Channel port
- D. StoreServ report
- E. Common Provisioning Group

Correct Answer: BD

QUESTION 9

A system engineer installed HPE Insight Remote Support for an HPE MSA 2042 storage system at a customer\\'s site. The engineer wants to integrate the system in HPE Insight Online to monitor it remotely.

Which information does the engineer need from the customer to do the integration, using the Insight Remote Support GUI with HPE Insight Online? (Choose two.)

- A. HPE Passport ID
- B. Product number of MSA 2042
- C. Service Agreement ID (SAID)



- D. HPE Passport password
- E. Serial number of MSA 2042

Correct Answer: BE

Reference: http://h20628.www2.hp.com/km-ext/kmcsdirect/emr_na-c04608183-8.pdf

QUESTION 10

A storage integrator is validating a StoreServ implementation. The integrator needs to verify read/write access to an exported volume from a Windows Server. The volume did not show up in Windows Explorer. Click the menu option the storage integrator needs to use to make the volume available in a Windows server.

Hot Area:



Correct Answer:



File	Action View Help
(= =)	🗊 📑 🛃
Co	mputer Management (Local)
- 👔	System Tools
Þ	Task Scheduler
\triangleright	Event Viewer
\triangleright	Shared Folders
⊳	Local Users and Groups
Þ	Performance
	🚔 Device Manager
4 😤	Storage
	Disk Management
	Services and Applications

QUESTION 11

Refer to the exhibit.



Configure Fil	le Person	a	Storage St	ystem 🗸 🗸					?
Storage Syst	tem							Advanced option	s
Sto	orage Syst	em STN	M-3PAR-Array						
Node Pairs									
Name	*	State		1st IP Address	2nd IP Address				
0-1		Config	gured	172.20.6.193	172.20.6.194	0			
2-3		Config	gured	172.20.6.195	172.20.6.196	0			
Network Se	ettings								
	Net	mask							
	Gate	eway 1	72.20.7.254						
DNS Settin	ngs								
									1
						Cont	figure	Cansel	

An Integrator is configuring File Persona on a HPE 3PAR StoreServ 8440.

What is a valid Netmask for the configuration shown?

- A. 172.27.97.61
- B. 172.20.0.0
- C. 255.255.255.0
- D. 255.255.252.0

Correct Answer: C

QUESTION 12

Which management interface or tool primarily offers remote support capabilities for an HPE 3PAR StoreServ storage system?

- A. HPE 3PAR Service Processor
- B. HPE 3PAR Direct Connect
- C. HPE Insight Remote Support
- D. HPE Insight Online 3PAR
- Correct Answer: C

Reference: https://www.hpe.com/emea_europe/en/services/get-connected.html



QUESTION 13

A storage integrator is planning an HPE MSA Storage installation.

What needs to be taken into consideration when implementing a SAS connected model?

- A. SAS expander or a SAS switch is supported only with non-redundant paths.
- B. SAS expander or a SAS switch is required if eight or more servers are connected.
- C. Up to four servers with redundant paths can be connected.
- D. Up to four servers with non-redundant paths can be connected.

Correct Answer: C

Reference: https://support.hpe.com/hpsc/doc/public/display?docId=emr_na-
a00028199en_usanddocLocale=en_US#N10010

QUESTION 14

Click on the area where a storage integrator can create a new Catalyst Store.

Hot Area:

an and the second second second	All statuses	✓ Q Search									8	
Backup Systems 2 Add Backup Sustem	-11				• HPBEF6E269EF Overview ~							
Name HP91FD8FDO6E	 AliasName Source SO 	IP/Hostname storeoncesource.l ab.local	Type StoreOnce	SerialNumber 91FD8FDD6E	Backup Devices	StoreOnce storeoncetarget.lab.local BEF6E269EF Admin			Catalyst License License	 Available 		
HPBEF6E269EF	Target SO	storeoncetarget.l ab.local	StoreOnce	BEF6E269EF	IP/Hostname Serial Number Fibre Channel ID Catalyst Client User							
					Stores							
					. * Name	Version	Created	Number of Catalyst Items	Dedupe Ratio	Service Set Id		
					 RMCCriticalCopy 	2	2016-07-14 10:53:00		0.0	1		
					 RMCCatalog 	2	2016-07-14 10:53:00	0	0.0	1		

Correct Answer:



Backup Systems 2	All statuses ~											
Add Backup Sustem) Sustem				•	HPBEF6E269EF	Overv					
Name	AliasName	IP/Hostname	Туре	SerialNumber								
HP91FD8FDO6E	Source SO	storeoncesource.l ab.local	StoreOnce	91FD8FDD6E	Тур	e Devices	StoreOnce			Catalyst License License	Available	
HPBEF6E269EF	Target SO	storeoncetarget.l ab.local	StoreOnce	BEF6E269EF	IP/Hostname Serial Number Fibre Channel ID Catalyst Client User	storeoncetarget.lab.local BEF6E269EF Admin						
					Stor	res						
					-	 Name 	Version	Created	Number of Catalyst Items		Service Set Id	
					•	RMCCriticalCopy	2	2016-07-14 10:53:00		0.0	1	
					•	RMCCatalog	2	2016-07-14 10:53:00	0	0.0	1	

Reference: https://support.hpe.com/hpsc/doc/public/display?docId=emr_na-a00042435en_us (49)

Add Backup Sustem					• HPBEF6E269EF Overview ~						
Name * HP91FD8FD06E	AliasName Source SO	IP/Hostname storeoncesource.l ab.local	Type StoreOnce	SerialNumber 91FD8FDD6E	Backup Devices	StoreOnce			Catalyst License License	 Available 	
HPBEF6E269EF	Target SO	arget SO storeoncetarget.l ab.local		BEF6E269EF	IP/Hostname Serial Number Fibre Channel ID Catalyst Client User	ID					
					Stores	Version	Created	Number of Catalyst Items	Dedupe Ratio	Service Set Id	
					 RMCCriticalCopy RMCCatalog 		2016-07-14 10:53:00	0	0.0 0.0	1	

QUESTION 15

A storage integrator installed an HPE 3PAR StoreServ system.

For which default accounts will the storage integrator need to hand over changed passwords to the customer?

- A. 3parcust. 3paradm
- B. cpmaint, spmaint
- C. root, 3paradm
- D. root, console
- Correct Answer: A

Reference: https://support.hpe.com/hpsc/doc/public/display?docId=emr_na-a00006417en_us

HPE0-J50 PDF Dumps

HPE0-J50 VCE Dumps

HPE0-J50 Braindumps