

HPE0-S60^{Q&As}

Delta - HPE Compute Solutions

Pass HP HPE0-S60 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/hpe0-s60.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1




DRAG DROP

You need to setup HPE Synergy frames after hardware components are discovered within HPE OneView.

Put the steps to achieve this goal into the coned order in the answer area on the right.





Select and Place:

| Steps | Answer Area |
|---|-------------|
| Create a logical enclosure. | |
| Create a logical interconnect group with uplink sets. | |
| Create an enclosure group. | |
| Create server profile templates and server profiles. | |
| Define all required networks. | |

Correct Answer:

| Steps | Answer Area |
|-------|---|
| | Create a logical interconnect group with uplink sets. |
| | Create a logical enclosure. |
| | Create an enclosure group. |
| | Create server profile templates and server profiles. |
| | Define all required networks. |

QUESTION 2

DRAG DROP

Match HPE SimpliVity term with the definition.

Select and Place:

| Term | | Definition |
|--------------------------------|--|--|
| Arbiter | | Non-hyperconverged servers that can exist in an HPE SimpliVity environment and provide additional compute capacity while consuming the storage provided by the hyperconverged nodes. |
| Compute node | | Provides centralized management and events end-point for vCenter. |
| Management Virtual Controller | | Integrates with VMware Distributed Resources Scheduler to ensure optimal placement of the VM compute resources. |
| Intelligent Workload Optimizer | | Facilitates communication between nodes and resolves state conflicts to ensure service continuity. |

Correct Answer:

| Term | | Definition |
|------|--------------------------------|--|
| | Arbiter | Non-hyperconverged servers that can exist in an HPE SimpliVity environment and provide additional compute capacity while consuming the storage provided by the hyperconverged nodes. |
| | Compute node | Provides centralized management and events end-point for vCenter. |
| | Management Virtual Controller | Integrates with VMware Distributed Resources Scheduler to ensure optimal placement of the VM compute resources. |
| | Intelligent Workload Optimizer | Facilitates communication between nodes and resolves state conflicts to ensure service continuity. |

QUESTION 3

DRAG DROP

Match each HPE OneView network type with its definition.

Select and Place:

| Network Type | | Definition |
|------------------|--|--|
| Internal network | | A network that contains multiple networks on a single uplink set that allows your customer to share uplinks with those networks. |
| Tagged network | | A network in which any tagged packets are dropped and forwarding is done by a MAC address. |
| Tunnel network | | A network with a dedicated set of uplink ports used to pass a group of VLANs without changing the VLAN tags. |
| Untagged network | | A network that does not utilize any uplink ports and is used for communication between servers in the same frame. |

Correct Answer:

| Network Type | Definition |
|------------------|--|
| Untagged network | A network that contains multiple networks on a single uplink set that allows your customer to share uplinks with those networks. |
| Tagged network | A network in which any tagged packets are dropped and forwarding is done by a MAC address. |
| Tunnel network | A network with a dedicated set of uplink ports used to pass a group of VLANs without changing the VLAN tags. |
| Internal network | A network that does not utilize any uplink ports and is used for communication between servers in the same frame. |

QUESTION 4

DRAG DROP

Your customer plans to use HPE OneView for VMware vCenter Server to deploy ESXi systems. They created a server profile template that they want to use in HPE OneView.

Put the steps required to configure HPE OneView for VMware vCenter Server on the left into their correct order on the right.

Select and Place:

Steps

- Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.
- Add vCenter Server to HPE OneView for VMware vCenter Server.
- Deploy new ESXi systems using vCenter Server interface.
- Upload HPE-friendly ESXi image.

Answer Area

Correct Answer:

Steps

Answer Area

- Add vCenter Server to HPE OneView for VMware vCenter Server.
- Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.
- Upload HPE-friendly ESXi image.
- Deploy new ESXi systems using vCenter Server interface.

QUESTION 5

HOTSPOT

An HPE Synergy customer needs to prevent a timeout and loss of communication during an external switch firmware upgrade.

Click the parameter that the customer should configure within an uplink set to meet this requirement.

Hot Area:

Create Uplink Set ?

General

Name: Prod-US

Consistency checking: Exact match

Type: Ethernet

Connection mode: Automatic

LACP timer: Short (1s)

LACP load balancing: Source & Destination MAC Address

LACP failover trigger: All active uplinks transition to offline

LACP distribute uplink ports:

Correct Answer:

Create Uplink Set ?

General

Name:

Consistency checking:

Type:

Connection mode: Automatic

LACP timer:

LACP load balancing:

LACP failover trigger:

LACP distribute uplink ports:

QUESTION 6

DRAG DROP

After HPE Superdome Flex deployment and nPar setup, you need to verify health status of HPE Superdome Flex components.

Put the steps on the left into the coned order on the right to perform this task.

Select and Place:

- Enter show health command.
- Confirm health status.
- Open SSH client.
- Open session to RMC.

- 1
- 2
- 3
- 4

Correct Answer:



- 1 Open SSH client.
- 2 Open session to RMC.
- 3 Enter show health command.
- 4 Confirm health status.

QUESTION 7

DRAG DROP

Match HPE Superdome Flex system with its specific feature.

Select and Place:

| System | Feature |
|----------------------|---|
| <input type="text"/> | Support for 32 sockets and 48TB of memory |
| <input type="text"/> | Support for nPar with 16 sockets |
| <input type="text"/> | Maximum of 24TB memory |
| <input type="text"/> | Minimum of 768 GB of memory |

Correct Answer:

| System | Feature |
|---|---|
| <input type="text" value="HPE Superdome Flex"/> | Support for 32 sockets and 48TB of memory |
| <input type="text" value="HPE Superdome Flex"/> | Support for nPar with 16 sockets |
| <input type="text" value="HPE Superdome Flex"/> | Maximum of 24TB memory |
| <input type="text" value="HPE Superdome Flex"/> | Minimum of 768 GB of memory |

QUESTION 8

HOTSPOT

Click the area within the iLO management interface that will allow you to access workload Advisor.

Hot Area:

iLO 5
2.44 Apr 30 2021

Information - iLO Overview

Overview | Security Dashboard | Session List | iLO Event Log | Integrated Management Log

Security Log | Active Health System Log | Diagnostics

Server

| | |
|-------------------------|--|
| Product Name | Synergy 480 Gen10 |
| Server Name | h7198.wsw.edunet.hpe.com |
| Operating System | VMware ESXi 7.0.1 Build-17325551 Update 1 Patch 25 |
| System ROM | I42 v2.42 (01/23/2021) |
| System ROM Date | 01/23/2021 |
| Redundant System ROM | I42 v2.42 (01/23/2021) |
| Server Serial Number | CZ204400X0 |
| Serial Number (Logical) | VCGQH1801V |
| Product ID | 871940-B21 |
| UUID | 39313738-3034-5A43-3230-343430305830 |

iLO

| | |
|----------------------------|----------------------------------|
| IP Address | 15.194.45.41 |
| Link-Local IPv6 Address | FE80:B67AF1FF:FE44:377A |
| iLO Hostname | ILOCZ204400X0.wsw.edunet.hpe.com |
| iLO Dedicated Network Port | Enabled |

Correct Answer:

iLO 5
2:44 Apr 30 2021

Information - iLO Overview

Overview | Security Dashboard | Session List | iLO Event Log | Integrated Management Log

Security Log | Active Health System Log | Diagnostics

Server

| | |
|-------------------------|--|
| Product Name | Synergy 480 Gen10 |
| Server Name | h7198.wsw.edunet.hpe.com |
| Operating System | VMware ESXi 7.0.1 Build-17325551 Update 1 Patch 25 |
| System ROM | I42 v2.42 (01/23/2021) |
| System ROM Date | 01/23/2021 |
| Redundant System ROM | I42 v2.42 (01/23/2021) |
| Server Serial Number | CZ204400X0 |
| Serial Number (Logical) | VCGQH1801V |
| Product ID | 871940-B21 |
| UUID | 39313738-3034-5A43-3230-343430305830 |

iLO

| | |
|----------------------------|----------------------------------|
| IP Address | 15.194.45.41 |
| Link-Local IPv6 Address | FE80:B67AF1FF:FE44:377A |
| iLO Hostname | ILOCZ204400X0.wsw.edunet.hpe.com |
| iLO Dedicated Network Port | Enabled |


QUESTION 9

HOTSPOT


After deploying HPE Superdome Flex 280 you need to check Core Analysis Engine (CAE) Log.

Click the appropriate section in the HPE Superdome Flex 280 management interface that will allow you to complete this task.

Hot Area:



Correct Answer:



QUESTION 10

DRAG DROP

Match HPE SimpliVity team with the definition.

Select and Place:

| Term | Definition |
|--------------------------------|--|
| Arbiter | Non-hyperconverged servers that can exist in an HPE SimpliVity environment and provide additional compute capacity while consuming the storage provided by the hyperconverged nodes. |
| Compute node | Provides centralized management and events end-point for vCenter. |
| Intelligent Workload Optimizer | Integrates with VMware Distributed Resources Scheduler to ensure optimal placement of the VM compute resources. |
| Management Virtual Controller | Facilitates communication between nodes and resolves state conflicts to ensure service continuity. |

Correct Answer:

| Term | Definition |
|--------------------------------|--|
| Arbiter | Non-hyperconverged servers that can exist in an HPE SimpliVity environment and provide additional compute capacity while consuming the storage provided by the hyperconverged nodes. |
| Compute node | Provides centralized management and events end-point for vCenter. |
| Management Virtual Controller | Integrates with VMware Distributed Resources Scheduler to ensure optimal placement of the VM compute resources. |
| Intelligent Workload Optimizer | Facilitates communication between nodes and resolves state conflicts to ensure service continuity. |

QUESTION 11

HOTSPOT

Your customer is implementing an HPE Synergy solution based on three frames.

Click each of the ports that can be used to connect satellite modules.

Hot Area:



Correct Answer:



QUESTION 12

HOTSPOT

Click the drop-down menu that will allow you to define the location of the master modules within the logical interconnect group.

Hot Area:

Create Logical Interconnect Group General ▾ ?

General

Name

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Enclosure count

Interconnect bay set

Redundancy

Downlink speed

Select interconnects

Correct Answer:

Create Logical Interconnect Group

General ?

General

Name:

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type:

Enclosure count:

Interconnect bay set:

Redundancy:

Downlink speed:

Select interconnects

QUESTION 13


DRAG DROP

Put the steps of the HPE infosight flow in the correct order.

Select and Place:

The interface shows a list of steps on the left: Observing, Learning, Recommending, Predicting, and Acting. On the right, there is an 'Answer Area' with five numbered slots (1-5) for placing the steps in the correct order. Navigation arrows are present at the bottom of the interface.

Correct Answer:



QUESTION 14

DRAG DROP

Match each HPE Synergy logical component with the definition.

Select and Place:

| Component | | Definition |
|----------------------------|--|--|
| Enclosure group | | Acts as a recipe for creating a group that represents the available networks, uplink sets, and interconnect settings for a set of physical interconnects in a set of enclosures. |
| Logical enclosure | | A single administrative entity that consists of the configuration for a set of interconnects in a single enclosure or a frame link topology. |
| Logical interconnect | | A logical resource that defines a consistent configuration for an enclosure or a set of enclosures making up a logical enclosure. |
| Logical interconnect group | | Contains the configuration intended for a set of physical enclosures. |

Correct Answer:


| Component | | Definition |
|-----------|----------------------------|--|
| | Logical interconnect group | Acts as a recipe for creating a group that represents the available networks, uplink sets, and interconnect settings for a set of physical interconnects in a set of enclosures. |
| | Logical interconnect | A single administrative entity that consists of the configuration for a set of interconnects in a single enclosure or a frame link topology. |
| | Enclosure group | A logical resource that defines a consistent configuration for an enclosure or a set of enclosures making up a logical enclosure. |
| | Logical enclosure | Contains the configuration intended for a set of physical enclosures. |

QUESTION 15


HOTSPOT

Click the option that will allow you to change the ESXI image used In an OS Deployment Plan.

Hot Area:



Correct Answer:



[Latest HPE0-S60 Dumps](#)

[HPE0-S60 VCE Dumps](#)

[HPE0-S60 Study Guide](#)