

# HPE2-T35<sup>Q&As</sup>

Using HPE OneView

**Pass HP HPE2-T35 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/hpe2-t35.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What is required for a user to authenticate to an HPE OneView appliance configured for two-factor authentication?

- A. One-time Passwords
- B. Smartcard
- C. SMS
- D. Self-signed certificate

Correct Answer: B

**QUESTION 2**

You assign a server profile to an existing BL Gen 8 server within a managed enclosure with Affinity set to "Device Bay + Server Hardware". What would happen if you replace the server in the enclosure with a new BL Gen 10 server hardware resource?

- A. It will apply the profile if a server with the correct serial number installed.
- B. It will apply the profile if the correct server hardware type is installed.
- C. It will prevent the profile from being applied if a different server is inserted to that bay.
- D. It will prevent the profile if the server is configured with Secure Boot mode in the BIOS.

Correct Answer: D

**QUESTION 3**

Refer to the exhibit.

	<b>Value</b>
<b>Name</b>	<b>ProdNet 100</b>
<b>VLAN ID</b>	<b>100</b>
<b>Type</b>	<b>Tagged</b>

What is the PowerShell command to create an Ethernet Network resource?

- A. Get-HPOVNetwork -Name "ProdNet 100" | New-HPOVServerProfileConnection -ConnectionID 1 -Name "ProdNet 100"
- B. New-HPOVUplinkSet -Name "ProdNet 100" -Networks (Get-HPOVNetwork -Name "ProdNet100")
- C. New-HPOVNetwork -Name "ProdNet 100" -VlanId 100
- D. New-HPOVNetworkSet -Name "ProdNet 100"

Correct Answer: C

#### QUESTION 4

Match the minimum HPE OneView license required to each function. (Matches may be used more than once.)

Select and Place:

##### Answer Area

HPE OneView Standard

HPE OneView Advanced

##### HPE OneView License

##### Function

Partner Integrations

Storage provisioning

Firmware Management

Inventory

Health Monitoring

Remote Support

Correct Answer:

**Answer Area**

HPE OneView Standard

HPE OneView Advanced

**HPE OneView License**

HPE OneView Advanced

HPE OneView Advanced

HPE OneView Advanced

HPE OneView Standard

HPE OneView Standard

HPE OneView Advanced

**Function**

Partner Integrations

Storage provisioning

Firmware Management

Inventory

Health Monitoring

Remote Support

**QUESTION 5**

When the HPE OneView appliance starts up for the very first time, what is the administrator required to do immediately after logging in for the first time?

- A. Configure the management IP
- B. Add licenses
- C. Change the Administrator password
- D. Create a backup

Correct Answer: B

**QUESTION 6**

Which HPE OneView function can be used on HPE ProLiant DL Gen10 servers with HPE OneView Advanced license applied? (Choose two.)

- A. BIOS configuration
- B. OS deployment
- C. network connection definition
- D. MAC address virtualization
- E. firmware update

Correct Answer: BE

#### QUESTION 7

What functionality does Storm Control provide in HPE OneView?

- A. Prevents resource exhaustion on the switch by throttling data flow on network interfaces.
- B. Prevents network performance degradation by suppressing excessive inbound broadcasts.
- C. Prevents duplicate MAC addresses and WWNs from occurring in HPE OneView.
- D. Prevents malware from hiding the embedded code in the network traffic.

Correct Answer: B

---

#### QUESTION 8

Which security feature would you configure to delegate responsibility for a subset of resources to a junior administrator group?

- A. No Password for admin account
- B. SBAC (Scope Based Access Control)
- C. CLI Only access
- D. RBAC (Role Based Access Control)

Correct Answer: B

---

#### QUESTION 9

Your customer added some Gen10 servers to an environment managed by HPE OneView. The position of the Gen10 servers in the intelligent racks is not automatically detected. What can cause this problem?

- A. Gen10 servers are mixed with Gen9 or Gen8 servers, which is not supported.
- B. Intelligent Rack is not properly licensed in HPE OneView.
- C. Location sensor is not enabled for Gen10 servers.
- D. Gen10 servers do not support Location Discovery Services.

Correct Answer: D

---

#### QUESTION 10

- A. Settings
- B. Server Hardware
- C. Data Centers

D. Power Delivery Devices

Correct Answer: B

[HPE2-T35 VCE Dumps](#)

[HPE2-T35 Study Guide](#)

[HPE2-T35 Exam Questions](#)