

HPE2-T37^{Q&As}

Using HPE OneView

Pass HP HPE2-T37 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.certbus.com/hpe2-t37.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers






QUESTION 1

DRAG DROP

For HPE Primera, match each task with the management tool that can be used to perform it.

Select and Place:



Reference: https://www.acpcreativit.com/wp-content/uploads/2021/04/Data-migration-from-HPE-3PAR-to-HPE-Primera-a00110464enw.pdf

QUESTION 2

You want to update the firmware for only two HPE Synergy Virtual Connect SE 32Gb FC Modules of a large environment. From which level must this procedure be initiated?

A. Logical Enclosure



- B. Logical Interconnect
- C. Server Profile
- D. Logical Interconnect Group

Correct Answer: C

QUESTION 3

Which statement about a server profile for an Apollo system is true?

- A. Enclosure Group is automatically selected
- B. Fibre Channel connections can be defined
- C. UEFI optimized is the only available boot mode
- D. Virtual WWNs an MAC addresses can be defined

Correct Answer: B

QUESTION 4

HOTSPOT

Click the option that must be configured for an HPE OneView when an HPE storage system is connected directly to an HPE Synergy frame.

Hot Area:



| | Name | FC-A | | | |
|----------------------|------------------|-----------------------------|--------------|--------------|----|
| | Туре | Etherne | t 💿 Fibre Cl | annel 🔿 FCoE | |
| | Fabric type | Fabric atta | ach 🗸 | | |
| As | sociated SAN | none | | | Q, |
| Preferred bandwidth | | | 2,5 | Gb/s | |
| Maximum bandwidth | | | 20 | Gb/s | |
| Login redistribution | | Auto | | | |
| ink sta | ability interval | 30 | seconds | | |
| | | | | | |

Correct Answer:



| | Name | FC-A | | | | |
|---------------------|---------------|------------------------------|----------|------------|----|--|
| | Туре | Ethernet | Fibre Cl | annel 🔿 FC | οE | |
| | Fabric type | Fabric attac | h ~ | | | |
| Asso | ciated SAN | none | | | ĝ | |
| Preferred bandwidth | | | 2,5 | Gb/s | | |
| Maximum bandwidth | | | 20 | Gb/s | | |
| Login rec | distribution | Auto | | | | |
| Link stabi | lity interval | 30 | seconds | | | |

QUESTION 5

Which statement about RoCE network restrictions is true?

- A. RoCE networks are supported only when PVLANs are enabled
- B. RoCE networks are not supported with HPE BladeSystem
- C. RoCE networks cannot be configured when Virtual Connect modules are used
- D. RoCE networks require Virtual Connect SE 32Gb FC Modules

Correct Answer: B



QUESTION 6

Your customer plans to use HPE OneView to manage a small environment based on HPE ProLiant servers that includes G7 and Gen10 systems.

What should you explain to this customer?

- A. HPE ProLiant G7 and Gen10 cannot be managed using the same appliance
- B. HPE Management Agent must be installed for HPE ProLiant Gen10 servers
- C. Not all of the features will be available for HPE ProLiant G7 systems
- D. HPE ProLiant Gen10 servers do not need an HPE OneView license

Correct Answer: D

QUESTION 7

You want to add the latest IL0 firmware to an HPE OneView firmware repository. How can you complete this task?

A. A PowerShell script must be used to upload IL0 firmware to the Internal or external firmware repository.

B. A custom SPP iso Image must be created with the new IL0 firmware version and uploaded to the repository.

C. An external repository must be created, because standalone components are supported only In an external repository.

D. ILO firmware can be marked as a hotnx and uploaded directly to the Internal or external firmware repository.

Correct Answer: B

QUESTION 8

After replacing a failed Compute Module, you notice the server profile Is not automatically assigned to the replaced server hardware. What can cause this issue?

A. IL0 firmware of the replacement server is different than firmware in broken server.

- B. Server profile affinity is configured to Device Day + server hardware.
- C. The enclosure group has to be updated to match the original enclosure group.
- D. The replacement server has more memory or CPUs than broken machine.

Correct Answer: A

QUESTION 9



Which statement about the volume template is true?

- A. Users will be able to change sharing type and volume capacity
- B. A volume created using this template will not support deduplication
- C. A volume created using this template mil not support snapshots
- D. Users will be able to select storage pool during volume creation

Correct Answer: A

QUESTION 10

Which statement about HPE OneView Global Dashboard is true?

A. It is an application that can be installed on Windows or Linux system that will provide automated discovery of HPE OneView instances

B. It is a plugin to HPE Oneview that will allow integration of HPE oneView with VMware management and monitoring components

C. It is a virtual appliance that can aggregate health and inventory information from multiple HPE OneView appliances or HPE Composers

D. It is a plugin to vCenter Server that will allow management of the components added to HPE Oneview from vCenter server interface

Correct Answer: C

QUESTION 11

Which components require an HPE OneView license for management?

A. HPE Virtual Connect modules

B. HPE Apollo XL 170r

- C. Brocade and Cisco SAN Manager
- D. HPE Primera and HPE 3PAR

Correct Answer: A

QUESTION 12

Which licenses are optional to be purchased separately for HPE Synergy?

- A. Global Dashboard licenses
- B. FC Upgrade licenses



- C. HPE OneView licenses
- D. Virtual Connect licenses

Correct Answer: B

QUESTION 13

Which parameters can be defined in a server profile template for HPE Synergy Compute Modules? (Select two.)

- A. partition layout for servers running Linux.
- B. IL0 IPv4 or IPv6 address.
- C. local storage and BIOS settings.
- D. NIC teaming setup at OS level.
- E. network and storage connectivity.

Correct Answer: CE

QUESTION 14

Your customer asks you if it possible to perform HPE Synergy initial setup remotely. How should you respond?

A. Remote HPE Synergy setup is possible if HPE Composer 2 is used and a DHCP server is available in the management network

B. HPE Synergy can be configured remotely through a secure connection to the FLM if this option was enabled in the factory

C. HPE Synergy cannot be deployed remotely, as initial setup must be performed using a local console connection

D. Remote HPE Synergy installation can be done only if an additional set of the services was purchased together with hardware platform

Correct Answer: B

QUESTION 15

Which action is allowed on storage pools managed by HPE OneView?

- A. Volume provisioning
- B. Setting storage pool replication
- C. Changing storage pool RAID level
- D. Changing storage pool capacity



Correct Answer: D

Latest HPE2-T37 Dumps

HPE2-T37 Practice Test

HPE2-T37 Study Guide