

# HPE6-A67<sup>Q&As</sup>

Aruba Certified ClearPass Associate 6.7

## Pass HP HPE6-A67 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/hpe6-a67.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

In which stage of the Onboard process is the enterprise's root certificate installed on the iOS device?

- A. During EAP authentication
- B. Provisioning
- C. Authentication
- D. Pre-provisioning
- E. Authorization

Correct Answer: D

Reference: <https://www.slideshare.net/ArubaNetworks/onboard-deployment-guide-396>(slide 15)

---

### QUESTION 2

What must a network administrator configure on ClearPass to enable RADIUS authentication with a network access device (NAD)? (Select two.)

- A. An NTP server needs to be set up on the NAD
- B. The ClearPass server certificate must be installed on the NAD
- C. A shared secret must be configured on the ClearPass server and NAD
- D. The ClearPass server must have the network device added as a valid NAD
- E. A bind username and bind password must be provided

Correct Answer: CD

---

### QUESTION 3

When a role mapping policy should be used in an 802.1x service with Active Directory as the authentication source?

- A. When you want to send roles from the AD user to enforcement policies directly from AD attributes.
- B. When you want to send Aruba firewall roles back to the Aruba Network Access Drive.
- C. When you want to translate and combine AD attributes into ClearPass roles.
- D. When you want to enable attributes as roles directly without combining multiple attributes

Correct Answer: A

---

#### QUESTION 4

Select three elements that are part of the authorization process. (Choose three.)

- A. Send a RADIUS accept to the Access device.
- B. Verify client credentials against your account.
- C. Determine posture status.
- D. Validate the user account attributes.
- E. Filter by endpoint device type.

Correct Answer: ABD

---

#### QUESTION 5

A customer wants to use the OS information of devices in the Enforcement policy. Which source should be added as an authorization source?

- A. OnGuard Repository
- B. Guest User Repository
- C. Local User Repository
- D. Endpoints Repository
- E. Active Directory

Correct Answer: D

---

#### QUESTION 6

Which device uses the Quick Connect method of Onboarding? (Select two.)

- A. iPad
- B. iPhone
- C. Windows
- D. blackberry
- E. Android

Correct Answer: CE

Reference: <http://www.primecominc.com/wp-content/uploads/2015/11/Conquering-todays-BYOD-challengeswhitepaper.pdf>

#### QUESTION 7

Which ClearPass posture token indicates that while the client is compliant, there is an available update for the client?

- A. Healthy
- B. Checkup
- C. Unknown
- D. Remediate
- E. Infected

Correct Answer: B

---

#### QUESTION 8

You have Guest Self-Registration with Internal Sponsorship configured and wish to send users their credentials automatically.

Which options need to be enabled? (Choose two.)

- A. Configure the receipt page actions to send a receipt.
- B. Configure the receipt page form to include the Guest Username and password.
- C. Configure an Email Server in ClearPass Guest Administration.
- D. Configure the Sponsor Confirmation Settings to send an email receipt to the Guest.
- E. Configure an Email Server in ClearPass Policy Manager Administration.

Correct Answer: AB

---

#### QUESTION 9

A customer would like to authenticate employees using a captive portal guest web login page. Employees should use their AD credentials to login on this page.

Which statement is true?

- A. Employees must be taken to a separate web login page on the guest network.
- B. The customer needs to add second guest service in the policy manager for the guest network.
- C. The customer needs to add the AD server as an authentication source in a guest service.
- D. The customer needs to add the AD servers RADIUS certificate to the guest network.

Correct Answer: C

**QUESTION 10**

What are two ways that devices can download the Onboard provisioning profile and credentials from ClearPass?  
 (Choose two.)

- A. from the Android market
- B. Over-the-Air API
- C. download from iTunes
- D. Bonjour

Correct Answer: BD

**QUESTION 11**

Refer to the exhibit.

**Service One**

Service Rule			
Matches ANY or ALL of the following conditions:			
Type	Name	Operator	Value
1. Radius: IETF	NAS-Port-Type	EQUALS	Ethernet(15)
2. Radius: IETF	Service-Type	BELONGS_TO	Login-User(1), Framed-User
3. Connection	SSID	EQUALS	(2), Authenticate-Only (B) Secure-Corporate

**Service Two**

Service Rule			
Matches ANY or ALL of the following conditions:			
Type	Name	Operator	Value
1. Radius: IETF	NAS-Port-Type	EQUALS	Wireless-802.11 (19)
2. Radius: IETF	Service-Type	BELONGS_TO	Login-User(1), Framed-User
3. Connection	SSID	EQUALS	(2), Authenticate-Only (B) secure-corporate

**Service Three**

Service Rule			
Matches ANY or ALL of the following conditions:			
Type	Name	Operator	Value
1. Radius: IETF	NAS-Port-Type	EQUALS	Wireless-802.11 (19)
2. Radius: IETF	Service-Type	BELONGS_TO	Login-User(1), Framed-User
3. Connection	Client-Mac-Address	NOT_EQUALS	(2), Authenticate-Only (B) %{Radius:IETF:User-Name}

A user connects to an Aruba Access Point wireless SSID named "Secure-Corporate" and performs an 802.1X authentication with ClearPass as the authentication server. Based on this service configuration, which service will be triggered?

- A. Service Three

- B. Service Two
- C. No service will be triggered.
- D. Service One

Correct Answer: A

---

#### QUESTION 12

How is ClearPass enabled to perform DHCP profiling for devices in a network?

- A. by enabling a port mirror on the network access device to mirror all user traffic to ClearPass
- B. by enabling DHCP relay on our network access devices so DHCP requests are forwarded to ClearPass
- C. by enabling the `DHCP ignore` feature on network access devices
- D. by configuring ClearPass as a secondary DHCP server on the client
- E. by enabling profiling on ClearPass; configuration of the network access devices is not necessary

Correct Answer: B

Reference: [https://community.arubanetworks.com/aruba/attachments/aruba/ForoenEspanol/653/1/ClearPass %20Profiling%20TechNote.pdf](https://community.arubanetworks.com/aruba/attachments/aruba/ForoenEspanol/653/1/ClearPass%20Profiling%20TechNote.pdf)

---

#### QUESTION 13

When enforcement action is used in ClearPass to bounce a client?

- A. Webpage redirect
- B. ACL
- C. VLAN attribute
- D. RADIUS VSA
- E. RADIUS CoA

Correct Answer: E

In the Profiler tab, change the RADIUS CoA Action to "[Cisco - Bounce-Host-Port]". Make sure your switch is configured for this.

Reference: <http://community.arubanetworks.com/t5/Security/MAC-Auth-Service-for-AP-s-Printers-Etc/td-p/243252>

---

#### QUESTION 14

Which Authorization Source supports device profile enforcement?




- A. Local User Repository
- B. OnGuard Repository
- C. Endpoints Repository
- D. Guest User Repository

Correct Answer: A

#### QUESTION 15

Refer to the exhibit.



Based on the information shown, why did the Joining AD fail?

- A. the GSS is wrong
- B. the wrong FQDN of the AD was entered while joining
- C. the wrong domain name was selected while joining the AD
- D. there is a clock difference between ClearPass and AD servers
- E. there is an IP communication issue

Correct Answer: D

[HPE6-A67 VCE Dumps](#)

[HPE6-A67 Study Guide](#)

[HPE6-A67 Braindumps](#)