

# HPE6-A71<sup>Q&As</sup>

Aruba Certified Mobility Professional Exam

**Pass HP HPE6-A71 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/hpe6-a71.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



### QUESTION 1

An administrator adds local administrative accounts to manage the Aruba Mobility Controllers (MCs). Which role should the administrator assign to an administrator who should have the same privileges as the default admin account?

- A. level-15
- B. superuser
- C. root
- D. admin

Correct Answer: C

---

### QUESTION 2

A network of Mobility Controllers (MCs) is managed by a Mobility Master (MM). An administrator misconfigures the IP addressing on an MC and the MC loses connectivity to the MM. How should the administrator fix this problem?

- A. Restore the previous configuration on the Mobility Master.
- B. Use the disaster recovery mode on the Mobility Master.
- C. Use the auto-recovery mode on the Mobility Master.
- D. Use the disaster recovery mode on the Mobility Controller.

Correct Answer: D

---

### QUESTION 3

An administrator troubleshoots a roaming problem where a user loses connectivity to the network during the roaming process. To help troubleshooting this problem, which device or devices in a wireless network initiates the roaming process?

- A. Both the client and the controller
- B. The AP
- C. The Client
- D. The Controller

Correct Answer: C

---

#### QUESTION 4

An administrator implements two redundant Aruba Mobility Masters (MMs). Which protocol should the administrator use to detect a failure in a single subnet?

- A. PAPI
- B. SNMP
- C. VRRP
- D. IPSec

Correct Answer: C

---

#### QUESTION 5

What must an administrator configure in order for the ClearPass server to execute a RADIUS Change of Authorization (CoA) to Aruba Mobility Controllers (MCs) in a cluster?

- A. Active and Standby AAC with clustering
- B. VRRP IP on each cluster member
- C. IPSec High Availability (HA) between two cluster members
- D. Primary and backup LMS IP addresses

Correct Answer: B

---

#### QUESTION 6

Refer to the exhibit.

Cluster Load Distribution for Aps			
Type	IPV4 Address	Active Aps	Standby Aps
peer	10.1.10.101	131	176
peer	10.1.10.102	153	142
self	10.1.10.100	204	103
peer	10.1.10.103	112	179
<b>Total: Active Aps 600 Standby Aps 600</b>			

An administrator sets up a cluster of Aruba Mobility Controllers (MCs). What can the administrator determine about the cluster from the command output shown in the exhibit?

- A. AP load balancing is enabled.
- B. User load balancing is enabled.
- C. This is an L2-connected cluster.
- D. This is an L3-connected cluster.

Correct Answer: B

### QUESTION 7

A branch office location has two buildings: an office and a small warehouse that are within 20 meters of each other. A RAP at the branch office provides connectivity to the corporate office network. This RAP is also configured as a Remote Mesh Portal (RMP).

Which solution should the administrator implement to provide connectivity between the office and small warehouse buildings at the branch office location?

- A. Deploy a Remote Mesh Portal in the warehouse building to connect to the Remote Mesh Portal in the office building.
- B. Deploy a Remote Mesh Point AP in the warehouse building to connect to the Remote Mesh Portal in the office building.
- C. Deploy an ArubaOS-Switch in the warehouse building with tunneled node to connect to the Remote Mesh Portal in the office building.
- D. Deploy a Mesh Point AP in the warehouse building to connect to the Remote Mesh Portal in the office building.

Correct Answer: D

### QUESTION 8

A Microsoft RADIUS server is used to centralize AAA functions by a company. Upon a successful authentication lookup performed by an Aruba Mobility Controller (MC), the administrator wants to have the RADIUS server pass back the correct post-authentication role name that the controller should apply to the user's traffic.

Which additional task must the administrator perform for the controller's configuration to implement this process?

- A. Install ClearPass's VSA file on the controller.
- B. Install Microsoft's VSA file on the controller.
- C. Configure the server-derived rules on the controller.
- D. Enable AAA on the controller.

Correct Answer: C

---

### QUESTION 9

An administrator purchases a pair of Mobility Masters (MM) and wants to deploy 16 Virtual Mobility Controllers (VMCs). What is the minimum number of clusters that the administrator needs to implement to support the number of VMCs?

- A. 1
- B. 2
- C. 4
- D. 8

Correct Answer: C

Explanation: <https://community.arubanetworks.com/t5/Aruba-Solution-Exchange/Clustering-of-MobilityControllers/ta-p/282686>

---

### QUESTION 10

An administrator needs to apply a patch to an Aruba environment to implement improvements for AirMatch. What is the Aruba recommended approach for this process without a reboot?

- A. Upgrade the AirMatch Loadable Service Module (LSM) on each Mobility Controller.
- B. Upgrade the AirMatch Loadable Service Module (LSM) on the Mobility Master.
- C. Upgrade the ArubaOS by the use of Live Upgrades (in-service upgrades).

D. Create controller partitions to minimize downtime.

Correct Answer: B

---

#### QUESTION 11

An administrator configures an ArubaOS-Switch for per-user tunneled node. Which protocols does the switch use to establish and maintain a connection with the Aruba Mobility Controller (MC)? (Select two.)

- A. GRE
- B. SSL
- C. PAPI
- D. IPSec

Correct Answer: AC

---

#### QUESTION 12

An administrator supports an Aruba wireless solution that uses ClearPass to implement server role assignment. A user reports that they are not able to access the correct department resources. The administrator determines from the connected controller that the user is associated to the login user profile instead of the department user profile.

What should the administrator examine on the ClearPass server to determine the Aruba VSA User Role value that ClearPass returns to the controller?

- A. Accounting
- B. Event Viewer
- C. Audit Viewer
- D. Access Tracker

Correct Answer: D

---

#### QUESTION 13

An administrator needs to authenticate users connected to an ArubaOS-Switch where the switch authenticates the user, assign the firewall policies to the user, and processes some of the users\' traffic. Which connection method should the administrator configure on the ArubaOS-Switch?

- A. Per-user tunneled node

- B. Per-port tunneled node
- C. VLAN tunneled mode
- D. Split-tunneled mode

Correct Answer: A

---

#### QUESTION 14

An administrator creates a mesh cluster profile and has defined the RF band and cluster name. What else must the administrator configure in the profile?

- A. IPSec
- B. CPSec
- C. WPA hexkey or passphrase
- D. Mesh portal IP address(es)

Correct Answer: C

---

#### QUESTION 15

Which two protocols does AirWave use to monitor Aruba Mobility Controllers ()?

- A. PAPI and AMON
- B. SNMP and AMON
- C. PAPI and GRE
- D. SNMP and SSH

Correct Answer: B

[HPE6-A71 PDF Dumps](#)

[HPE6-A71 Study Guide](#)

[HPE6-A71 Braindumps](#)