

JN0-1101^{Q&As}

Juniper Networks Certified Design Associate

Pass Juniper JN0-1101 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/jn0-1101.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What are two guidelines when designing campus networks? (Choose two.)

- A. The design must account for high control plane resources.
- B. The design must allow for network resource availability.
- C. The design must protect customer resources.
- D. The design must allow for high bandwidth.

Correct Answer: BC

QUESTION 2

What are two features used to enable high availability? (Choose two.)

- A. VRRP
- B. chassis clustering
- C. full-duplex mode
- D. SNMP

Correct Answer: AB

QUESTION 3

You are asked to evaluate a WAN design for a corporation with a focus on cost, security, and the ability to have direct adjacencies between your remote sites.

Which two solutions would meet the requirements? (Choose two.)

- A. MPLS Layer 3 VPN
- B. GRE tunnels over the Internet
- C. VPLS Layer 2 VPN
- D. IPsec tunnels over the Internet

Correct Answer: CD

QUESTION 4

What are two main data center profile solution templates? (Choose two.)

- A. adaptive
- B. transitional
- C. high-performance computing
- D. enterprise IT

Correct Answer: CD

QUESTION 5

You are asked to provide a design proposal for an enterprise customer that currently has a three-tier switching infrastructure. The customer wants your design to collapse their Layer 2 infrastructure into two distinct layers.

In this scenario, what are two benefits of moving to the new infrastructure? (Choose two.)

- A. The total number of devices is increased.
- B. The overall network performance is increased.
- C. The number of connections between devices is decreased.
- D. The number of protocols used is decreased.

Correct Answer: BC

QUESTION 6

Why would you recommend Junos Space Security Director in a network design?

- A. It simplifies Ethernet switch deployments and provides rapid operation of campus and data center networks.
- B. It provides the power to quickly design, provision, and deliver MPLS and other Ethernet services.
- C. It helps administrators to more quickly and intuitively manage all phases of a security policy life cycle.
- D. It provides detection, isolation, and resolution of network faults and incidents.

Correct Answer: C

QUESTION 7

What should be included in a network design to improve resiliency?

- A. climate control systems
- B. redundant power supplies

- C. out-of-band management
- D. in-band management

Correct Answer: B

QUESTION 8

What does the network MTTR measure?

- A. the length of time it takes to design the network
- B. the length of time to build the network
- C. the length of time to repair the network
- D. the length of time it takes to reboot the network devices

Correct Answer: C

QUESTION 9

What is the first step of business continuity planning?

- A. know your network
- B. test the plan
- C. assess the risk
- D. formulate the plan

Correct Answer: A

QUESTION 10

You are asked to secure the routing engine of all Junos devices in your design. The design should not affect transit traffic.

Which action will accomplish this task?

- A. Use a firewall filter on a revenue port.
- B. Use a firewall filter on the loopback interface.
- C. Use a firewall filter on the fxp0 interfaces.
- D. Use a firewall filter on the management interface.

Correct Answer: B

QUESTION 11

You are designing a solution to allow secure communication over the public Internet for a corporate WAN deployment. For business policy reasons, all branch-to-branch traffic must first pass through the corporate headquarters.


Which solution will work in this scenario?

- A. full mesh IPsec VPN
- B. hub-and-spoke GRE VPN
- C. Layer 3 VPN
- D. hub-and-spoke IPsec VPN

Correct Answer: D

QUESTION 12

Click the Exhibit button.



Which device plays the role of authenticator in an 802.1X design as shown in the exhibit?

- A. Device A
- B. Device B
- C. Device C

D. Device D

Correct Answer: C

QUESTION 13


In a Virtual Chassis Fabric, which two platforms are supported? (Choose two.)

- A. EX Series
- B. SRX Series
- C. MX Series
- D. QFX Series

Correct Answer: AD

QUESTION 14

Click the Exhibit button.



Referring to the exhibit, you are designing a Layer 2 data center and you want to make sure that all the links between the access tier and the aggregation tier are used.

What should you do to accomplish this task?

- A. Use VRRP on Agg-1 and Agg-2.
- B. Place Agg-1 and Agg-2 in a Virtual Chassis.
- C. Use RSTP on all devices.

D. Use BGP load balancing on all devices.

Correct Answer: B

QUESTION 15

What are three components used to enforce 802.1X in your design? (Choose three.)

- A. authenticator
- B. VoIP phone
- C. authentication server
- D. supplicant
- E. edge router

Correct Answer: ACD

[Latest JN0-1101 Dumps](#)

[JN0-1101 PDF Dumps](#)

[JN0-1101 Exam Questions](#)